

PM

32

11623-24

Page 1 of 2

FRONT PANEL:

ENVICIDE II

Hospital Spray Disinfectant

Kills HIV-1 (AIDS virus) on Pre-Cleaned Environmental Surfaces

Hospital Use and Broad-Spectrum Disinfectant and Anti-Microbial Agent

An Effective Surface Disinfectant Against:

HIV-1 (AIDS Virus)

Herpes Simplex II

Streptococci

Staphylococci

Pseudomonas

Salmonella

Influenza A₁ Virus (Hong Kong)

Mold and Mildew

ACTIVE INGREDIENTS:n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chlorides 0.1 %n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides 0.1 %

Isopropanol 53.0 %

INERT INGREDIENTS 46.8 %**TOTAL** 100.0 %

EPA ESTABLISHMENT NUMBER 11623-GA-1 OR 11623-GA-2

EPA REGISTRATION NUMBER 11623-24

WARNING**KEEP OUT OF REACH OF CHILDREN**

Flammable! Contents under pressure. Do not use near fire, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 120 deg F may cause bursting. See back panel for additional cautions and health hazards.

NET WEIGHT 15 OUNCES (426 GRAMS)


Manufactured By
Apollo Industries, Inc.
Smyrna, Georgia



Recycling Symbol

No CFC's Symbol

CONTAINS NO CFC'S OR OTHER OZONE DEPLETING SUBSTANCES.
FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS.



RECD EPA/OPP/DPD1

96 AUG 14 AM 1:16



2 7 2

BACK PANEL:

- Use in the following settings: industrial, commercial, residential, medical and health care.
- Designed for use in homes, hospitals, institutions, schools, nursing homes, offices, hotels and motels, ambulances, equipment, and vehicles.
- Used as directed, disinfects inanimate hard surfaces such as sinks, toilet seats, shower stalls, garbage cans, walls, doors, doorknobs, desktops, telephone receivers, diaper pails, bed pans, and hampers.
- Deodorizes surfaces where odors are caused by microorganisms. Disinfects and deodorizes shoes.
- Kills HIV-1 (AIDS virus) on pre-cleaned environmental surfaces or objects previously soiled with blood or body fluids, in medical or healthcare settings.
- Disinfects against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Pseudomonas aeruginosa*, and *Trichophyton mentagrophytes*.
- Fungicidal against Pathogenic fungi (Athletes Foot Fungus) when used as directed on hard surfaces commonly contacted by the bare foot.
- Prevents and controls mold and mildew and the odors they cause.

DIRECTIONS FOR USE

SURFACE DISINFECTION AND DEODORIZATION: First remove soil deposits from surface to be treated. Hold can six inches from surface and spray until completely wet. Allow surface to remain wet for 10 minutes.

MOLD AND MILDEWSTAT: Spray the surface to be treated, making sure to wet completely. Let surface air dry. Repeat at weekly intervals or when mildew growth reappears.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS PERSONAL PROTECTION:

Use disposable gloves, gowns, masks, eye covering, etc. as needed to prevent contact with blood or body fluids. **CLEANING PROCEDURE:** Blood and body fluids must be thoroughly cleaned from surfaces and objects before application. Then apply this product as directed above for surface disinfection. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

WARNING

Keep Out of Reach of Children

Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before re-use. If swallowed, drink egg whites or gelatin solution, or if these are not available, drink large amounts of water. Call a physician. **NOTE OF PHYSICIAN** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

STORAGE AND DISPOSAL

Store in a cool dry area away from heat or open flame. Do not puncture or incinerate container. Empty container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using as directed. If recycling is not available, wrap can and discard in trash.

