# TOTAL RELEASE FOGGER II

POLLO

# Water Based

For use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins.

## **ACTIVE INGREDIENTS:**

- Pyrethrins	
*N-Octyl bicycloheptene dicarboximide	
Permethrin (**(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(3	2.2-
dichloroethenyi) 2,2-dimethylcyclopropanecarboxylate]	
Related reaction products	0.035%
INERT INGREDIENTS	
	100.000%

\*MGK® 264, Insecticide Synergist

\*\*cis-trans isomer ratio: Min, 35% (+ or -) cis; Max. 65% (+ or -) trans EVERCIDE, MGKØ - Registered trademark of McLaughlin Gormley King Co.

> Kills Flies, Cockroaches, Fleas, Saw-toothed Grain Beetles, Ticks, Confused Flour Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets.

# ACCBPTED AUG 121998

Under the Federal Insecticide, Pungloide, and Rodenticide Act, as amended, for the particide registered under, BPA Reg. No. 1423

# KEEP OUT OF REACH OF CHILDREN CAUTION CONTENTS UNDER PRESSURE

See side panel for additional precautions.

NET WT. 6.0 OZ. (170 grams) EPA Rog. No. 11623-35 EAP Est. 11623-GA-1

### MANUFACTURED BY: APOLLO INDUSTRIES, INC.

1850 S. Cobb Industrial Blvd. Smyrna, Georgia 30082 (770) 433-0210 www.apolloind.com



"Contains no CFCs or other ozone depleting substances. -Federal regulations prohibic CFC propellants in aerosols." Ž

0

ŝ

623

ł

SS

 $\sim$ 

i S

500

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product will kill cockroaches, confused flour beetles, crickets, fleas, houseflies, pill bugs, rice weevils, saw-toothed grain beetles, small flying moths, and ticks.

DIRECTIONS FOR USE

### SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

Cover exposed foods, dishes, and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Close doors and windows. Point valve opening away from face and eyes when releasing. DO NOT use more than one fogger per room. DO NOT use in small enclosed spaces such as closets, cabinets, or under counters or tables. DO NOT use in a room 5 feet by 5 feet or smaller; instead, allow fogger to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames, or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under the fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To KIII Ticks and Fleas: Destroy pet's old bedding or replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

#### PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Harmful if swallowed or absorbed through skin. Avoid inhalation of vapors or spray mist. Avoid contact with skin, eyes and clothing. Avoid contamination of food or feedstuffs. Do not use in commercial food processing, preparation, food serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover or remove exposed food. Remove pets, birds, and cover fish aquariums before spraying.

#### PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used property. Follow the "DIREC-TIONS FOR USE" on this label very carefully.

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Drink one or two glasses or water and induce vomiting by touching the back of the throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. If on skin or clothing: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists. If In eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

STORAGE AND DISPOSAL: Storage: Store in a cool, dry area away from heat or open flame. Disposal: Do not incinerate or puncture empty container. Replace cap and discard container in trash,