11623 -35

05/05/2003

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460



MAY 5 2003

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Vena Burnell Apollo Industries, Inc. 1850 S. Cobb Ind. Blvd. Smyrna, GA 30082

Subject: Label Amendment - Updating First Aid Statement in Accordance with PR Notice 2001-1, Disposal Instructions conforming to PR Notice 2001-6 Total Release Fogger II EPA Reg. No. 11623-35 Your Submission Dated April 18, 2002

Dear Ms. Burnell:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

- 1. Revise front of the label-- replace " Inert Ingredients" with the phrase"Other Ingredients".
- 2. Revise the First Aid statement as followed:
 - a. In the If Swallowed statement, replace "Do not give any liquid to the person" with "Have a person sip a glass of water if able to swallow."
 - b. Add "Call a poison control center or doctor for treatment advice" to the If in haled and If on skin or clothing statements.

If you have any questions regarding this action, please contact BeWanda Alexander of my team at (703) 305-7460.

Sincerely.

George T. LaRocca / Product Manager (13) Insecticide Branch Registration Division (7505C)

TOTAL RELEASE FOGGER II

A POLLO

Water Based

For use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins,

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
*N-Octyl bicycloheptene dicarboximide	0.400%
Permethrin [**(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-	
dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate]	0.400%
Related reaction products	
INERT INGREDIENTS	
	100.000%

*MGK® 264. Insecticide Syneraist

**cis-trans isomer ratio: Min. 35% (+ or -) cis; Max. 65% (+ or -) trans EVERCIDE, MGK® - Registered trademark of McLaughlin Gormley King Co.



MAY

002568 A1544 04/18/02

۰.

ふ

24

5 2003

Kills Flies, Cockroaches, Fleas, Saw-toothed Grain Beetles, Ticks, Confused Flour Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets.

KEEP OUT OF REACH OF CHILDREN CAUTION Under the Federal Inspedicid's Fundada and Budanda and and Bredauticide CONTENTS UNDER PRESSURE and the section No. See side panel for additional precautions. **CONTENTS UNDER PRESSURE**

NET WT. 6.0 OZ. (170 grams) EPA Reg. No. 11623-35 EPA Est. No. 11623-GA-1

MANUFACTURED BY: **APOLLO INDUSTRIES, INC.**

1850 S. Cobb Industrial Blvd. Smyrna, Georgia 30082 (770) 433-0210 www.apolloind.com



"Contains no CFCs or other ozone depleting substances. Federal segulations prohibit CFC propellants in aerosols."

It is a violation of Federal I aw to use this product in a manner inconsistent with its labeling.

This product will kill cockroaches, confused flour beetles, crickets, fleas, houseflies, pill bugs, rice weevils, saw-toothed grain beetles, small flying moths, and ticks,

DIRECTIONS FOR USE SHAKE WELL BEFORE USE. **KEEP CONTAINER UPRIGHT.**

Cover exposed foods, dishes, and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Close doors and windows. Point valve opening away from face and eyes when releasing. DO NOT use more than one fogger per room. DO NOT use in small enclosed spaces such as closets, cabinets, or under counters or tables, DO NOT use in a room 5 feet by 5 feet or smaller; instead, allow fogger to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames, or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights. Do not remain in the area during freatment and ventilate thoroughly before re-entry. TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place forger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under the fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy pet's old bedding or replace. Use product as above, Treat doos and cats with registered tick control product prior to re-entry.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animais CAUTION

Harmful if swallowed or absorbed through skin. Avoid inhalation of vapors or spray mist. Avoid contact with skin, eyes and clothing. Avoid contamination of food or feedstuffs. Do not use in commercial food processing, preparation, food serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover or remove exposed food. Remove pets, birds, and cover fish aquariums before sprayina.

* 1 -

PHYSICAL AND CHEMICAL HAZARDS HIGHLY FLAMMABLE INGREDIENT INGREDIENTE ALTAMENTE INFLAMABLE

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "DIRECTIONS FOR USE" on this label very carefully.

FIRST AID

Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in a cool, dry place. Keep container closed. Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

> PRODUCT NOT AUTHORIZED FOR SALE IN NEW YORK.