WASP & HORNET

This product can be used both indoors (attics and other places where nests are built and where food or feed are not exposed) and outdoors on wasp, hornet, and yellow lacket nests

- . Kills Wasps, Yellow Jackets, and Hornets on contact
- Gives rapid knockdown and kill of Wasps, Yellow Jackets, and Hornets
- Gives rapid contact kill and residual kill of insects returning to the treated nest
- Reaches nests more than 20 feet above ground

Dielectric Breakdown Voltage:
41.0 KV by ASTM Test Method D-877-87

ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate] 0.200% 3-Phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate 0.125% OTHER INGREDIENTS 99.675%

*Contains petroleum distillate

MULTICIDE® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN CAUTION

ONOTION	
	FIRST AID
if Swallowed:	Call a physician or Poison Control Center Immediately. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
if on Skin or Clothing	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If Inhaled:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712. Have the product container or label with you when calling a polson control center or doctor, or going for treatment

NET WT. 13 OZ. (369 grams) MANUFACTURED BY:



APOLLO INDUSTRIES, INC.

1850 S. Cobb Ind. Blvd. • Smyrna, Georgia 30082 (770) 433-0210 • www.apolloind.com



PRODUCT USAGE

Kills Use On Homets, Wasps and Yellow Jackets Nests indoors (attics) and outdoors

Amount to Use

Spray until nest is soaked with spray

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Harmful if absorbed through skin. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Do not breathe vapors or spray mist. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soep and water after handling. Avoid contamination of food and fine

Do not use in commercial multiple interesting a state of the storage or serving areas. In the home, all timefreed programms surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food/feed should be covered or removed.

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR CONTROL OF NESTS OF WASPS, YELLOW JACKETS, AND HORNETS: The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arms length, point the actuator at the nest and spray in the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed. Walt 48 hours before removing the nest. Foliage of desirable plants that were contacted with spray should be hosed off.

This product may stain or adversely affect vinyl, painted, and plastic surfaces. Avoid application to asphalt roofing shingles as staining may occur. Before using in areas where spray may contact these surfaces, teet in an inconspicuous area and recheck in a few hours.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Store in a cool, dry place. Keep container closed. Do Not Puncture or incinerate

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

PRODUCT NOT AUTHORIZED FOR SALE IN THE STATE OF **NEW YORK.**

E.P.A. Reg. No. 11623-38-

E.P.A. Est. No. 11823-GA-1

BECEPTED JUL 1 1 2002 Under the Federal Insecticide

Fungicide, and Redentictide Act us amended, for the posticide Marian No. 1622-38 ITA Roy. No.