

ANT & ROACH II

RESIDUAL SPRAY

CONTAINS BAYGON®

KILLS ANTS, ROACHES, SPIDERS, FLEAS
AND OTHER CRAWLING INSECTS AS LISTED

FEATURES 2-WAY VALVE



ACTIVE INGREDIENTS

Pyrethrins	0.050%
• Piperonyl butoxide, Technical	0.100%
•• N-Octyl bicycloheptene dicarboximide	0.160%
••• 2-(1-methylethoxy) phenol methylcarbamate	0.500%
INERT INGREDIENTS**	99.184%
TOTAL	100.000%

*Equivalent to .08% (butylcarbonyl) (β-propyl(piperonyl) ether and .02% of related compounds.

**MGK® 264, Insecticide Synergist

***Propoxur

PYROCIDE, MGK® - Registered trademarks of McLaughlin Gorring Co.

KEEP OUT OF REACH OF CHILDREN
CAUTION: FLAMMABLE
CONTENTS UNDER PRESSURE

See other cautions on back panel.

SPRAY ONLY ON SURFACES
DO NOT USE AS A SPACE SPRAY

NET WT. 15 OZ. (425 grams)

DO NOT USE AS A SPACE SPRAY.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Remove the cap. Hold can upright. Point valve opening away from face. Press lever to release spray. For use in Homes and Food and Non-Food Areas of Kitchens, Commercial Buildings, Warehouses, Theatres, Office Buildings, Schools, Motels, Hotels, Restaurants and Non-Food Areas of Food Processing Facilities.

Use Ant & Roach II Residual Spray as a spot crack and crevice treatment to control cockroaches, waterbugs, silverfish, ticks, fleas and other insects listed below. Apply this product as a coarse spray to localized areas where pests are found or may occur. Spray surfaces until wet. Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor coverings. Repeat as needed.

This formulation gives optimum kill of crawling insects listed below, including those resistant to certain chlorinated hydrocarbons and phosphates insecticides. Spray residues kill insects indoors for weeks after the spray deposit has dried.

Use On: Ants, Brown Dog Ticks, Clover Mites, Crickets, Spiders, Earwigs, Fleas, Millipedes, Roaches, Saw-toothed Grain Beetles (exposed stage), Scorpions, Shorebirds and Swiftlets.

Indoor Use - Spot Treatment Only: ANTS, COCKROACHES, SILVERFISH, SPIDERS, SCORPIONS, SAW-TOOCHED GRAIN BEETLES (exposed stage), WATERBUGS: Spray in cracks, crevices, around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves and all around waste containers. Repeat as needed. Do not spray boats or house plants. For ants, spray tall and pieces where ants often徘徊. Do not allow children to contact treated surfaces until surfaces are completely dry.

BROWN DOG TICKS: Spray sleeping quarters of pets, and under baseboards, window and door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

For Crack and Crevice - apply as follows: To KILL ANTS, ROACHES, CRICKETS, SILVERFISH, SOWBUGS, SPIDERS, EARWIGS, BROWN DOG TICKS, FLEAS, CARPET BEETLES and DERMESTIDS: Apply spray in small amounts directly into cracks and crevices. Equipment capable of delivering a fine stream should be used in pools between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where the above listed insects hide.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air.

Repeat Treatment As Necessary For Effective Control.
SPRAY INFESTED SURFACES UNTIL WET.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists. IF ON SKIN OR CLOTH: NO: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists. IF INHALED: Remove victim to fresh air if effects occur, and call a physician. IF SWALLOWED: Get medical attention immediately.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing vapors or spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. In case of contact immediately flush skin and eyes with plenty of water. Wash thoroughly with soap and warm water after handling. If poisoning occurs, get prompt medical aid.

NOTE TO PHYSICIAN: Propoxur is a cholinesterase inhibitor. Atropine, by injection, is antidote and should be administered only if signs of cholinesterase inhibition have appeared.

Do not use in Commercial food processing or preparation areas. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pots, lids and cover fish aquarium before spraying.

PHYSICIAN OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Storage: Store in cool dry area away from heat or open flame.

Dispose: Do not reuse empty container. Wrap container and put in trash collection.

EPA EST. NO: 11023-QA-1


EPA REG. NO: 11023-00

*Contains no CFCs or other ozone depleting substances.

Federal Registration number CFC/propellants in service."

MANUFACTURED BY:
APOLLO INDUSTRIES, INC.

1850 S. Cobb Industrial Blvd. • Smyrna, Georgia 30082
(770) 433-0210 • www.apolloind.com



1/6/23

11