

011623-00044-052799

Printed: 10:42:18 Friday, 25 Jun, 1999 # 6 / 3457

Systems Integration Group, Inc.





· PMO3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

May 27, 1999

Mr. William Sabo Apollo Industries, Inc. 1850 South Cobb Industrial Blvd. Smyrna, GA 30082

Subject:

Label Revisions, Authorization Letter, and Efficacy Data

Apollo Total Release Fogger III

EPA Reg. No. 11623-44

Your Letters Submitted February 25 and April 9, 1999

Dear Mr. Sabo:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comment listed below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

We have recently finished reviewing the efficacy data from the product you cited (EPA Reg. No. 1021-1648). Based on the results of that review, please revise your label accordingly:

- 1) Please remove spiders from your label
- 2) Please remove the general term "ticks" from your label and state specifically "Brown Dog Tick".

Thank you for the authorization letter from MGK. If you have any questions regarding this action, please contact Tracy Keigwin of my team at (703) 305-6605.

Sincerely,

ynn keigwin

Product Manager (13)

Insecticide Branch

Registration Division (7505C)



TOTAL RELEASE FOGGER III

Water Based

For use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Steeping Areas, Cabins.

ACTIVE INGREDIENTS:

	Tetramethrin ((1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl	
	-3-(2-methylpropenyl) cyclopropanecarboxylate]	0.20%
	(S)-cyano(3-phenoxyphenyf)methyl-(S)-4-chloro-alpha-(1-methylethyl)	
	benzensacetate	0.10%
٠	N-Octyl bicycloheptene dicarboximide	1.00%
	OTHER INGREDIENTS	
	ī	00.00%

*MGK® 264, Insecticide Synergisl "Contains petroleum distillate

EVERCIDE, MGK@ - Registered trademark of McLaughlin Gormley King Co.

Kills Files, Cockroaches, Fless, Saw-toothed Grain Beetles, Confused Flour Beetles, Rice Weevils, Small Flying Moths, Crickets, Spiders, and Ticks.

KEEP OUT OF REACH OF CHILDREN CAUTION

CONTENTS UNDER PRESSURE See side panel for additional precautions.

NET WT, 6.0 OZ. (170 grams)

EPA Reg. No. 11623-44

EPA Est. No. 11623-GA-1

MANUFACTURED BY: APOLLO INDUSTRIES, INC.

- -1850 S. Cobb Industrial Blvd. Smyrna, Georgia 30082 (770) 433-0210 www.apolloind.com



Contains no CFCs or other ozone depleting substances Federal regulations prohibit CFC propellants in aerosols."

it is a violation of Faderal Law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE

SHAKE WELL BEFORE USE, KEEP CONTAINER UPRIGHT.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPPROFIT.

Cover exposed loods, dishes, and lood handling equipment. Open cabines and doors to area to be treated. Shut off fans and air conditioners. Close doors and windows. Point valve opening away from face and syste when releasing. DO NOT use more than one logge per room. DO NOT use in armal enclosed spaces such as closes, sobhes, or under counters or tables. DO NOT use in a room 5 feet by 5 feet or simaler, instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off ges valves), other open flames, or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights. Do not remain in the area during treatment and ventilate thoroughly before re-entry. TO OPERATE VALVE: To took when one prosition for activents indevents more valve busines all the TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the cetch. Then place logger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under the togger. Leeve building at once and leep building closed for four hours before sking out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Flees: Destroy pers old bedding or replace. Use product as above. Treat doos and cats with registered lick control product prior to re-entry

PRECAUTIONARY STATEMENTS Hexards to Humane and Domestic Animats CAUTION

Harmful if awallowed, inhaled, or absorbed through the skin. Wash thoroughly with soep and water after handling. Avoid inhalation of vapors or spray mist. Avoid contact with skin, eyes and clothing. Remove contaminated clothing and wash clothing before reuse. Avoid contamination of food or leedstaffs. Do not use in commercial food processing, preparation, food serving or storage areas. In the home, all food processing surfaces and utenate should be covered during freatment or thoroughly weathed before use. Cover or remove exposed food. Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL AND CHEMICAL HAZAROS

HIGHLY FLAMMABLE INGREDIENT INGREDIENTE ALTAMENTE INFLAMABLE

Contents under pressure. Keep swey from heet, sparks, and open fiame. Do not puncture or incherate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion til not used properly. Follow the "DIRECTIONS" FOR USE" on this label very carefully.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poleon Control Center immediately. Drink one or two glasses or water and induce vomiting by louching the back of the throat with a linger. Do not induce vomiting or give anything by mouth to an unconscious or consulaing person. If inhelied: Remove victim to fisse his, it not breathing, give artificial respiration, preferably shouth-to-mouth. Get medical attention. If on skin or clothlag: Remove conteminated clothing and weah before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists. If in eyes: Flush eyes with plenty of water. Get medical attention if

STORAGE AND DISPOSAL: Storage: Store in a cool, dry area away from heat or open fame. Disposal: Do not incinerate or puncture empty container. Replace cap and discard container in trash.

SAFS

to . . . Laker Dated

Under the Federal Issecticide.

Tungsside, and Kodakiskle Act as amended, for the posticide

Poglatered under EPA Reg. No.

11623-44

MAY 27 1999

2/25/99, 8:27 AM

