

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

July 9, 1999

Mr. William Sabo Apollo Industries, Inc. 1850 South Cobb Industrial Blvd. Smyrna, GA 30082

Subject:

)

Resubmission of Labels Based on Our Letter of May 27, 1999

Apollo Total Release Fogger III

EPA Reg. No. 11623-44

Your Letter Dated June 16, 1999

Dear Mr. Sabo:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

- 1) As we requested in our letter of May 27, 1999, please remove the general term "ticks" from your label. The efficacy data you cited does not support this general term. You must state specifically "Brown Dog Tick". Thus on your front panel which begins "Kills flies, cockroaches...etc. you must delete the term "Ticks". Additionally, under your Directions for Use, please change "To kill ticks and fleas" to read "To kill Brown Dog Ticks and fleas".
- 2) In your section entitled "To Operate Valve", change your last sentence to read "Repeat spraying if necessary, but no sooner than within 2 weeks".
- Please change your "IF SWALLOWED" statement to read the following: 3)

If SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.

If you have any questions regarding this action, please contact me at (703) 305-6100 or Tracy Keigwin of my team at (703) 305-6605.

)

Sincerely, Magy Synu leignoin

George T. LaRocca
Product Manager (13)

Insecticide Branch

Registration Division (7505C)



TOTAL RELEASE FOGGER III

Water Based

For use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins.

ACTIVE INGREDIENTS:

Tetramethrin ((1-Cyclohoxene-1,2-dicarboximido) methyl 2,2-din	nethyl
-3-(2-methylpropertyl cyclopropanecarboxylate)	0.20%
(S)-cyano(3-Phenoxyphenyt)methyl-(S)-4-chloro-alpha-(1-methy	dethyf)
benzeneacetate	0.10%
* N-Octyl bicycloheptene dicarboximide	1.00%
**OTHER INGREDIENTS	98.70%
	100.00%

*MGK# 264, insecticide Synergist "Contains petroleum distillate

EVERCIDE, MGKO - Registered trademark of McLaughtin Gormley King Co.

Kills Flies, Cockroaches, Flees, Saw-toothed Grain Beetles, Ticks, Confused Flour Beetles, Rice Weevils, Small Flying Moths, Crickets, and Brown Dog Ticks.

KEEP OUT OF REACH OF CHILDREN CAUTION

CONTENTS UNDER PRESSURE See side panel for additional precautions.

NET WT, 6.0 OZ. (170 grams)

EPA Reg. No. 11623-44 EPA Est. No. 11623-GA-1

MANUFACTURED BY: APOLLO INDUSTRIES, INC.

1850 S. Cobb Industrial Blvd. Smyrna, Georgia 30082 (770) 433-0210 www.apolloind.com



"Contains no CFCs or other exens depicting substances Federal regulations prohibit CFC propellants in aerosols.

If is a violation of Federal Law to use this product in a manner inconsistent with its labeling

DIRECTIONS FOR USE

SHAKE WELL BEFORE USE, KEEP CONTAINER UPRIGHT.

Cover exposed loods, dishes, and lood handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Close doors and windows. Point valve opening swey from face and eyes. Shut or rank and air condending, code doors and windows. Provisive opening sway stom tack and eyes when releasing, DO NOT use more than one logger per room. DO NOT use in a more factored appose such as closets, cabinets, or under counters or tables. DO NOT use in a room 5 feet by 6 feet or smaller; instead, allow tog to enter from other rooms. Turn off ALL (gastion sources such as pilot lights (shut off gas valves), other open flames, or remains electrical appliances that cycle off and on (i.e., retrigerators, thermostats, sec.). Call your gas utility or management company I you need assistance with your pilot lights. Do not remain in the area during treatment and verifiate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic decharge, press valve button all the way down, hooking the catch. Then place logger on stand or table in the center of the room with valve locked open, placing several layers of newspitcher or pad under the logger. Leave building at once and leep building closed for four hours before sirting out. Open all doors and windows and allow to air for 30 minutes. Repeat sorsving in two weeks or when receivant.

To KE Ticks and Flees: Destroy pe'ts old bedding or replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

PRECAUTIONARY STATEMENTS Hazarde to Humans and Domestic Anima CAUTION

Harmful If evallowed, inhaled, or absorbed through the latin. Wash thoroughly with sosp and water after handling. Avoid inhalation of vapors or apray mist. Avoid contact with stdn, eyes and clothing. Remove contaminated clothing and west clothing before rause. Avoid contamination of food or feedstuffs. Do not use in commercial load processing, preparation, load serving or storage areas. In the home, all food processing purisces and penals should be covered during treatment or thoroughly wested before use. Cover or remove exposed lood. Remove pets, birds, and cover fish aquartume before agraying.

PHYSICAL AND CHEMICAL KAZARDS HIGHLY FLAMMABLE INGREDIENT INCREDIENTE ALTANENTE INFLAMABLE

Contents under pressure. Keep away from heat, sparks, and open flurre. Do not puncture or Incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly liamnable ingredient. It may cause a line or explosion if not used properly. Follow the "DIRECTIONS FOR USE" on this label very carefully.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Polson Control Center immediately. Drink one or two plasses or water and induce vomiting by touching the back of the throat with a linger. Do not induce vomiting or give anything by mouth to an unconeclous or convulsing person. If Inhaled: Remove victim to leash air, if not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention. If on side or clothing: Remove contaminated clothing and wasti before reuse. Wash skin with soap and warm water. Get medical attention if initiation pensions. If in eyes: Flush eyes with plenty of water. Get medical attention if initation persists.

STORAGE AND DISPOSAL: Storage: Stora in a cool, dry area away from heat or open flame. Disposal: Do not incinerate or puncture empty container. Replace cap and discard container in trash.

Total Release III EPA 44

ACCEPTED) WHE COMMENTS

in EPA Letter Dated

JUL - 9 1999

Ender the Federal Inschildes

Preschide, and Red secretar feet

as actioned, for the position

regiment under 574 for No.

6/7/99, 9:38 AM