

11623-44



6/11/2002
1/3
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

JUN 11 2002

Vena Burnell
Regulatory Affairs
Apollo Industries, Inc.
1850 S. Cobb Ind. Blvd
Smyrna, GA 30082

Subject: Amendment - Revised Label
Apollo Total Release Fogger
EPA Registration No. 11623-44
Your submission dated May 13, 2002

Dear Ms. Burnell:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable. subject to the comments listed below.

1. Under the "Precautionary Statements" section, please move the statements "Avoid contamination...before spraying." to the "Directions for Use" section of your label.
2. Revise the "First Aid" statements to read:

"IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center for treatment advice.


IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

75052
SPRINT
06/11/02

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information. Contains petroleum distillate - vomiting may cause aspiration pneumonia.

A stamped copy of the label has been enclosed for your records. If you have any questions, please call Dr. William Sproat of my team at 703-308-8587.

Sincerely,

A handwritten signature in black ink, appearing to read 'G. LaRocca', with a small '4' written at the end of the signature.

George T. LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

Enclosure

For use in Rooms, Apartments,
Homes, Attics, Basements,
Campers, Boats, Household
Storage Areas, Garages, Pet
Sleeping Areas, Cabins.

Kills Flies, Cockroaches, Fleas,
Saw-toothed Grain Beetles,
Confused Flour Beetles, Rice
Weevils, Small Flying Moths,
Crickets, and Brown Dog Ticks.

It is a violation of Federal Law to use this
product in a manner inconsistent with its
labeling.

**DIRECTIONS FOR USE
SHAKE WELL BEFORE USE.
KEEP CONTAINER UPRIGHT.**

Cover exposed foods, dishes, and food handling
equipment. Open cabinets and doors to area to be
treated. Shut off fans and air conditioners. Close
doors and windows. Point valve opening away from
face and eyes when releasing. DO NOT use more than
one fogger per room. DO NOT use in small enclosed
spaces such as closets, cabinets, or under counters or
tables. DO NOT use in a room 5 feet by 5 feet or
smaller; instead, allow fog to enter from other
rooms. Turn off ALL ignition sources such as pilot lights
(shut off gas valves), other open flames, or running
electrical appliances that cycle off and on (i.e.,
refrigerators, thermostats, etc.). Call your gas utility or
management company if you need assistance with
your pilot lights. Do not remain in the area during
treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position
for automatic discharge, press valve button all the way
down, hooking the catch. Then place fogger on stand
or table in the center of the room with valve locked
open, placing several layers of newspaper or pad
under the fogger. Leave building at once and keep
building closed for four hours before airing out.
Open all doors and windows and allow to air for 30
minutes. Repeat spraying if necessary, but no sooner
than within two weeks.

To Kill Brown Dog Ticks and Fleas: Destroy pet's old
bedding or replace. Use product as above. Treat
dogs and cats with registered tick control
product prior to re-entry.

ACCEPTED
WHOLESALE COMMENTS
JUN 11 2002
11623-44



TOTAL RELEASE FOGGER III

ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl-3-(2-methylpropenyl cyclopropanecarboxylate)	0.20%
(S)-cyano(3-Phenoxyphenyl)methyl-(S)-4-chloro-alpha- (1-methylethyl) benzeneacetate	0.10%
* N-Octyl bicycloheptene dicarboximide	1.00%
** OTHER INGREDIENTS	98.70%
	100.00%

*MGK® 264, Insecticide Synergist

**Contains petroleum distillate

EVERCIDE, MGK® - Registered trademark of McLaughlin Gormley King Co.

**KEEP OUT OF REACH OF CHILDREN
CAUTION
CONTENTS UNDER PRESSURE
See side panel for additional precautions.**

EPA Reg. No. 11623-44

EPA Est. No. 11623-GA-1

MANUFACTURED BY:

APOLLO INDUSTRIES, INC.

1850 S. Cobb Industrial Blvd. • Smyrna, Georgia 30082

(770) 433-0210 • www.apolloind.com



Net Weight: 6.0 oz. (170 grams)

"Contains no CFCs or other ozone depleting
substances. Federal regulations prohibit CFC
propellants in aerosols."

**PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION**

Harmful if swallowed, inhaled, or absorbed through
the skin. Wash thoroughly with soap and water after
handling. Avoid inhalation of vapors or spray mist.
Avoid contact with skin, eyes and clothing. Remove
contaminated clothing and wash clothing before
reuse. Avoid contamination of food or feedstuffs. Do
not use in commercial food processing, preparation,
food serving or storage areas. In the home, all food
processing surfaces and utensils should be covered
during treatment or thoroughly washed before use.
Cover or remove exposed food. Remove pets, birds,
and cover fish aquariums before spraying.



**PHYSICAL AND CHEMICAL HAZARDS
HIGHLY FLAMMABLE INGREDIENT
INGREDIENTE ALTAMENTE INFLAMABLE**

Contents under pressure. Keep away from heat,
sparks, and open flame. Do not puncture or incinerate
container. Exposure to temperatures above 130°F
may cause bursting. This product contains a highly
flammable ingredient. It may cause a fire or explosion
if not used properly. Follow the "DIRECTIONS FOR
USE" on this label very carefully.

FIRST AID

Call poison control center or doctor immediately for treatment
advice. Have the product container or label with you when
calling a poison control center or doctor, or going for
treatment. **If swallowed:** Immediately call a poison
control center or doctor. Do not induce vomiting
unless told to do so by a poison control center or
doctor. Do not give any liquid to the person. Do not
give anything by mouth to an unconscious person. **If
on Skin or Clothing:** Take off contaminated clothing. Rinse
skin immediately with plenty of water for 15-20 minutes. **If
inhaled:** Move person to fresh air. If person is not
breathing, call 911 or an ambulance, then give artificial
respiration, preferably mouth-to-mouth, if possible. **If
in eyes:** Hold eye open and rinse slowly and gently
with water for 15-20 minutes. Remove contact lenses,
if present, after the first 5 minutes. Then continue
rinsing. Call a poison control center or doctor for
treatment advice.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage
or disposal. **Storage:** Store in a cool, dry place. Keep
container closed. Do Not Puncture or Incinerate! **If
empty:** Place in trash or offer for recycling if available. **If
partly filled:** Call your local solid waste agency or
1-800-CLEANUP for disposal instructions.