ACCEPTED APOLLO DEC the Funderal Insecticide MULTI PURPOSE 1623-46 INSECT SPRAY tared ander 204 200

- FOR RESIDENTIAL USE BOTH INDOORS AND OUTDOORS
- CONTROLS FLIES, MOSQUITOES, GNATS, COCKROACHES. AND GARDEN INSECTS
- CONTROLS PESTS FOR UP TO FOUR WEEKS
- KILLS LICE AND THEIR EGGS
- FOR USE ON BEDDING, FURNITURE, AND OTHER INANIMATE OBJECTS INFESTED WITH LICE.
- CONTROLS FLEAS AND TICKS ON DOGS FOR 14 DAYS

ACTIVE INGREDIENTS:

* Permethrin	
OTHER INGREDIENTS	
	100.00%

* (3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)-2. 2-dimethylcyclopropanecarboxylate

(Cis/Trans ratio: Min, 35% (+/-) cis and max, 65% (+/-) trans.) PERMANONE - Registered Trademark of AgrEvo Environmental Health, Inc.

KEEP OUT OF REACH OF CHILDREN CAUTION FIRST AID

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Wash affected areas immediately with soap and water. Get medical attention if irritation persists.

NET WT. 15 OZ. (425 grams)

Sec Side Pacel For Additional Precautionary Statements

EPĂ LEG. NC. 1620-46

. ...

EPA EST. NO. 11623-GA-1

MANUFACTURED BY: APOLLO INCUSTRIES, INC. 1850 S. COBB INDUSTRIAL BLVD. SMYRNA, GA 30082 (770) 433-0210 www.apolloind.com

PRODUCT USAGE

KILLS: Ants, Cockroaches, Spiders, Scorpions, Fleas, and other listed insects. USE ON: Cracks, crevices, and trails, AMOUNT TO USE: Spray from a distance of 12-15 inches.

READ ENTIRE LABEL BEFORE EACH USE FOR PET USES: USE ONLY ON DOGS

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals CAUTION

Avoid spraying in eyes. Avoid breathing spray misl. Avoid contact with skin. Wash hands thoroughly after use. Vacate room after treatment and ventilate before reoccupying. Avoid contamination of feed and foodstuffs. Cover or remove fishbowls. This product is not for use on humans.

ANIMALS: Do not spray directly in/on eyes, mouth or genitalia of pets. Use only on dogs. Do not use on cats or kittens. Do not use on puppies less than twelve (12) weeks old. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Environmental Hazarda

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in commercial food handling establishments. restaurants, or other facilities where food is commercially prepared or processed.

In the home, cover all food handling surfaces and cover or remove all food and cooking utensils, or wash thoroughly after treatment.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover rish aquanums before spraving.

HOUSEFLIES, FRUIT FLIES, MOSQUITOES, GNATS, WASPS, HORNETS, BEES, BLACK FLIES, SKIPPER FLIES, BLOW FLIES, AND SMALL FLYING MOTHS: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion.

COCKROACHES, WATERBUGS, PALMETTO BUGS, SILVERFISH, FIREBRATS, CRICKETS, SCORPIONS, SPIDERS, MILLIPEDES, CENTIPEDES, SOW BUGS, and PILLBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible.

FLEAS AND TICKS: (ADULTS AND LARVAE): Remove and thoroughly clean or destroy pet bedding. Spray pet steeping guarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

TO CONTROL FLEAS AND TICKS ON DOGS: Starting at the tail, stroke against the lay of the hair, spraving the parted fur in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur up to the head. Repeat application every two weeks if necessary.

TO KILL LICE AND LOUSE EGGS: Spray in an inconspicuous area to test for possible staining or discoloration, inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers. Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modifications or being grown in ornamental gardens or parks or lawns and grounds. When spraving plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts, Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as intestations occur.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool dry area. Do not transport or store below 32°F.

Disposal: Wrap container in several layers of newspaper and dispose of in trash. Can may be disposed of with other recyclables where local law permits. Do not incinerate or puncture.

9

1

Ø