



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

5/21/2002

MAY 21 2002

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

11623-46

1/3

Ms. Vena Burnell
Apollo Industries, Inc.
1850 S. Cobb Ind. Blvd.
Smyrna, GA 30082

Subject: Amendment Updating First Aid and Disposal Instructions per PR Notices
2001-1 and 2001-6
Multi Purpose Insect Spray
EPA Reg. No. 11623-46
Your Submission Dated March 19, 2002

Dear Ms. Burnell:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

- 1. Revise the oral First Aid statements as recommended for products containing less than 10% petroleum distillate:

Table with 2 columns: 'If swallowed:' and a list of instructions: 'Call a poison control center or doctor immediately for treatment advice.', 'Have person sip a glass of water if able to swallow.', 'Do not induce vomiting unless told to do so by the poison control center or doctor.', 'Do not give anything by mouth to an unconscious person.'

- 2. Add the following statement to the inhalation (If Inhaled) First Aid statements:

"Call a poison control center or doctor for further treatment advice."

- 3. Add the following statement to the dermal (If on Skin or Clothing) First Aid statements:

"Call a poison control center or doctor for treatment advice."

If you have any questions regarding this action, please contact Susan Stanton of my team at (703) 305-5218.

Sincerely,



George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

Enclosure

MAY 21 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended, for the pesticide labeled under EPA Reg. No. 11623-46



MULTI PURPOSE INSECT SPRAY

Now with Attached "Access-STRAW" FOR CRACKS AND CREVICES

- FOR RESIDENTIAL USE BOTH INDOORS AND OUTDOORS
- CONTROLS FLIES, MOSQUITOES, GNATS, COCKROACHES, AND GARDEN INSECTS
- CONTROLS PESTS FOR UP TO FOUR WEEKS
- KILLS LICE AND THEIR EGGS
- FOR USE ON BEDDING, FURNITURE, AND OTHER INANIMATE OBJECTS INFESTED WITH LICE.
- CONTROLS FLEAS AND TICKS ON DOGS FOR 14 DAYS

ACTIVE INGREDIENTS:	
* Permethrin	0.25%
OTHER INGREDIENTS	99.75%
	100.00%
* (3-phenoxyphenyl)methyl (+/-) cis/trans 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate (Cis/Trans ratio: Min. 35% (+/-) cis and max. 65% (+/-) trans.)	
PERMANONE - Registered Trademark of AgrEvo Environmental Health, Inc.	

**KEEP OUT OF REACH OF CHILDREN.
CAUTION**

FIRST AID	
Call poison control center or doctor immediately for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
If Swallowed:	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
If Inhaled:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
If in Eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

See Side Panel For Additional Precautionary Statements

EPA REG. NO. 11623-46

EPA EST. NO. 11623-GA-1

NET WT. 15 OZ. (425 grams)

MANUFACTURED BY:

APOLLO INDUSTRIES, INC.

1850 S. COBB INDUSTRIAL BLVD. • SMYRNA, GA 30082
(770) 433-0210 • www.apolloind.com

PRODUCT USAGE
KILLS: Ants, Cockroaches, Spiders, Fleas, and other listed insects.
USE ON: Cracks, crevices, and trails.
AMOUNT TO USE: Spray from a distance of 12-15 inches.

**READ ENTIRE LABEL BEFORE EACH USE
FOR PET USES: USE ONLY ON DOGS**

**PRECAUTIONARY STATEMENTS
Hazards To Humans & Domestic Animals
CAUTION**

Avoid spraying in eyes. Avoid breathing spray mist. Avoid contact with skin. Wash hands thoroughly after use. Vacate room after treatment and ventilate before reoccupying. Avoid contamination of feed and foodstuffs. Cover or remove fishbowls. This product is not for use on humans.

ANIMALS: Do not spray directly in/on eyes, mouth or genitalia of pets. Use only on dogs. Do not use on cats or kittens. Do not use on puppies less than twelve (12) weeks old. Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated or nursing animals. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Environmental Hazards

This product is toxic to fish. Do not apply to any body of water. Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in commercial food handling establishments, restaurants, or other facilities where food is commercially prepared or processed.

In the home, cover all food handling surfaces and cover or remove all food and cooking utensils, or wash thoroughly after treatment.

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover fish aquariums before spraying.

HOUSEFLIES, FRUIT FLIES, MOSQUITOES, GNATS, WASPS, HORNETS, BEES, BLACK FLIES, SKIPPER FLIES, BLOW FLIES, AND SMALL FLYING MOTHS: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion.

COCKROACHES, WATERBUGS, PALMETTO BUGS, SILVERFISH, FIREBRATS, CRICKETS, SCORPIONS, SPIDERS, MILLIPEDES, CENTIPEDES, SOW BUGS, and PILLBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible.

FLEAS AND TICKS: (ADULTS AND LARVAE): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

TO CONTROL FLEAS AND TICKS ON DOGS: Starting at the tail, stroke against the lay of the hair, spraying the parted fur in short bursts, directly behind the head to insure penetrating the coat. Dampen the fur up to the head. Repeat application every two weeks if necessary.

TO KILL LICE AND LOUSE EGGS: Spray in an inconspicuous area to test for possible staining or discoloration, inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as *Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers.* Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modifications or being grown in ornamental gardens or parks or lawns and grounds. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool dry place. Keep container closed. Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

REV 03/19/02 A1158a

3/3