EPA Form 8570-1 (Rev. 12-90)

Previous editions are obsolete.

Reg # 11649-4

192

Yellow -

Applicant copy

Please read Instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval expires 11-30-United States Environmental Protection Agency OPP Identifier Number Registration Office of Pesticide Programs (H7505C) **Amendment** Washington, DC 20460 158004 Application for Pesticide: Other Section I 3. Proposed Classification 2. EPA Product Manager Company/Product Number 11649 \_\_ 4 Robert Forrest Restricted 4. Company/Product (Name) Avitrol Mixed Grains 14 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling Avitrol Corporation to: 7644 E. 46th Street Tulsa, OK 74145 EPA Reg. No. Check if this is a-new address **Product Name** Section I i Final printed labels in response to Amendment - Explain below NOTIFICATION Agency letter dated Resubmission in response to Agency letter dated 'Me Too" Application. Notification - Explain below. Other - explain below, Explanation: Use additional page(s) if necessary. (For section I and Section II.) The state of California has requested that Avitrol Corporation add language to its labels which are registered in the State of California which would require additional rotective clothing when "mixing applying and broadcasting these products." Avitrol Corporation believes that this change is consistent with EPA's Personal Protective Guide and meets requirements for Amendment By Notification. This amendment makes those changes. Section III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Water Soluble Packaging Type of Container Unit Packaging Yes Metal Yes Yes Plastic No Glass No Paper If "Yes," If "Yes," No. per No. per Other (Specify) Unit Package wgt. container Package wgt. Certification must be container submitted. Location of Label Directions 3. Location of Net Contents Information 4. Size(s) of Retail Container On Label through 1001b Container On Labeling accompanying product 6. Manner in Which Label is Affixed To Product Lithograph Paper glued Stenciled Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Telephone Nc. (Include Area Code) Kelly F. Swindle President 918-622-7763 Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete (Stainped) I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or ... both under applicable law. President 5. Date November 18, 1996

White -

EPA File Copy (original)

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. May cause irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

### ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

This pesticide is toxic to birds and fish. Wildlife feeding on treated bait may be killed. Do not contaminate water by cleaning equipment of disposal of waste. Do not feed to livestock or poultry. Do not mix with grain for livestock or poultry feed.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### **USE RESTRICTIONS**

Do not use where food (grain or meat) might become contaminated.

Avitrol must not be exposed in any manner that may endanger desirable and protected bird species. If there is a question of such hazard, consult local, state and federal game authorities before undertaking bird management with Avitrol.

Investigate local laws that may prohibit the use of any toxic chemical in bird control.

Applicators shall wear gloves and use a scoop when mixing, applying and broadcasting this product.

#### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

#### 1. STORAGE INSTRUCTIONS:

Store in original container only. Store apart from food or animal feed and protect against rodent penetration of the carton. Store apart from other pesticides, fertilizers, food or feed that may cause cross-contamination of odor or insect infestation.

#### 2. DISPOSAL INSTRUCTIONS:

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, conact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Completely empty liner by shaking and tapping sides and bottom to oosen clinging particles. Empty residue into application equipment. Then dispose of liner n a sanitary landfill or by incineration if allowed by State and Local authorities. If trum is contaminated and cannot be eused, dispose of in the same manner.

## RESTRICTED USE PESTICIDE

**DUE TO ACUTE AVIAN TOXICITY** 

For sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.



#### MIXED GRAINS

Active ingredient: 4-Aminopyridine Inert Ingredients: 0.5% <u>99.5%</u> 100.0%

Avitrol is a poison with flock alarming properties used for the control of Pigeons, House Sparrows, Red-Winged, Yellow-Headed, Brewers and Rusty Blackbirds, Grackles, Cowbirds and Starlings in, on or in the area of structures for the properties and react and react and alarm a flock usually die.

JAN 2, 1997

## KEEP OUT OF REACH OF CHILDREN CAUTION

### STATEMENT OF PRACTICAL TREATMENT

If swallowed: If the patient is unconscious, maintain breathing and heart beat (CPR: Cardiopulmonary resusitation). Contact your local Poison Control Center, hospital or physician immediately.

If patient is conscious: Induce vomiting with syrup of Ipecac (if not available, stimulate the back of the throat with finger). Never give anything by mouth to an unconscious person. Contact your Poison Control Center, hospital or physician immediately.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

See side panel for additional precautionary statements.

### Manufactured By AVITROL CORPORATION

7644 East 46th Street Tulsa, Oklahoma 74145-6370 (918) 622-7763 • (800) 633-5069 EPA Reg. No. 11649-4 EPA Est. 11649-OK-1

Avitrol Lot No. \_\_\_\_

Net Contents: \_\_\_\_Pounc

## PREBAITING DIRECTIONS

This product must not be applied where nontarget birds are feeding. Careful observations of the birds' feeding habits must therefore be made to establish proper feeding locations and to determine that no nontarget birds are feeding on the prebait. Prebailing with untreated grains of the same composition as the Avitrol carrier is usually essential to the effective deterrence of birds with Avitrol. The target species are primarily ground feeders and should be prebaited on the ground when possible. Pigeons will feed from roof tops as well as from the ground. Inside structures, prebaiting may be performed on elevated flat surfaces, perching and loating areas and ledges. Bait trays may be used but feeding acceptance will normally require more time.

#### DILUTION DIRECTIONS

Avitrol treated grain should be thoroughly mixed with untreated grain of the same composition as the Avitrol carrier at the dilution ratios indicated below. For the control of Pigeons, Blackbirds, Grackles, Starlings and Cowbirds with Avitrol, no dilution ratio less than one part treated to nine parts untreated is recommended. House Sparrows, however, usually operate within limited areas, with feeding and nesting sites relatively close to one another. Thus, while ratios of one part treated to nine (or more) untreated parts have given good control in many instances, particularly stubborn cases may require a ratio of one part treated to five pans untreated. Greater numbers of birds may be killed, however, as toxic bait is made less dilute.

#### **BAITING DIRECTIONS**

To obtain minimal mortality, the distribution of Avitrol should be limited to scattered spot placements that will provide feeding opportunities only for the necessary number of target birds. After the birds feeding pattern has been established through prebating, replace untreated bait with diluted treated bait only at sites where the target birds are actively feeding. Do not apply treated bait to inactive feeding sites. Where uneaten bait may be a hazard to other birds or animals, it should be picked up at the end of each day. This product must not be applied where nontarget bird species are feeding. During the first few days, baiting with Avitrol may require successive applications until control is obtained. Note that retreatment may also be necessary after rainfalf.

Notice: Buyer and/or user assumes all risks of use and/or handling of these materials contrary to label instructions.