PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed. May cause irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds and fish. Wildlife feeding on treated fruit may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not feed treated fruit to livestock. Do not mix with grain for livestock or poultry feed.

DISPOSAL INSTRUCTIONS

1. PESTICIDE DISPOSAL
Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to federal or approved state procedures under subtitle C of the Resource Conservation and Recovery Act.

2. CONTAINER DISPOSAL
Completely empty bag by shaking and tapping sides and bottom to dislodge clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions

Do not use where food/grain or meat might become contaminated.
Avitrol must not be used in any manner that may endanger threatened or protected bird species. If there is a question of such hazard, consult local, state and federal game authorities before proceeding bird management with Avitrol.

Investigate local laws that may prohibit the use of any toxic bird control agent.

RESTRICTED USE
PESTICIDE

For sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

AVITROL

Double Strength
Whole Corn

Active Ingredient:	4-Aminopyridine	1.0%
Inert Ingredients:		99.0%
Total		100.0%

Avitrol is a poison with flavor alarmers or repellents used for the control of crows in, on or in the area of structures, feeding, roosting areas, or roosting sites in such a way that a part of a flock may consume it and frighten the rest away. Birds that consume a flock usually die.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT
If swallowed: If the patient is conscious, induce vomiting and maintain breathing and heart rate. Use cardiopulmonary resuscitation if necessary. Call your local Poison Control Center, hospital or physician immediately.

If patient is conscious: Induce vomiting with syrup of Ipecac. Give it immediately, stimulate the back of the throat with finger. Never give anything by mouth to an unconscious person. Contact your Poison Control Center, hospital or physician immediately.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

See side panel for additional precautionary statements.

Manufactured by

AVITROL
Corporation
[illegible]
Tulsa, OK [illegible]

EPA Reg. No. [illegible]
EPA Est. [illegible]

Avitrol for No
[illegible]

Prohibiting Directions

This product must not be applied where protected birds are feeding. Careful observation of the birds' feeding habits must therefore be made to establish proper feeding locations and determine that protected birds are feeding in the treated area. Probiting with untreated grains of the same or similar size as the Avitrol carrier is usually essential to the effective deterrence of birds with Avitrol.

Related Directions

Avitrol treated grain should be distributed with untreated grain of the same or similar size as the Avitrol carrier at the dilution rate specified below. For the control of crows with Avitrol, the dilution rate less than one part treated to five parts untreated is not recommended.

Feeding Directions

[illegible]

Notice: Buyer and user assume all risks [illegible] handling of these materials [illegible]

BEST AVAILABLE COPY

11649-8