

JUL 11 1988

305 - 207576
17

Avitrol Corporation
7644 East 46th Street
Tulsa, OK 74145

Gentlemen:

Subject: Ornitrol
EPA Registration No. 11649-16
Your Letter Dated October 21, 1987

We received your revised Confidential Statement of Formula, which will be reviewed at the time of reregistration.

The submitted acute toxicity data do not meet current guidelines. However, the data are adequate to revise the precautionary labeling. Make the labeling changes listed below before you release the product for shipment:

1. Revise the signal word from "CAUTION" to "WARNING."
2. Revise "Hazards to Humans and Domestic Animals" as follows:

WARNING: MAY BE FATAL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH THE SKIN. WEAR GLOVES WHILE HANDLING THIS PRODUCT. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING OR SMOKING.

TREATED BAIT MAY BE HARMFUL TO OTHER BIRDS AND WILDLIFE. DO NOT EXPOSE BAIT IN AREAS READILY ACCESSIBLE TO WATERFOWL.

3. Revise the Statement of Practical Treatment as follows:
 - a. Delete the first paragraph under IF SWALLOWED.
 - b. Add "IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists."

54401:I:Peacock:CPI-09:YENCO:6/28/88:8/9/88:EK:vo:ek:rw

CONCURRENCES

SYMBOL	SURNAME	DATE						

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with section 6(e) of the Federal Insecticide, Fungicide, and Rodenticide Act. Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



John T. Tice
Acting Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

373

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Do not use as feed for domestic animals or poultry.

Treated bait may be harmful to other birds and wildlife.

Do not expose bait in areas readily accessible to water fowl or other birds.

Not for human consumption. May be harmful if swallowed.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

Do not use where food (grain or meat) might become contaminated.

Investigate local and state laws that may prohibit the use of this chemosterilant for pigeon control.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

1. STORAGE INSTRUCTIONS:

Store in original container only. Store apart from food or animal feed and from other pesticides, fertilizers, food or feed that may cause cross-contamination of odor or insect infestation.

2. PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

3. CONTAINER DISPOSAL:

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

Ornitrol

CHEMOSTERILANT FOR PIGEON CONTROL

Active Ingredient: 20,25 diazacholestenol dihydrochloride	0.1%
Inert ingredients:	99.9%
	100.0%

For use only by federal, state, municipal and local government agencies, bird protection and conservation groups, pest control operators, and universities.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed: If the patient is unconscious, maintain breathing and heart beat (CPR: Cardiopulmonary resuscitation). Contact your local Poison Control Center, hospital or physician immediately.

If patient is conscious: Induce vomiting with syrup of Ipecac (if not available, give 1 or 2 glasses of water to drink and induce vomiting by touching back of throat with finger). Never give anything by mouth to an unconscious person. Contact your Poison Control Center, hospital or physician immediately.

See side panel for additional precautionary statements.

Manufactured By
AVITROL CORPORATION
Tulsa, Oklahoma 74145
EPA Reg. No. 11649-16
EPA Est. 11649-OK-1

Lot No.

Net Weight — 30 lbs.
13.6 kg

FINISHED LABEL SIZE: 8" x 8"

PREBAITING DIRECTIONS

Careful observations of the birds' feeding habits must be made to establish proper feeding locations and to determine that no nontarget birds are feeding on the prebait. Prebaiting with untreated grains of the same composition as the Ornitrol carrier is essential. The exact prebaiting technique employed will vary depending on the birds' location and the surrounding environment. The locale should be studied for a period long enough to ascertain the birds' habits in the area. Pigeons will feed from roof tops as well as from the ground. Feed acceptance from trays will normally require more time. Prebaiting should be conducted until as close as possible to 100% of the pigeons are accepting prebait. This may require from several days to several weeks time.

BAITING DIRECTIONS

Scatter Ornitrol (treated corn) daily for 10 days in areas frequented by pigeons. Best results will be obtained when as many pigeons as possible are treated at the same time.

Early spring and early fall (twice a year treatment) will provide best results.

Roof-tops, grain elevators and other terminal areas are most suitable for baiting. Baiting in parks should be supervised. In a city-wide program, spread Ornitrol at all traditional pigeon feeding areas.

Estimate the number of pigeons to be treated, then for each 100 pigeons, scatter 7½ lbs. of Ornitrol daily for 10 days. Avoid exposure to rain.

Notice: Buyer and/or user assumes all risks of use and/or handling of these materials contrary to label instructions.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUL 3 1983

Date of Receipt: 7/1/83
Product Name: Ornitrol
Quantity: 30 lbs.
Lot No. 11649-16

11649-16

BEST AVAILABLE COPY