CENTER PANEL



RUSSET 7% FUNGICIDE DUST

Potato Seed-Piece Treater

ACTIVE INGREDIENTS	BY WEIGHT
A coordination of zinc ion and manganese ethylene bisdithiocarbamate	7%
in which the ingredients are	
Manganese ++	
Zinc ⁺⁺ 0.2%	
Ethylene bisdithiocarbamate ion	
. (C ₄ H ₆ N ₂ S ₄) =5.4%	
INERT INGREDIENTS	<u>93%</u>
TOTAL	100%

:

KEEP OUT OF REACH OF CHILDREN CAUTION STATEMENT OF PRACTICAL TREATMENT IF INHALED remove victim to fresh air. Apply respiration if indicated. IF ON SKIN wash immediately with plenty of scap and water. IF IN EYES flush eyes for at least 15 minutes with water. Get medical attention. See side panel for additional precautionary statements. WESTERN FARM SERVICE, INC. 3075 Citrus Circle, Suite 195

EPA Reg. No. 11656-6

BEST DOCUMENT AVAILABLE

Net Contents 50 Lbs.

. . .

e e produces La referidade se

<u> 3198 - 5</u> 1983

الم الم الم الم

rether for Faller!

٠.,

end Rel

t d, for t

and under EP

11650 6

Walnut Creek, CA 94598

RIGHT SIDE PANEL

DIRECTIONS FOR USE

Continued

POTATO SEED-PIECE TREATMENT

For protection against fusarium seed-piece decay and common seed-barn scab.

RUSSET 7% Dust is a special fungicide formulation for application on whole or cut potato tubers.

Use 3/4 to 1 lb. of dust per 100 lbs. of whole or cut potato seed-pieces. Apply the dust in a manner such that the entire surface of seed-piece becomes thoroughly covered with the fungicide dust. Plant seed as soon after treatment as possible.

DO NOT USE TREATED SEED POTATOES FOR FOOD OR FEED PURPOSES.

NOTICE OF WARRANTY

WESTERN FARM SERVICE, INC., MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

EFST DUCUMENT AVAILABITE



.....

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed or inhaled. May cause irritation of eyes, nose, throat and skin! In case of contact, flush with plenty of water; for eyes, get medical attention. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Wear protective clothing (long pants, long sleeve shirt, rubber gloves, hat, boots and respirator) when mixing with potato seed pieces.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Keep away from fire or sparks

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE - Never allow to become wet during storage. This may lead to certain chemical changes which will reduce effectiveness as a fungicide and create vapors which may be flammable. Keep container closed when not in use.

DISPOSAL - Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Completely empty bag. Dispose of empty bag in approved dump site or by incineration. If allowed by State and local authorities, dispose by burning. If burned, stay out of smoke.

\$ >

Western Farm Service, Inc. 3075 Citrus Circle - Suite 195 Walnut Creek, CA 94598

Attention: N. S. Bishop

Gentlemen:

Subject: Russet 7% Fungicide Dust EPA Registration Number 11656-6 Your Letter Dated May 11, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insacticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.

- In the Environmental Hazard Statement, change "Keep...ponds" to "Do not apply directly to water."
- 2. Revise the Storage and Disposal Statement per enclosure or you may comply with PR Notice 83-3 which you should have received.
- 3. Add the following statement to the Directions for Use:

Treated Potato Seed-Pieces must not be used for or mixed with food or animal feed. Treat only those pieces needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated pieces beyond planting time.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Henry H. Jacoby Product Manager (21) Fungicide-Rerbicide Branch Registration Division (TS-767) 27 81

Enclosure

TS-767:H. M. Jacoby:DCR-33431:WANG-0897C:ap:Raven:479-2013:6/9/83

CONCURMENCES								
	[Ţ	[
								•-
DATE 🍺						*		
	320-1 (4 81)		<u> </u>	<u> </u>			OFFI	CIAL FIL