



# METHYL PARATHION 5 EMULSIVE

**AN EMULSIFIABLE LIQUID**

Contains 5 lbs Methyl Parathion Per Gal

<b>ACTIVE INGREDIENTS</b>	<b>By Weight</b>
Methyl Parathion (0,0-dimethyl 0 p nitrophenyl phosphorothioate)	55.5%
Aromatic Petroleum Solvent	36.0%
<b>INERT INGREDIENTS</b>	<u>8.5%</u>
	<b>TOTAL 100.0%</b>
EPA Reg No 11656-13 AA	<b>NET CONTENTS GALS.</b>

**STOP — READ LABEL BEFORE USING!**

<p><b>POISON</b> See Side Panels for Antidote &amp; Precautions</p>		<p><b>DANGER</b> Keep Out of Reach of Children</p>
---	--	--

**WESTERN FARM SERVICE, INC.**

3075 Citrus Circle  
Walnut Creek California 94598

**GENERAL DIRECTIONS**

Read entire label. Use strictly in accordance with cautions, warnings and directions, and with applicable state and federal regulations.

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers.

Keep cool in shade - Out of direct sunlight. Do Not Use, Pour, Spill or Store Near Heat or Open Flame.

Wash empty container with alkali and destroy by burying in a safe place away from water supplies and run-off. Never re-use.

This product is intended to be applied only by specified and trained operators of aircraft or power-driven ground equipment. This product is not to be used or stored around homes or home gardens. USE INDICATED AMOUNT PER 100 GALLONS WATER FOR CONVENTIONAL GROUND SPRAYERS UNLESS OTHERWISE SPECIFIED.

**GROUND APPLICATION:** Vegetable and Field Crops - 30 to 250 gals.;  
Cotton - 3 to 20 gals.

**AIR APPLICATION:** Where Recommended.  
Field Crops - 3 to 10 gals.

**USE AND APPLICATION DIRECTIONS**

**ALFALFA:** Spotted Alfalfa Aphid - 2/5 to 1/2 pint per acre in water to cover. Alfalfa Weevil Larvae - 2/5 to 3/5 pt. per acre in water to cover. Apply by ground or air when buds and shoots first appear ragged or when larvae count first reads 25 per sweep. Do not apply within 15 days of harvest or grazing.

**ALFALFA (Seed):** Stink Bugs, Lygus Bugs, Leafhoppers, Aphids - 1/2 to 1 1/2 pints per acre in water to cover. Do not apply during period of bee activity. Do not apply within 15 days of harvest or grazing.

**ARTICHOKES:** Aphids, Armyworms (up to third instar) - 1 pint per acre in water to cover. Apply when insects first appear. Repeat as necessary. Do not apply within 7 days of harvest.

**BEANS, BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER, KALE, COLLARDS:** Aphids, Armyworms (up to third instar), Fleabeetles, Leafhoppers, Red Spider Mites - 1 to 2 1/2 pints per acre in water to cover. Do not apply to Dry Beans within 15 days of harvest, to Green Beans and to listed Cole Crops within 21 days of harvest.

**BEETS:** Armyworms, Leafhoppers, Red Spider Mites - 1 pint per acre in water to cover. Do not apply within 15 days of harvest or within 21 days if treated tops are to be used for food or feed.

**CARROTS, POTATOES:** Aphids, Armyworms (up to third instar), Fleabeetles, Leafhoppers, Red Spider Mites - 3/4 pint per acre in water to cover. Do not apply to Carrots within 15 days of harvest and to Potatoes within 5 days of harvest. Do not use treated carrot tops for food or feed.

**CELERY, PEAS, PEPPERS, LETTUCE, SPINACH:** Aphids, Armyworms (up to third instar), Fleabeetles, Leafhoppers, Red Spider Mites - 3/4 to 1 1/2 pints per acre in water to cover. Do not apply to Celery, Peas and Peppers within 15 days of harvest. Do not apply to Lettuce and Spinach within 21 days of harvest.

**CORN:** Corn Rootworm Adult - 2/5 pint per acre in water to cover. Repeat applications as necessary. Workers entering fields on the day of application should wear protective clothing. Do not use within 12 days of harvest.

**COTTON:** Aphids, Red Spider Mite, Cotton Fleahopper - 1/2 pint in water to cover 1 acre. Boll Weevil - 1/2 pint in water to cover 1 acre. Lygus Bugs, Leafroller - 1 to 1 1/2 pints per acre in water to cover. Stink Bug, Leaf Perforator - 1 1/2 pints per acre in water to cover. Repeat as necessary. Do not apply within 7 days of hand picking or harvest. Workers entering fields within 24 hours of application should wear protective clothing.

**GRAINS (Wheat, Oats, Barley):** Greenbug (Aphid) - 1/2 pints per acre in sufficient water to cover. Repeat as necessary. Do not apply within 15 days of harvest.

**SUGAR BEETS:** Armyworms, Fleabeetles, Leafhoppers, Red Spider Mites - 1/2 pint per acre in water to cover. Do not apply within 20 days of harvest or within 60 days of harvest if tops are to be fed to livestock.

**TOMATOES:** Aphids, Armyworms (up to third instar), Fleabeetles, Leafhoppers, Red Spider Mites - 1 to 1 1/2 pints per acre in water to cover. Do not apply within 15 days of harvest.

METHYL PARATHION MIXTURE, LIQUID—POISON B

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification



DANGER—POISON—PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if it gets on your hands or spilled or splashed on skin. In eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

CROP USE DIRECTIONS

Use only according to attached label instructions

ACCEPTED  
MAY 30 1978  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide is registered under the number 11656-13

METHYL PARATHION EMULSIVE

AN EMULSIFIABLE LIQUID

Contains 5 lbs Methyl Parathion Per Gal.

ACTIVE INGREDIENTS

Methyl Parathion (0,0-dimethyl 0-p-nitrophenyl phosphorothioate)

Aromatic Petroleum Solvent

INERT INGREDIENTS

By We

55.5%

36.0%

8.5%

100.0%

EPA Reg No. 11656-13 AA

NET CONTENTS

STOP — READ LABEL BEFORE USING!

NOT FOR HOME USE

POISON



DANGER

See Side Panels for Antidote & Precautions

Keep Out of Reach of Children

CAN KILL YOU

WFS 13-02 3-78

MANUFACTURED IN U.S.A. BY



WESTERN FARM

313

METHYL PARATHION MIXTURE, LIQUID—POISON B

RESTRICTED USE PESTICIDE


For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



DANGER—POISON—PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

CROP USE DIRECTIONS

Use only according to attached label instructions.

ACCEPTED  
MAY 30 1978  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered for the pesticide EPA Reg. No. 11656-13

METHYL PARATHION 5 EMULSIVE

AN EMULSIFIABLE LIQUID

Contains 5 lbs. Methyl Parathion Per Gal.

ACTIVE INGREDIENTS	By Weight
Methyl Parathion (0,0-dimethyl 0-p-nitrophenyl phosphorothioate)	55.5%
Aromatic Petroleum Solvent	36.0%
INERT INGREDIENTS	8.5%
TOTAL	100.0%

EPA Reg. No. 11656-13 AA NET CONTENTS GALS.

STOP — READ LABEL BEFORE USING!

NOT FOR HOME USE

POISON DANGER  
See Side Panels for Antidote & Precautions  
Keep Out of Reach of Children  
CAN KILL YOU

WORK SAFETY RULES

Use Only When Wearing the following Protection:

1. Wear water-proof pants, coat, hat, rubber boots.
2. Wear safety goggles.
3. Wear a pesticide respirator jointly approved and Safety Administration (former and by the National Institute for Occupational Safety and Health) under the provisions of 30 CFR Part 11.
4. Wear heavy-duty, natural rubber gloves.

Keep all unprotected persons and children away from treated areas. There is danger of drift. DO NOT USE, POUR, SPILL OR OPEN FLAME.

Do not rub eyes or mouth with hands. If you work and get help right away. Call a doctor (p immediately. Explain that the victim has been exposed to methyl parathion. After first aid is given (See label) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash hands, face and arms with soap and water.

AFTER WORK, take off all work clothes and shoes. Wash clothes and shoes separately. Wash protective clothing and protective water after each use. Respirator should be cleaned according to instructions included with respirator.

TO PREVENT PERSONAL INJURY AND POSSIBLE DEATH, keep persons and animals out of treated areas for 48 hours. Do not be re-entered until drifting insecticide and volatiles have dissipated. Do not use in any manner other than recommended indoors, provide mechanical exhaust ventilation.

Do not apply or allow to drift to areas occupied by beneficial animals. To avoid excessive residues of crops, always observe the statements found under "Precautions" the time before harvest when parathion may be applied.

Do not use or store in or around the home, kitchen, or domestic animals. Do not store near food or feed. Clean up area with strong eye solution.

Poison Signs (Symptoms)

Parathion is a very dangerous poison. It rapidly acts on all skin surfaces and eyes. Clothing wet with it should be removed immediately. Exposed persons must receive prompt medical attention.

Some of the signs and symptoms of poisoning are: vomiting, cramps, weakness, blurred vision, pin-point pupils, labored breathing, nervousness, sweating, watering of mouth and nose, muscle spasms and coma.

WFS 13-02 3-78

MANUFACTURED IN U.S.A. BY



WESTERN FARM SERVICE, INC. 3075 Citrus Circle

# EMULSIVE


## AN EMULSIFIABLE LIQUID

Contains 5 lbs. Methyl Parathion Per Gal.

ACTIVE INGREDIENTS	By Weight
Methyl Parathion (0,0-dimethyl 0-p-nitrophenyl phosphorothioate) .....	55.5%
Aromatic Petroleum Solvent .....	36.0%
INERT INGREDIENTS .....	8.5%
TOTAL	100.0%

EPA Reg. No. 11656-13 AA      NET CONTENTS      GALS.

**STOP — READ LABEL BEFORE USING!**

**POISON**            **DANGER**  
See Side Panels      Keep Out of  
for Antidote &      Reach of  
Precautions      Children  
**CAN KILL YOU**

**WESTERN FARM SERVICE, INC.**

3075 Citrus Circle  
Walnut Creek, California 94598

WFS 13 02S 5 77

### GENERAL DIRECTIONS

Read entire label. Use strictly in accordance with cautions, warnings and directions, and with applicable state and federal regulations.

Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers.

Keep cool in shade — Out of direct sunlight. Do Not Use, Pour, Spill or Store Near Heat or Open Flame.

Wash empty container with alkali and destroy by burying in a safe place away from water supplies and run-off. Never re-use.

This product is intended to be applied only by specified and trained operators of aircraft or power-driven ground equipment. This product is not to be used or stored around homes or home gardens. USE INDICATED AMOUNT PER 100 GALLONS WATER FOR CONVENTIONAL GROUND SPRAYERS UNLESS OTHERWISE SPECIFIED.

**GROUND APPLICATION:** Vegetable and Field Crops — 30 to 250 gals.;  
Cotton — 3 to 20 gals.

**AIR APPLICATION:** Where Recommended.  
Field Crops — 3 to 10 gals.

### USE AND APPLICATION DIRECTIONS

**ALFALFA:** Spotted Alfalfa Aphid — 2/5 to 1/2 pint per acre in water to cover. Alfalfa Weevil Larvae — 2/5 to 3/5 pt. per acre in water to cover. Apply by ground or air when buds and shoots first appear ragged or when larvae count first reads 25 per sweep. Do not apply within 15 days of harvest or grazing.

**ALFALFA (Seed):** Stink Bugs, Lygus Bugs, Leafhoppers, Aphids — 1/2 to 1 1/2 pints per acre in water to cover. Do not apply during period of bee activity. Do not apply within 15 days of harvest or grazing.

**ARTICHOKES:** Aphids, Armyworms (up to third instar) — 1 pint per acre in water to cover. Apply when insects first appear. Repeat as necessary. Do not apply within 7 days of harvest.

**BEANS, BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER, KALE, COLLARDS:** Aphids, Armyworms (up to third instar), Fleabeetles, Leafhoppers, Red Spider Mites — 1 to 2 1/4 pints per acre in water to cover. Do not apply to Dry Beans within 15 days of harvest; to Green Beans and to listed Cole Crops within 21 days of harvest.

**BEETS:** Armyworms, Leafhoppers, Red Spider Mites — 1 pint per acre in water to cover. Do not apply within 15 days of harvest or within 21 days if treated tops are to be used for food or feed.

**CARROTS, POTATOES:** Aphids, Armyworms (up to third instar), Fleabeetles, Leafhoppers, Red Spider Mites — 3/4 pint per acre in water to cover. Do not apply to Carrots within 15 days of harvest and to Potatoes within 5 days of harvest. Do not use treated carrot tops for food or feed.

**CELERY, PEAS, PEPPERS, LETTUCE, SPINACH:** Aphids, Armyworms (up to third instar), Fleabeetles, Leafhoppers, Red Spider Mites — 3/4 to 1 1/2 pints per acre in water to cover. Do not apply to Celery, Peas and Peppers within 15 days of harvest. Do not apply to Lettuce and Spinach within 21 days of harvest.

**CORN:** Corn Rootworm Adult — 2/5 pint per acre in water to cover. Repeat applications as necessary. Workers entering fields on the day of application should wear protective clothing. Do not use within 12 days of harvest.

**COTTON:** Aphids, Red Spider Mite, Cotton Fleahopper — 1/2 pint in water to cover 1 acre. Boll Weevil — 1 pint in water to cover 1 acre. Lygus Bugs, Leafroller — 1 to 1 1/2 pints per acre in water to cover. Stink Bug, Leaf Perforator — 1 1/2 pints per acre in water to cover. Repeat as necessary. Do not apply within 7 days of hand picking or harvest. Workers entering fields within 24 hours of application should wear protective clothing.

**GRAINS (Wheat, Oats, Barley):** Greenbug (Aphid) — 3/4 pints per acre in sufficient water to cover. Repeat as necessary. Do not apply within 15 days of harvest.

**SUGAR BEETS:** Armyworms, Fleabeetles, Leafhoppers, Red Spider Mites — 1/2 pint per acre in water to cover. Do not apply within 20 days of harvest or within 60 days of harvest if tops are to be fed to livestock.

**TOMATOES:** Aphids, Armyworms (up to third instar), Fleabeetles, Leafhoppers, Red Spider Mites — 1 to 1 1/2 pints per acre in water to cover. Do not apply within 15 days of harvest.

343

METHYL PARATHION MIXTURE. LIQUID—POISON B

### RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

- Use Only W
1. Wear
  2. Wear
  3. Wear
  4. Wear

#### DANGER—POISON—PRECAUTIONS

##### CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.

##### CAN KILL YOU BY SKIN CONTACT

This product can kill you if it is splashed on skin, in eyes or on clothing that goes through clothes.

##### CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

**ACCEPTED**  
**MAY 30 1978**  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered for the pesticide  
 EPA Reg. No. 11656-13

# METHYL PARATHION 5 EMULSIVE

AN EMULSIFIABLE LIQUID

Contains 5 lbs. Methyl Parathion Per Gal.

ACTIVE INGREDIENTS	By Weight
Methyl Parathion (0,0-dimethyl 0-p-nitrophenyl phosphorothioate)	55.5%
Aromatic Petroleum Solvent	36.0%
INERT INGREDIENTS	8.5%
<b>TOTAL</b>	<b>100.0%</b>

EPA Reg. No. 11656-13 AA      **NET CONTENTS**      **GALS.**

**STOP — READ LABEL BEFORE USING!**

NOT FOR HOME USE

## POISON

See Side Panels for Antidote & Precautions



**CAN KILL YOU**

## DANGER

Keep Out of Reach of Children

#### CROP USE DIRECTIONS

Use only according to attached label instructions.

Keep all un  
there is danger  
OR OPEN FLAM

Do not rub  
work and get h  
immediately. Ex  
describe his con  
and if a doctor c

**IMPORTANT**  
Always wash ha  
or drinking.

**AFTER WORK**  
water. Wear on  
clothing. Wash  
water after each  
ing to instructio  
**TO PREVENT**  
persons and an  
not be re-entere  
Do not use in  
indoors, provide

Do not appl  
beneficial an ma  
crops, always o  
the time before

Do not use  
and domestic a  
clean up area w

Parathion is  
with all skin sur  
immediately. Ex  
may die.

Some of th  
vomiting, cramp  
labored breathin  
of mouth and no

