

2 of 3

CAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children

ANGER! PELIGRO!

Keep children and animals away from this spray. Do not use near people, food, or animals.

Keep out of reach of children

Keep out of reach of children

REPEATED EXPOSURE MAY WITHOUT SYMPTOMS BE INCREDIBLY HAZARDOUS

Do not breathe vapors or spray mist

Do not get in eyes, on skin or on clothing



POISON SYMPTOMS (Symptoms)

Repeated exposure to a very dangerous poison is highly irritant to the body on contact with all the mucous membranes and eyes. Contact with the material may be repeated immediately. Repeat exposure may require prompt medical attention as they may be severe.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, dizziness, weakness, blurred vision, and other people, especially in their laboring breathing apparatus, may be suffering from the effects of the spray mist.



POISON ATROPINE IS AN ANTIDOTE. CONSULT PHYSICIAN FOR EMERGENCY SUPPLY.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED OR PROVED POISONING.

If symptoms of signs of poisoning include blurred vision, abnormal weakness and depression in the chest do not wait for a doctor but give two drops of atropine (each 1/100 grain or 0.05 milligrams) at once (10 to 15 minutes apart) under the tongue of the eye.

NOTE TO PHYSICIAN

Atropine - a powerful alkaloid found in large doses may be fatal. It is a powerful anticholinergic agent. It acts as a parasympatholytic, blocking the action of the parasympathetic nervous system. It is a strong emetic and may be administered as an antidote to, but not a substitute for, atropine which is a symptomatic and other life saving antidote. DO NOT GIVE MORPHINE OR TRANQUILIZERS BECAUSE THESE ANTIDOTES MAY PRODUCE ADVERSE EFFECTS ACCENTUATING THE PARALYTIC EFFECT OF THIS PRODUCT. The product is a strong emetic and may affect the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued administration of the patient may occur and keep records have been reported also show improvement. WEIGH CLOSE SUPERVISION OF THE PATIENT IS ADVISED FOR AT LEAST 48 HOURS.

WORK SAFETY RULES

REPEATED EXPOSURES TO CHOLERA TOXIN IN THIS PRODUCT MAY WITHOUT SYMPTOMS CAUSE FATAL DISEASE. KEEP OUT OF REACH OF CHILDREN.

Persons coming into contact with this product should have frequent showers, especially after work. Do not use near people, food, or animals. Do not breathe vapors or spray mist. Do not get in eyes, on skin or on clothing.

REPEATED EXPOSURE MAY WITHOUT SYMPTOMS BE INCREDIBLY HAZARDOUS

Do not breathe vapors or spray mist

Do not get in eyes, on skin or on clothing

DO NOT WEAR THE FOLLOWING PROTECTIVE (SUITING) AND CLOTHING

- (1) Wear water-proof boots with rubber heels or rubber soles. (2) Wear safety goggles. (3) Wear a protective respirator fitted according to the Working Instructions and Safety Administration (formerly the U.S. Bureau of Mines) and the National Institute for Occupational Safety and Health under the provisions of 29 CFR part 1910. (4) Wear heavy duty rubber gloves.

SAFETY: Before returning gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower using soap and water. Wash any work clothes worn before leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. This material should be cleaned and later replaced according to instructions included with Responder.

Directions For Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Reentry Statement

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by all personnel present.

Do not enter treated areas for 48 hours unless you are wearing protective clothing or gear.

Because certain states may require more restrictive reentry intervals for various crop products with this product, consult your State Department of Agriculture for further information.

Workers of this company must be given to workers with no symptoms to be in a treated area or in an area about to be treated with this product. These workers should wear protective clothing of such a type that may not be removed without protective equipment and clothing washed on the job during treatment or for 48 hours following treatment. Follow First Aid Treatment instructions shown on the label in case of accidental exposure.

When oral warnings are given, workers shall be given a 15-minute continuous warning by workers. Oral warnings shall be given if there is reason to believe that verbal warnings cannot be understood by workers.

WRITING WARNINGS must include the following information:

DO NOT use this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by all personnel present.

ATTENTION

Do not use this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by all personnel present.

Before the use of a pesticide by the contact inhibitor or halving of should not be used in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by all personnel present.

Do not apply or other drift to areas occupied by employees, humans or livestock of animals.

Environmental Hazards

This product is toxic to fish, birds, bees and other aquatic life and other wildlife. Do not use in or near water. Do not use in or near streams, rivers, lakes, marshes and estuaries. Do not use in or near areas of application. Do not use in or near areas of application. Do not use in or near areas of application.

This product is highly toxic to bees. Do not use in or near areas of application. Do not use in or near areas of application.

Physical or Chemical Hazard

Combustible: Do not use near open flames or other heat sources. Do not use in or near areas of application.

Do not use in or near areas of application. Do not use in or near areas of application.

Storage and Disposal

Do not store in areas where it may be exposed to fire or other heat sources.

- 1. Handle containers carefully so as to avoid damage and prevent leakage.
- 2. Do not use or store in or around fire hazards.
- 3. Store container in a well-ventilated place.
- 4. Empty containers release vapor and product residue. Dispose of them separately with container if cleaned, recombinant or destroyed.
- 5. Keep out of reach of children and domestic animals.

DISPOSAL: Wastes of this pesticide are acutely hazardous. They are not to be disposed of in any way except as directed on the label. If there is any material spilled or leaked, it should be cleaned up immediately. Do not use in or near areas of application. Do not use in or near areas of application.

ACCEPTED SEP 4 1985 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 11656-13



METHYL PARATHION 5 EMULSIVE

AN EMULSIFIABLE LIQUID

Contains 5 lbs. Methyl Parathion Per Gal.

ACTIVE INGREDIENTS	By Weight
Methyl Parathion (D,D-dimethyl 0-p-nitrophenyl phosphorothioate)	55.5%
Aromatic Petroleum Solvent	36.0%
INERT INGREDIENTS	8.5%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN.

DANGER PELIGRO



POISON

PRECAUCION AL USUARIO. Si usted o las niñas no use este producto asda que le etiqueta haya sido aplicada amplemente.

NOT FOR HOME USE

FIRST AID TREATMENT

STATEMENT OF PRACTICAL TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to Parathion and describe his condition. If doctor cannot come take victim to clinic or hospital.

Move victim immediately from the area where Parathion is present.

If INHALED remove victim to fresh air. If not breathing immediately give artificial respiration, preferably mouth-to-mouth and maintain this action until victim is breathing satisfactorily. Give oxygen.

If IN EYES OR ON SKIN immediately flush with plenty of water for 15-20 minutes while removing contaminated garments. Clothing and shoes do need continued periodic exposure to clean or decontaminate.

SWALLOWED induce vomiting immediately by giving two fingers of soap suds by touching back of throat with finger. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Place victim in dark and keep quiet.

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN.
RAPIDLY ABSORBED THROUGH SKIN.
REPEATED EXPOSURE MAY WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS.
Do not breathe vapors or spray mist.
Do not get on eyes, on skin or on clothing.

POISON SIGNS (Symptoms)
Normal person is a very dangerous person if he gets on the body to contact with all the hair, face and eyes. (Nothing out with the water of hand be washed immediately.) (Washed person must receive prompt medical treatment as they may die.)
Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin point pupils, tremors, in chest, labored breathing, convulsions, vomiting, cutting of eyes, swelling of throat, slurred speech, loss of muscle tone and coma.

POISON
ATROPINE IS AN ANTIDOTE.
CONSULT PHYSICIAN FOR EMERGENCY SUPPLY.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED METHYL PARATHION POISONING.
If symptoms or signs of poison include blurred vision, abdominal cramps and tightness in the chest, it is not safe for a doctor but give him present label (each 1/100 gram or 0.05 milligrams) of age. (One label is taken under five years of age.)

NOTE TO PHYSICIAN

Antidote - administer atropine sulfate in large doses TWO TO FOUR mg intravenously or intramuscularly as soon as symptoms are reported. Repeat at 5 to 10 minute intervals until signs of parasympathetic control. (EPA) (Cholinergic) anticholinergic and may be administered as an antidote to but not a substitute for atropine which is a symptomatic and other the atropine anticholinergic. DO NOT GIVE MORPHINE OR PAIN DRUGS BECAUSE THESE ANTIDOTES MAY PRODUCE ADVERSE EFFECTS ACCELERATING THE PHARMACOLOGICAL EFFECT OF THIS PRODUCT. This product is a strong cholinergic inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued observation of the patient may occur but first response have been reported after usual circumstances. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING:
(1) Wear water proof pants, coat, hat, rubber boots or rubber overalls. (2) Wear safety goggles. (3) Wear a protective respirator mask approved by the Mining, Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and the National Institute for Occupational Safety and Health. (4) The provisions of 29 CFR part 191. (5) Wear heavy duty natural rubber gloves.
IMPORTANT: Before removing gloves wash them with soap and water. Always wash hands, face and arms with soap and water before washing, eating or drinking.
AFTER WORK: Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Wash prior should be cleaned and kept separate according to instructions included with Responder.

Directions For Use
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Reentry Statement
Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by un-protected persons.
Do not enter treated area for 48 hours unless no protective protective clothing is worn.
Declare certain states may require more restrictive re-entry intervals for various crops treated with this product. Consult your State Department of Agriculture for further information.
Workers or other persons must be given to workers who are expected to be in a treated area or in an area about to be treated with this product.
DRIFT WARNINGS: shall inform workers of areas or fields that may not be entered without protective equipment and clothing specified on this label during treatment or for 48 hours following treatment. Follow First Aid Treatment instructions shown on this label in case of accidental exposure.
When drift warnings are given warnings shall be given in a language commonly understood by workers. Drift warnings must be given if there is reason to believe that drift warnings cannot be understood by workers.

Environmental Hazards
This product is toxic to fish, shrimp, crab, birds and other wildlife. Birds and other animals of treated areas may be killed. Keep out of lakes, streams, ponds, ditches, marshes and reservoirs. Shrimp and crab may be killed if application is not discontinued on first catch. Do not spray where there are important resources. Do not apply where rainfall is likely to occur. Do not apply when weather conditions favor drift from treated area. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.
This product is highly toxic to bees needed to cross pollinate or otherwise on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Physical or Chemical Hazard
Combustible. Do not use near open flame or other heat source.
In case of FIRE use water spray, foam, dry chemical or CO₂. SPRAY OR LEAKAGE of unreacted portions away. Cover with absorbent to absorb spill. Use sand or saw dust. Setup up and bury these and thoroughly wash spray no solution.

Storage and Disposal
Do not contaminate water, food or feed by storage or disposal.
STORAGE AND HANDLING:
1. Handle container carefully so as to avoid damage and prevent leakage.
2. Do not use in store or in around the home.
3. Store container in a well-ventilated place.
4. Empty container retains toxic and product residue. Observe all label requirements until container is cleaned, reconditioned or destroyed.
5. Keep out of reach of children and domestic animals.

DISPOSAL
Wastes of this pesticide are acutely hazardous except for disposal of excess pesticide spray mixture or residue in a manner of disposal. If there is any residue, clean by disposal of according to label use existing laws, contact your state pesticide or environmental control agency or the Hazardous Waste Superfund Office of the nearest EPA Regional Office for guidance.
Triple rinse empty container with 5% caustic soda solution. Flush with water after each of recycling or reconditioning or puncture to prevent other use and disposal in an approved landfill or by other procedure approved by state and local authorities.

Because this material is poisonous by the contact with skin, it should be used in such a manner as to avoid contact with the body. Do not spray where there are important resources. Do not apply where rainfall is likely to occur. Do not apply when weather conditions favor drift from treated area. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Environmental Hazards
This product is toxic to fish, shrimp, crab, birds and other wildlife. Birds and other animals of treated areas may be killed. Keep out of lakes, streams, ponds, ditches, marshes and reservoirs. Shrimp and crab may be killed if application is not discontinued on first catch. Do not spray where there are important resources. Do not apply where rainfall is likely to occur. Do not apply when weather conditions favor drift from treated area. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Physical or Chemical Hazard
Combustible. Do not use near open flame or other heat source.
In case of FIRE use water spray, foam, dry chemical or CO₂. SPRAY OR LEAKAGE of unreacted portions away. Cover with absorbent to absorb spill. Use sand or saw dust. Setup up and bury these and thoroughly wash spray no solution.

Storage and Disposal
Do not contaminate water, food or feed by storage or disposal.
STORAGE AND HANDLING:
1. Handle container carefully so as to avoid damage and prevent leakage.
2. Do not use in store or in around the home.
3. Store container in a well-ventilated place.
4. Empty container retains toxic and product residue. Observe all label requirements until container is cleaned, reconditioned or destroyed.
5. Keep out of reach of children and domestic animals.

DISPOSAL
Wastes of this pesticide are acutely hazardous except for disposal of excess pesticide spray mixture or residue in a manner of disposal. If there is any residue, clean by disposal of according to label use existing laws, contact your state pesticide or environmental control agency or the Hazardous Waste Superfund Office of the nearest EPA Regional Office for guidance.
Triple rinse empty container with 5% caustic soda solution. Flush with water after each of recycling or reconditioning or puncture to prevent other use and disposal in an approved landfill or by other procedure approved by state and local authorities.

This product is intended to be applied only by means of aircraft or power-driven ground equipment. Do not apply to stored ground homes or home gardens. USE 100 GALLONS WATER FOR CONVENTIONAL GROUND APPLICATION.

GROUND APPLICATION: Vegetable and Field Crops - 3 to 20 gals.
AIR APPLICATION: Where Recommended Field Crops - 3 to 10

USE AND APPLICATION D
ALFALFA: Spotted Alfalfa Aphid - 2/5 to 1/2 pt Alfalfa Weevil Larvae - 2/5 to 3/5 pt per acre ground or air when buds and shoots first appear first reads 25 per sweep. Do not apply within 15

ALFALFA (Seed): Stink Bugs, Lygus Bugs, Leafhoppers - 1/2 to 1 pt per acre in water to cover. Do not apply within 15 days of harvest or grazing.
ARTICHOKES: Aphids, Armyworms (up to third instar) - 1/2 to 1 pt per acre in water to cover. Apply when insects first appear. Apply within 7 days of harvest.

BEANS, BROCCOLI, BRUSSELS SPROUTS, KALE, COLLARDS: Aphids, Armyworms (up to third instar), Red Spider Mites - 1 to 2 1/2 pints per acre in water to cover. Do not apply to Beans within 15 days of harvest; to Broccoli within 21 days of harvest.
BEETS: Armyworms, Leafhoppers, Red Spider Mites - 1/2 to 1 pt per acre in water to cover. Do not apply within 15 days of treated tops are to be used for food or feed.

CARROTS, POTATOES: Aphids, Armyworms (up to third instar), Red Spider Mites - 1/2 pint per acre in water to cover. Do not apply to Carrots within 15 days of harvest and to potato tubers within 15 days of harvest. Do not use treated carrot tops for food or feed.
CELERY, PEAS, PEPPERS, LETTUCE, SPINACH (third instar), Fleabeetles, Leafhoppers, Red Spider Mites - 1/2 to 1 pt per acre in water to cover. Do not apply to Celery, Peas or Spinach within 15 days of harvest. Do not apply to Lettuce and Spinach within 15 days of harvest.

CORN: Corn Rootworm Adult - 2/5 pint per acre in water to cover. Workers entering field should wear protective clothing. Do not use within 15 days of harvest.

COTTON: Aphids, Red Spider Mite, Cotton Flea, Boll Weevil - 1 pint in water to cover. Boll Weevil - 1 to 1 1/2 pints per acre in water to cover. 1 1/2 pints per acre in water to cover. Repeat as necessary 7 days of hand picking or harvest. Workers entering application should wear protective clothing.
GRAINS (Wheat, Oats, Barley): Greenbug (up to third instar), Fleabeetles, Leafhoppers, Red Spider Mites - 1 to 1 1/2 pints per acre in water to cover. Repeat as necessary. Do not apply within 60 days of harvest if tops are to be fed to livestock.
TOMATOES: Aphids, Armyworms (up to third instar), Red Spider Mites - 1 to 1 1/2 pints per acre in water to cover. Do not apply within 15 days of harvest.

EPA Reg. No. 21650-134AA

WESTERN FARM SERVICE, INC.

3075 Citrus Circle
Walnut Creek, California 94598

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(c) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Add the phrase "EPA registration no. 12102-3" to your label when you release the product for shipment.

3. Submit five copies of your final printed label, before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 3(c). Your release for shipment of the product constitutes acceptance of these conditions.

A sample copy of the label is enclosed for your records.

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Control
Registration Division

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Jay S. Ellenberger

DATE

9/10/85