

PM 12 EPH# 11656-13 p8. 2 of 3
 2F 9/11/89

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

**METHYL PARATHION 5
 EMULSIVE**

AN EMULSIFIABLE LIQUID

Contains 5 lbs. Methyl Parathion Per Gal.

ACTIVE INGREDIENT:	By Wt.
Methyl Parathion (0,0-dimethyl 0-p-nitrophenyl phosphorothioate).....	55.5%
INERT INGREDIENTS.....	44.5%
TOTAL	100.0%

KEEP-OUT OF REACH OF CHILDREN

**DANGER
 PELIGRO**



POISON

PRECAUCION AL USUARIO. Si usted no lee ingles no use este producto hasta que la etiqueta haya sido explicada ampliamente.

NOT FOR HOME USE

FIRST AID TREATMENT

STATEMENT OF PRACTICAL TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to Methyl Parathion and describe his condition. If doctor cannot come take victim to clinic or hospital.

Move victim immediately from the area where Methyl Parathion is present.

If INHALED, remove victim to fresh air. If not breathing, immediately give artificial respiration, preferably mouth-to-mouth, and maintain until doctor takes victim. If breathing is difficult, give oxygen.

If IN EYES OR ON SKIN, immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes to avoid continued exposure. Engage a volunteer person to assist.

If SWALLOWED, induce vomiting immediately by giving two glasses of water and by backing back of throat with finger. DO NOT INDUCE VOMITING OR GIVE ANY FOOD OR BEVERAGE TO AN UNCONSCIOUS PERSON. Have victim lie down and keep quiet.

NET CONTENTS GALLONS.

BEST AVAILABLE COPY



NOTICE OF WARRANTY

WESTERN FARM SERVICE MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE OR OTHERWISE, EXPRESS OR IMPLIED, concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

See Supplemental Label for Crop Use Directions.

EPA Reg. No. 11656-13-AA

MANUFACTURED BY

WESTERN FARM SERVICE, INC.

3075 Citrus Circle
 Walnut Creek, CA 94598

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

! DANGER! PELIGRO!

PRECAUCION AL USUARIO: Se adverta de los riesgos de los usos prohibidos para que se eviten los posibles accidentes.

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN

RAPIDLY ABSORBED THROUGH SKIN

REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS.

Do not breathe vapors or spray mist.

Do not get in eyes, on face or on clothing.

☠ POISON SIGNS (Symptoms)

Methyl Parathion is a very dangerous poison. It readily enters the body on contact with the skin, surfaces and eyes. Contact with the material must be removed immediately. Exposure to the eyes may cause blindness and permanent damage if they are not treated.

Some of the signs and symptoms of poisoning are: headache, dizziness, vomiting, diarrhea, blurred vision, runny nose, tightness in chest, labored breathing, convulsions, swelling, watering of eyes, drooping or twitching of mouth and nose, muscle spasms and coma.

☠ POISON ☠ ATROPINE IS AN ANTIDOTE.

CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED METHYL PARATHION POISONING.

+ NOTE TO PHYSICIAN +

Antidote — Atropine. Prepare solution in large doses. There is FOUND no corroborative or confirmatory data on efficacy of atropine. Doses of 5 to 10 mg may relieve mild signs of intoxication. Doses of 7-10 mg given at 15-30 minute intervals may be administered until signs are relieved. The use of atropine in amounts which is symptomatic and with slow-acting anticholinergics may be effective in TRANQUILIZERS BECAUSE THESE ANTIDOTES MAY PRODUCE ADVERSE EFFECTS ACCENTUATING THE PHARMACOLOGIC EFFECT OF THE PRODUCT. The use of atropine in large doses may cause tachycardia, dry mouth, blurred vision, and other symptoms. Continued observation of the patient may occur and vital signs should be monitored and vital signs should be monitored VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

WORK SAFETY RULES

Persons working with this product should have frequent hand washings. The manufacturer's label on the container has been placed on a small card to further emphasize the danger and it has been determined by means of hand tests that the information on the label has not been lost. The information on the label is the same as that on the original label. The State Agricultural Extension Service or Extension Station for specific information regarding such hand tests.

If hand washings, proper technique should be used.

Keep all unprotected persons and animals away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel you do not get any STOP work and get help right away. See Form for Agricultural Extension Station.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear long-sleeved shirt, coat, hat, rubber boots or shoes, overalls. (2) Wear safety goggles. (3) Wear a protective respirator fully approved by the Mining, Quarries and Safety Administration, Bureau of Mines, U.S. Bureau of Mines, and the National Institute for Occupational Safety and Health under the provisions of 29 CFR part 11. (4) Wear heavy duty gloves. (5) Wear heavy duty shoes.

IMPORTANT! Never remove gloves with bare hands and wash hands and face with soap and water before removing gloves or clothing.

AFTER WORK: Wash all work clothes, and shoes. Shower, using soap and water. Wash any skin exposed when leaving job. Do not use contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirators should be cleaned and this repeated immediately in accordance with instructions.

Directions For Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Reentry Statement

Do not apply this product in such a manner as to drift or blow off through air to other workers or animals. The area being treated must be vacated by unprotected persons.

Do not enter treated area for 48 hours unless appropriate protective clothing is worn.

Because certain plants and insects are resistant to every material for control, these plants and insects will, through your State Department of Agriculture for further information.

Workers or animals should be given to workers and be required to be in a treated area or in an area that is to be treated with this product.

When workers and animals are given to workers and be required to be in a treated area or in an area that is to be treated with this product.

When and workers are given, workers shall be given a 15-minute minimum rest period by workers and workers shall be given if there is reason to believe that either workers shall be supervised by workers.

Written materials must include the following information:

Labels—Area treated with Methyl Parathion on _____
Do not enter without appropriate protective clothing for 48 hours from first use. Treatment instructions shown on the product label in case of accidental exposure.

ATTENTION

To avoid unnecessary treatment of Methyl Parathion on land or large areas always observe the following hand test: "Smell it first," among the two hands before using Methyl Parathion may be applied.

Because this material is poisonous to the animals, treatment of poisoning should not be used in such a manner as to cause animal poisoning. Do not spray drift of the spray mist onto an animal to be sprayed. Do not spray of area and to avoid treatment by unprotected humans or domestic animals.

Environmental Hazards

This product is toxic to fish, birds, bees, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of treated areas. Birds, bees, and other wildlife should be kept out of treated areas. Do not spray where there is a high density of birds. Do not spray where there is a high density of bees. Do not spray where there is a high density of other wildlife. Do not spray where there is a high density of other wildlife.

This product is highly toxic to fish. Do not spray in or near water. Do not spray in or near water. Do not spray in or near water. Do not spray in or near water.

Physical or Chemical Hazard

Combustible: Do not use, pour, spill or store near heat or flame.

Flammable: Do not use, pour, spill or store near heat or flame. Do not use, pour, spill or store near heat or flame. Do not use, pour, spill or store near heat or flame. Do not use, pour, spill or store near heat or flame.

BEST AVAILABLE COPY

pa. 10/1/73

Wash empty container with alkali and destroy by burying in a safe place away from water supplies and run-off. Never reuse.

This product is intended to be applied only by specified and trained operators of aircraft or power-driven ground equipment. This product is not to be used or stored around homes or home gardens. USE INDICATED AMOUNT PER 100 GALLONS WATER FOR CONVENTIONAL GROUND SPRAYERS UNLESS OTHERWISE SPECIFIED.

GROUND APPLICATION: Vegetable and Field Crops—30 to 250 gals.
Cotton — 3 to 20 gals.

AIR APPLICATION: Where Recommended.
Field Crops — 3 to 10 gals.

USE AND APPLICATION DIRECTIONS

ALFALFA: Spotted Alfalfa Aonid — 2/3 to 1/2 pint per acre in water to cover. Alfalfa Weevil Larvae — 2/3 to 3/5 pt. per acre in water to cover. Apply by ground or air when buds and shoots first appear (regain) or when larvae count first reaches 25 per acre. Do not apply within 15 days of harvest or grazing.

ALFALFA (Leaf): Stink Bug, Lygus Bug, Leafhoppers, Aphids — 1/2 to 1 1/4 pints per acre in water to cover. Do not apply during period of bee activity. Do not apply within 15 days of harvest or grazing.

ARTICHOKES: Aphids, Armyworms (up to third instar) — 1 pint per acre in water to cover. Apply when insects first appear. Repeat as necessary. Do not apply within 7 days of harvest.

BEANS BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER, KALE, COLLARDS: Aphids, Armyworms (up to third instar), Fleas beetles, Leafhoppers, Red Spotted Mites — 1 to 2 1/4 pints per acre in water to cover. Do not apply to Dry Beans within 15 days of harvest or to Green Beans and to local Corn Crops within 21 days of harvest.

BEETS: Armyworms, Leafhoppers, Red Spotted Mites — 1 pint per acre in water to cover. Do not apply within 15 days of harvest or within 21 days if treated root are to be used for food or feed.

CARROTS, POTATOES: Aphids, Armyworms (up to third instar), Fleas beetles, Leafhoppers, Red Spotted Mites — 1/4 pint per acre in water to cover. Do not apply to Carrots within 15 days of harvest and to Potatoes within 5 days of harvest. Do not use treated carrot tops for food or feed.

CELERY, PEAS, LETTUCE, SPRINAG: Aphids, Armyworms (up to third instar), Fleas beetles, Leafhoppers, Red Spotted Mites — 1/2 to 1 1/4 pints per acre in water to cover. Do not apply to Celery, Peas and Peppers within 15 days of harvest. Do not apply to Lettuce and Spinach within 21 days of harvest.

CORN: Corn Rootworm Adult — 2/3 pint per acre in water to cover. Repeat applications as necessary. Workers entering fields on the day of application should wear protective clothing. Do not use within 12 days of harvest.

COTTON: Aphids, Red Spotted Mite, Cotton Fleahopper — 1/2 pint in water to cover 1 acre. Boll Weevil — 1 pint in water to cover 1 acre. Lygus Bug, Leafhopper — 1 to 1 1/4 pints per acre in water to cover. Stink Bug, Leaf Perforator — 1 1/4 pints per acre in water to cover. Repeat as necessary. Do not apply within 7 days of hand picking or harvest. Workers entering fields within 24 hours of application should wear protective clothing.

FRAGE (beans, peas, soybeans): Grounding Aphid — 1/2 pint per acre in water to cover. Repeat as necessary. Do not apply within 15 days of harvest.

SUGAR BEETS: Armyworms, Fleas beetles, Leafhoppers, Red Spotted Mites — 1/2 pint per acre in water to cover. Do not apply within 20 days of harvest or within 60 days of harvest if root are to be fed to livestock.

TOMATOES: Aphids, Armyworms (up to third instar), Fleas beetles, Leafhoppers, Red Spotted Mites — 1 to 1 1/4 pints per acre in water to cover. Do not apply within 15 days of harvest.

BEST AVAILABLE COPY