

RESTRICTED USE PESTICIDE

For Sale Only to Licensed Applicators
 For Agricultural, Horticultural, and Forest Use
 Under the Federal Insecticide, Fungicide, and Rodenticide Act



ACCEPTED

SEP 4 1985

17/36 16

ETHYL-METHYL 6-3

ACTIVE INGREDIENTS

1. Parathion methyl (50% emulsifiable concentrate)	54.0%
2. Diethyl phosphorothioic acid (50% emulsifiable concentrate)	27.9%
3. Aromatic Petroleum Distillates (Inert)	11.4%
NET WEIGHTS	7.6%
TOTAL	100.0%

NET CONTENTS GALS

Keep Out Of Reach Of Children

**DANGER
 PELIGRO**



POISON

WESTERN FARM SERVICE, INC.

SUPPLEMENTAL LABEL

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER! PELIGRO!

POISON SIGNS (Symptoms)

POISON
 ATROPINE IS AN ANTIDOTE
 CONSULT PHYSICIAN FOR
 EMERGENCY SUPPLY

NOTE TO PHYSICIAN

WORK SAFETY RULES

REPEATED EXPOSURE TO CHOLINESTERASE INHIBITORS SUCH AS ARE CONTAINED IN THIS PRODUCT MAY WITH PROLONGED EXPOSURE PHOSPHOROUS ESTER GROUPS WITH SMALL DOSES OF ANY OTHER INHIBITORS.

REPEATED EXPOSURE TO THIS PRODUCT SHOULD HAVE FREQUENT TESTS TO DETERMINE CHOLINESTERASE LEVELS. IF THE CHOLINESTERASE LEVELS SHOW A CRITICAL POINT, NO FURTHER EXPOSURE SHOULD BE ALLOWED UNTIL IT HAS BEEN DETERMINED BY REPEATED TESTS THAT THE CHOLINESTERASE LEVEL HAS RETURNED TO NORMAL. BEFORE USING THIS PRODUCT CONSULT THE STATE AGRICULTURE EXTENSION SERVICE OR EXPERIMENTAL STATION FOR SPECIFIC RECOMMENDATIONS REGARDING SUCH TESTS.

PROTECT YOURSELF FROM MECHANICAL EXHAUST VENTILATION. KEEP CHILDREN, OTHER PERSONS AND ANIMALS AWAY FROM TREATED AREAS UNTIL THE DANGER IS OVER.

DO NOT TOUCH YOUR FACE OR EYES WITH YOUR HANDS. IF YOU FEEL SICK, TAKE WAY OF WORK AND GET MEDICAL HELP AWAY. SEE STATE AGRICULTURE EXTENSION SERVICE.

DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS.

DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS. DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS.

DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS. DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS.

DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS. DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS.

DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS. DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS.

DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS. DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS.

DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS. DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS.

DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS. DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS.

DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS. DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS.

DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS. DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS.

DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS. DO NOT WEAR OR WEAR THE FOLLOWING WHILE USING THIS PRODUCT: SHORT SLEEVES AND SHORT PANTS.

WRITTEN WARNINGS must include the following information:

DANGER! Area treated with parathion methyl (date) Do not enter without appropriate protective clothing for 48 hours. Follow First Aid Treatment instructions shown on this product label in case of accidental exposure.

ATTENTION

To avoid excessive residues of parathion on food or forage crops always observe the statements found under Directions for Use limiting the time before harvest when parathion may be applied.

Because this material is poisonous by skin contact, inhalation or swallowing it should not be used in such a manner or under weather conditions as will permit drift of the spray onto areas not intended to be sprayed. Do not apply or allow drift to areas occupied by unprotected humans or beneficial animals.

Environmental Hazards

This product is toxic to fish, shrimp, crab, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Feed out of areas in treated areas. Do not apply to marshes and estuaries. Do not apply to areas where birds and other wildlife are known to be present. Do not apply to areas where birds and other wildlife are known to be present. Do not apply to areas where birds and other wildlife are known to be present.

This product is highly toxic to bees exposed to the treated area. Do not apply to areas where bees are known to be present. Do not apply to areas where bees are known to be present.

Physical or Chemical Hazard

Combustible. Do not use near open flame or near heat source.

Do not use water spray that is chemical proof. Do not use water spray that is chemical proof. Do not use water spray that is chemical proof.

Storage and Disposal

Store in original container. Do not use for any other purpose. Do not use for any other purpose. Do not use for any other purpose.

Do not use for any other purpose. Do not use for any other purpose. Do not use for any other purpose.

Do not use for any other purpose. Do not use for any other purpose. Do not use for any other purpose.

Do not use for any other purpose. Do not use for any other purpose. Do not use for any other purpose.

Do not use for any other purpose. Do not use for any other purpose. Do not use for any other purpose.

BEST AVAILABLE COPY

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certificate.

ETHYL-METHYL 6-3

ACTIVE INGREDIENTS

*Parathion, 0,0-diethyl 0-p-nitrophenyl phosphorothioate 54.0%
 *0,0 dimethyl 0-p-nitrophenyl phosphorothioate 27.0%
 Aromatic Petroleum Derivative Solvent 11.4%

INERT INGREDIENTS

TOTAL 100.0%

By Wt
54.0%
27.0%
11.4%
7.6%
100.0%

*Equivalent to 9 lbs of 0,0-parathion and 3 lbs of 0,0-methyl parathion per gallon

KEEP OUT OF REACH OF CHILDREN.

DANGER



PELIGRO

POISON


NOT FOR HOME USE

FIRST AID TREATMENT

TREATMENT OF RESISTANT TREATMENT

NET CONTENTS

GALLONS



NOTICE OF WAIVER

WESTERN FARM SERVICE MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, EXPRESS OR IMPLIED, CONDITIONS, WARRANTIES OR USES WHICH EXTEND BEYOND THE USE AND APPLICATIONS SPECIFIED ON THE LABEL IN ACCORD WITH THE STATE OF CALIFORNIA.

See Supplemental Label for

EPA Reg. No.

EPA EST. No.

WESTERN FARM SERVICE

3075 Citrus
Walnut Creek

WESTERN FARM SERVICE

