

COASTOX CARBARYL CUTWORM BAIT



(Contains 5% Sevin *)

ACTIVE INGREDIENTS:

2,

Carbaryl (1-Naphthyl N-methylcarbamate)	5.0%
INERT INGREDIENTS.	<u>95.0%</u>

100.0%

Copyright Union Carbide Corporation, U. S. Pat. No. 2,903,478 Net Weight.

CAUTION KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED OR INHALED. Do not take internally. Avoid breathing dust. Avoid contact with skin. Wash thoroughly after handling. Change contaminated clothing daily. To avoid contamination avoid storage near feed, foodstuffs or drinking water. Wash hands with soap and water after handling and before eating or smoking.

NOTE FOR PHYSICIAN. Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

Avoid drift of this product to any crop for which this chemical is not registered. Avoid drift to any crop for which use may be registered but closer to harvest than the recommended time limits for this chemical. Avoid drift to any feed or forage crop. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

This product may be applied by hand equipment, ground equipment or aircraft. Apply when air is calm to avoid drift to adjacent crops.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

COASTOX CARBARYL CUTWORM BAIT is a special pelletized formulation for the control of cutworms, armyworms, and crickets.

RECOMMENDATIONS

ALFALFA, SORGHUM: Cutworm, Crickets. Use 30 lbs. per acre. No time limitations on alfalfa. Do not use within 21 Days of harvest on sorghum or grains.

ASPARAGUS: Cutworm. Use 40 lbs. per acre. Apply during cutting season. Do not repeat application within three days. Do not apply within 1 day of harvest.

BEETS: Cutworm, Armyworm. Use 40 lbs. per acre. Do not apply within 3 days of harvest. Do not apply within 14 days if tops are to be used for food or feed.

BEANS: Cutworm, Armyworm. Use 40 lbs. per acre. No time limitations. BROCCOLI, BRUSSEL SPROUTS, CABBAGE, CAULIFLOWER, HEAD LET-

TUCE: Cutworm, Armyworm. Use 40 lbs. per acre. Do not apply within 3 days of harvest.

CARROTS: Cutworm. Use 40 lbs. per acre. No time limitations.

CORN: Cutworm. Use 40 lbs. per acre. No time limitations.

CHINESE CABBAGE, COLLARDS, ENDIVE (ESCAROLE), KALE, LEAF LET-TUCE, MUSTARD GREENS, PARSLEY, SPINACH, SWISS CHARD, SUGAR BEETS: Cutworm, Armyworm. Use 40 lbs. per acre. Do not use within 14 days of harvest.

COTTON: Cutworm. Use 30 lbs. per acre. No time limitations.

EGGPLANT, PEPPERS, TOMATOES: Cutworms. Use 40 lbs. per acre. No time limitations.

GRAPES: Cutworm. Use 40 to 48 lbs. per acre. No time limitations.

PARSNIPS, RADISHES, RUTABAGA, KOHLRABI: Cutworm. Use 40 lbs. per acre. Do not use within 3 days of harvest.

CUCUMBER, MELONS, SQUASH: Cutworm. Use 20 lbs. per acre. No time limitations.

STRAWBERRIES: Cutworm. Use 40 lbs. per acre. Do not apply within 1 day of harvest.

ORNAMENTAL PLANTS, SHRUBS, AND FLOWERS: Armyworm, Crickets, Cutworm, Sowbug. Use 40 lbs. per acre. For Millipedes use 175 lbs. per acre. Bait should be applied to the ground around the shrubs and trees. Do not apply to ivy as injury may result.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Use with care when applying in areas adjacent to any body of water. Keep out of lakes, streams, and ponds. Do not apply when weather conditions favor runoff or drift from target area. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTICE TO USER: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warbarty of MER-CHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

ACCEPTED

DEC14 1978

1656-

Under the Federal Insecticide, Fungicide, and Rodenticide Ast, as amended, for the pesuicide

registered under

TPA Reg. No.

EPA EST. NO. 11656CA03 EPA REG. NO. 11656-21

#26B

11656

١.

Y

8261 /HI/Tel

3075 CITRUS CIRCLE . WALNUT CREEK, CA 94598

WESTERN FARM SERVICE, INC.