

WARNINGS IN USING

WARNING: KEEP OUT OF REACH OF CHILDREN. HAMMERS, CHISELS, MATS, PUMPS, PIPES, AND OTHER EQUIPMENT SHOULD BE KEPT CLEAN AND MAINTAINED. ALWAYS USE PROPERLY TRAINED PERSONNEL. ALWAYS WEAR PROTECTIVE CLOTHING AND EQUIPMENT. ALWAYS USE PROPERLY TRAINED PERSONNEL. ALWAYS WEAR PROTECTIVE CLOTHING AND EQUIPMENT.

Always use proper safety procedures. Do not use in confined areas. Do not use near open flames. Do not use near electrical equipment. Do not use near children. Do not use near livestock. Do not use near water. Do not use near food. Do not use near feed. Do not use near medicine. Do not use near other chemicals. Do not use near other pesticides. Do not use near other fumigants. Do not use near other soil treatments.

Always use proper safety procedures. Do not use in confined areas. Do not use near open flames. Do not use near electrical equipment. Do not use near children. Do not use near livestock. Do not use near water. Do not use near food. Do not use near feed. Do not use near medicine. Do not use near other chemicals. Do not use near other pesticides. Do not use near other fumigants. Do not use near other soil treatments.

Always use proper safety procedures. Do not use in confined areas. Do not use near open flames. Do not use near electrical equipment. Do not use near children. Do not use near livestock. Do not use near water. Do not use near food. Do not use near feed. Do not use near medicine. Do not use near other chemicals. Do not use near other pesticides. Do not use near other fumigants. Do not use near other soil treatments.

Always use proper safety procedures. Do not use in confined areas. Do not use near open flames. Do not use near electrical equipment. Do not use near children. Do not use near livestock. Do not use near water. Do not use near food. Do not use near feed. Do not use near medicine. Do not use near other chemicals. Do not use near other pesticides. Do not use near other fumigants. Do not use near other soil treatments.

Always use proper safety procedures. Do not use in confined areas. Do not use near open flames. Do not use near electrical equipment. Do not use near children. Do not use near livestock. Do not use near water. Do not use near food. Do not use near feed. Do not use near medicine. Do not use near other chemicals. Do not use near other pesticides. Do not use near other fumigants. Do not use near other soil treatments.

STORAGE PRECAUTION

Store in a cool, dry place. Do not store in direct sunlight. Do not store near open flames. Do not store near electrical equipment. Do not store near children. Do not store near livestock. Do not store near water. Do not store near food. Do not store near feed. Do not store near medicine. Do not store near other chemicals. Do not store near other pesticides. Do not store near other fumigants. Do not store near other soil treatments.

READ THE DIRECTIONS CAREFULLY BEFORE APPLICATION AND FOLLOW THEM AT ALL TIMES

Always use proper safety procedures. Do not use in confined areas. Do not use near open flames. Do not use near electrical equipment. Do not use near children. Do not use near livestock. Do not use near water. Do not use near food. Do not use near feed. Do not use near medicine. Do not use near other chemicals. Do not use near other pesticides. Do not use near other fumigants. Do not use near other soil treatments.

BACTERIAL CANKER AND DECLINE OF PEACH TREES

Always use proper safety procedures. Do not use in confined areas. Do not use near open flames. Do not use near electrical equipment. Do not use near children. Do not use near livestock. Do not use near water. Do not use near food. Do not use near feed. Do not use near medicine. Do not use near other chemicals. Do not use near other pesticides. Do not use near other fumigants. Do not use near other soil treatments.

GENERAL DIRECTIONS

Always use proper safety procedures. Do not use in confined areas. Do not use near open flames. Do not use near electrical equipment. Do not use near children. Do not use near livestock. Do not use near water. Do not use near food. Do not use near feed. Do not use near medicine. Do not use near other chemicals. Do not use near other pesticides. Do not use near other fumigants. Do not use near other soil treatments.

only. Application should be made only with equipment designed for even distribution at a specified depth in the soil. Use only crops listed in the label. Do not use on crops such as citrus, grapes, sugar beets, tobacco, alfalfa, cotton, wheat and feed crops. Do not use on Nematode Resistant Crops. Do not use on crops which have been treated with other soil fumigants.

DO NOT USE ON MINERAL SOILS ONLY. DO NOT EXCEED MAXIMUM RATE OF APPLICATION OF ACTIVE INGREDIENT.

PREPLANTING APPLICATION

Apply Nematox 8.6 E Emulsifiable Soil Fumigant to the soil before planting. Apply at a rate of 1.5 to 2.0 gallons per acre. Apply immediately with pressure water.

OVER-ALL TREATMENT

Apply Nematox 8.6 E Emulsifiable Soil Fumigant to the soil before planting. Apply at a rate of 1.5 to 2.0 gallons per acre. Apply immediately with pressure water.

ROW TREATMENT

Apply Nematox 8.6 E Emulsifiable Soil Fumigant to the soil before planting. Apply at a rate of 1.5 to 2.0 gallons per acre. Apply immediately with pressure water. One chisel will treat a 24-inch strip. Two chisels applied in the same row will treat a 24-inch strip. If space per acre in row treatment is 100 feet, the dosage per acre for row treatment would be 1.5 gallons per acre for overall treatment.

APPLICATION AT TIME OF PLANTING

Nematox 8.6 E Emulsifiable Soil Fumigant can be applied in the row when planted with suitable equipment such as band fertilizer applicators. Do not use in row treatment.

POSTPLANTING APPLICATION FOR ANNUAL CROPS

Apply Nematox 8.6 E Emulsifiable Soil Fumigant to the soil before planting. Apply at a rate of 1.5 to 2.0 gallons per acre. Apply immediately with pressure water.

POSTPLANTING APPLICATION FOR PERENNIAL OR ESTABLISHED PLANTS

Apply Nematox 8.6 E Emulsifiable Soil Fumigant to the soil before planting. Apply at a rate of 1.5 to 2.0 gallons per acre. Apply immediately with pressure water.

DRENCHES (FOR PROFESSIONAL USE ONLY)

Apply Nematox 8.6 E Emulsifiable Soil Fumigant to the soil before planting. Apply at a rate of 1.5 to 2.0 gallons per acre. Apply immediately with pressure water.

APPLICATION WITHIN CONFINED AREAS

Apply Nematox 8.6 E Emulsifiable Soil Fumigant to the soil before planting. Apply at a rate of 1.5 to 2.0 gallons per acre. Apply immediately with pressure water.

MIXING DIRECTIONS

Apply Nematox 8.6 E Emulsifiable Soil Fumigant to the soil before planting. Apply at a rate of 1.5 to 2.0 gallons per acre. Apply immediately with pressure water.

NET CONTENTS

Apply Nematox 8.6 E Emulsifiable Soil Fumigant to the soil before planting. Apply at a rate of 1.5 to 2.0 gallons per acre. Apply immediately with pressure water.



NEMATOX 8.6 E EMULSIFIABLE SOIL FUMIGANT

Contains 8.6 Pounds NEMATOX Soil Fumigant Per Gallon (Carry-over Liquid Nematode Control Material)

ACTIVE INGREDIENTS	By Weight
1,1-Dibromo-3-Chloroethane	60.0
Other Halogenated C-2 Compounds	39.0
INERT INGREDIENTS	By Weight
	40.0
EPA Reg. No. 105-60-01-001	NET CONTENTS

WARNING! KEEP OUT OF REACH OF CHILDREN

WESTERN FARM SERVICE, INC.
401 New Center Road
Riverside, California 92504

