



8 EMULSIFIABLE LIQUID

EMULSIFIABLE LIQUID - POISONOUS LIQUID, CLASS B)
8 LBS. PARATHION PER GALLON

o-nitrophenyl thiophosphate	78.5%
.....	21.5%
TOTAL	100.0%

NET CONTENTS 5 GALS.
STOP! READ THE LABEL!



DANGER

Keep Out of
Reach of
Children

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital - immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote - administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement: VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CROP USE DIRECTIONS

Use only according to attached label instructions.

Disposal of Empty Container - Do not re-use this container. Completely empty the contents and bury the unused chemical at least 18-inches deep in an isolated location away from water supplies. Rinse out the inside of the container with water to which has been added detergent and caustic soda. Carefully discard the rinse solution by burying at least 18-inches deep in an isolated area away from water supplies. Puncture and crush empty metal container and bury at least 18-inches deep in a supervised public or private dump.

NOTICE OF WARRANTY

WESTERN FARM SERVICE MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE OR OTHERWISE, EXPRESS OR IMPLIED, concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

FARM SERVICE, INC. 2401 Crow Canyon Road, San Ramon, CA. 94583

ACCEPTED WITH COMMENTS

RIGHT PANEL

GENERAL DIRECTIONS

Methyl Parathion 45 can be used in conventional hydraulic sprayers, low-volume ground applicators or airplane sprayers.

Mix with water by agitation; agitate the mixture while spraying. If allowed to stand, re-agitate before using.

Mix the required amounts of Methyl Parathion 45 in sufficient water for uniform coverage and time application in accordance with state and federal recommendations.

USE AND DIRECTIONS FOR APPLICATION

COTTON

For the control of aphids, cotton leafworms, flea hopper, red spider mites and thrips, apply as a foliage application at the rate of $\frac{1}{2}$ to 1 pint per acre in 7 to 10 gal. of water. Do not hand pick within 15 days of last application.

LETTUCE

For the control of aphids, armyworm, flea beetles, leafhoppers, mites and cabbage loopers on lettuce, apply as a foliage application at the rate of 1 quart per acre in 10 gal. of water. Do not apply later than 21 days before harvest.

PRECAUTIONS IN USING

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Unprotected humans and animals should be kept out of treated fields on the day of treatment. Keep out of reach of children and domestic animals. Decontaminate containers by washing thoroughly with lye solution, then destroy used containers to prevent reuse. Do not store near food or feed products. Keep away from heat and open flame.

Do not swallow or get in eyes, on skin or on clothing. Do not breathe dust or vapors. Wear clean rubber gloves, clean, waterproof protective clothing, and goggles. Replace gloves frequently and destroy used gloves. Wear a mask or respirator of a type passed by the U.S.D.A. for Methyl Parathion protection. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before reuse. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with strong lye solution, then destroy used containers to prevent reuse.

