

ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION POISONING. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use. **CAUTION: PHYSICIAN IN ALL CASES OF SUSPECTED POISONING INTERVAL:** If material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 teaspoon of salt to a glass of water). **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. EXTERNAL:** If the material has been spilled on the skin, immediately remove patient from the vicinity of the Methyl Parathion, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes. **IF WARNING SYMPTOMS APPEAR:** Administer two 1/100 grain Atropine tablets immediately. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR.** See warning symptoms below. Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

CAUTION

This product is toxic to wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DANGER! POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING

NOTE TO PHYSICIAN

WARNING SYMPTOMS Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine sulfate should be injected at 10-minute intervals, in 1 to 2 milligrams, until signs of atropinization appear. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitors. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

WFS 30-01 5-78

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.



EL BLANCO BRAND

METHYL PARATHION 45

Contains 4.0 pounds Methyl Parathion per gallon

ACTIVE INGREDIENTS:

O,O-Dimethyl O-p-nitrophenyl Thiophosphate 45.50%


Aromatic Petroleum Solvent 38.00%

INERT INGREDIENTS

16.50%

EPA Reg. No. 11656-30

100.00%



Red **DANGER**

POISON

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: GALLONS

WARRANTY

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

FOR ANTIDOTE AND WARNING STATEMENTS SEE SIDE PANEL.

WESTERN FARM SERVICE, INC.
 3075 Citrus Circle, Walnut Creek, CA. 94598

DANGER

POISON Red

GENERAL DIRECTIONS

Methyl Parathion 45 can be used in conventional hydraulic sprayers, low-volume ground applicators or airplane sprayers.

Mix with water by agitation; agitate the mixture while spraying. If allowed to stand, reagituate before using.

Mix the required amounts of Methyl Parathion 45 in sufficient water for uniform coverage and time application in accordance with state and federal recommendations.

USE AND DIRECTIONS FOR APPLICATION

COTTON

For the control of aphids, cotton leafworms, fleahopper, red spider mites and thrips, apply as a foliage application at the rate of 1/2 to 2 pints per acre in 7 to 10 gal. of water. Do not hand pick within 15 days of last application.

LETTUCE

For the control of aphids, armyworm, fleabeetles, leafhoppers, mites and cabbage loopers on lettuce, apply as a foliage application at the rate of 1 quart per acre in 10 gal. of water. Do not apply later than 21 days before harvest.

PRECAUTIONS IN USING

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Unprotected humans and animals should be kept out of treated fields on the day of treatment. Keep out of reach of children and domestic animals. Decontaminate containers by washing thoroughly with lye solution, then destroy used containers to prevent reuse. Do not store near food or feed products. Keep away from heat and open flame.

Do not swallow or get in eyes, on skin or on clothing. Do not breathe dust or vapors. Wear clean rubber gloves, clean, waterproof protective clothing, and goggles. Replace gloves frequently and destroy used gloves. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before reuse. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with strong lye solution, then destroy used containers to prevent reuse.

11656-30
 PM 12
 1061