



11656-53

DIRECTIONS FOR USE

GRAPES: For Powdery Mildew apply 10 to 30 lbs. per acre when shoots are 6 inches long — repeat periodically.

For Powdery Mildew and Grape Leafroller apply 30 lbs. per acre. For Grape Leafroller apply as soon as possible after egg hatch and before larvae are protected by leaf folds. Do not allow workers to enter treated areas within 1 day (24 hours) of application to engage in any activity requiring substantial contact with treated foliage. NOTE: Concord and other lubrusca type grapes may be injured.

MELONS: For Powdery Mildew apply 15 to 30 lbs. per acre. For Powdery Mildew and Cabbage Looper, apply 30 lbs. per acre. Begin when first true leaves appear and repeat at weekly intervals. DO NOT use within 2 weeks of an oil spray treatment.

NOTE: Certain varieties of Melons are susceptible to Sulfur damage.

DIPEL SULFUR
150-75 DUST INSECTICIDE FUNGICIDE

ACTIVE INGREDIENTS	By Weight
Bacillus thuringiensis, Berliner, Potency of 320 International Units per mg. (at least 0.5 billion viable spores per g.)*	0.064%
Sulfur	73.500%
INERT INGREDIENTS	26.436%
TOTAL	100.000%

*Equivalent to potency of 0.15 billion International Units per pound of this product.

EPA REG. NO. 11656-53 AA NET WEIGHT LBS.

CAUTION: KEEP OUT OF REACH OF CHILDREN

CAUTION: Avoid inhalation of dust or contact with eyes or open wounds. Avoid prolonged or repeated contact with skin.

Store bag in a cool dry place.

Some fruits and other plants are susceptible to injury from sulfur under certain climatic conditions. Do not use sulfur on any crop unless local use has proven that sulfur is safe in that locality. Consult your State Agricultural Extension Service or Experiment Station for additional information consistent with the label cautions and directions. When grown for processing, consult the processor before applying sulfur. Sulfur may burn foliage when temperature is high. Do not apply at such times.

WESTERN FARM SERVICE, INC.
2401 Crow Canyon Road

ENVIRONMENTAL AND DISPOSAL CAUTIONS

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not re-use container. Burn bag when empty. Keep out of smoke.

Dipel is the registered trademark of Abbott Laboratories, North Chicago, Illinois 60064.

NOTICE OF WARRANTY

WESTERN FARM SERVICE MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED, concerning this product or its uses which extend beyond the use of the product under normal conditions in