



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

ROBERT F. WOODWARD
WESTERN FARM SERVICE, INC.
P.O. BOX 1168
FRESNO, CA. 93715

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 09/21/93 In Response to PR Notice 93-7
EPA Reg. No. 11656-69
DIAZINON 50 WP INSECTICIDE

IMPORTANT NOTICE: This Letter Requires You to Submit a Notification to the Office of Compliance Monitoring within 20 Days.

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments listed on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

SERIOUS ERROR(S) ON SUBMITTED LABELING:

EPA has determined that one or more of the errors on the labeling you submitted to the Agency is categorized as "serious" as defined in PR Notice 93-11. In general, serious errors are those that may create a potential for harm to workers, handlers, other persons, or the environment; or those that prevent the achievement of the basic goals of the Worker Protection Standard (WPS) or FIFRA.

YOU MUST NOT SELL OR DISTRIBUTE (INCLUDING RELEASE FOR SHIPMENT), ANY PRODUCT BEARING THE SUBMITTED LABELING. Sale or distribution of any product with the incorrect labeling is a violation of FIFRA that could result in initiation of an action for civil penalties and/or cancellation of your product. This matter has been referred to the Office of Compliance Monitoring (OCM) for further action.

YOU MUST SUBMIT A NOTIFICATION TO THE OFFICE OF COMPLIANCE MONITORING WITHIN 20 DAYS OF THE DATE OF THIS LETTER.



Recycled/Recyclable
Printed with Soy-Cerise ink or other that
contains at least 50% recycled fiber

Each notification must include the following information:

1. Registrant's name and address.
2. EPA Registration number of the product for which the labeling was submitted.
3. Whether any product already has been sold or distributed (this includes released for shipment) bearing the submitted labeling.

In addition, the notification must include the following information, IF you have already sold or distributed any product bearing the submitted labeling:

1. Quantity of the product that has been sold or distributed.
2. EPA Producing Establishment number.
3. Location of the product, if known.
4. Proposed plan for assuring that product with the incorrect labeling in your control, as well as that in the hands of dealers/distributors/users, will be corrected. The plan must include your proposal for assuring that the labeling is corrected as soon as possible.

Submit the notification to:

Michael Wood, Director
Compliance Division, (7203)
Worker Protection Notification
Office of Compliance Monitoring
U.S. Environmental Protection Agency
401 M Street SW
Washington, DC 20460

Failure to submit a notification also may result in initiation of an action under FIFRA for civil penalties, if you sold or distributed (this includes released for shipment) product bearing the incorrect labeling.

IN ADDITION, YOU SHOULD CONTACT IMMEDIATELY THE PERSONS TO WHOM YOU SOLD OR DISTRIBUTED YOUR PRODUCT AND INFORM THEM NOT TO SELL OR DISTRIBUTE ANY PRODUCT WITH THE INCORRECT LABELING.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the WPS labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have neither been reviewed nor accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

Submit the required notification. Then by the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- **BEFORE** selling or distributing any product bearing the final printed labeling as amended

AND

- **WITHIN** one year from date of this acceptance.


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
 Office of Pesticide Programs (7505C)
 U.S. Environmental Protection Agency
 401 M Street, SW
 Washington, D.C. 20460-0001

Hand or courier deliveries of final labeling may be made to:

**Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202**

Sincerely,



**Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)**

Attachment

cc: Office of Compliance Monitoring

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals

WARNING!
 May be fatal if swallowed. May be absorbed through skin. Do not breathe dust or spray mist. Avoid contact with skin, eyes, and clothing. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans or household pets. Do not permit children to play in or on treated areas until spray has completely dried.

Applicators and other handlers (other than mixers and loaders) must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

- Users should:
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
 - Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
 - Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS
 This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

STORAGE AND DISPOSAL
 Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
STORAGE
 Keep in original container. Do not reuse empty container. Store in cool dry place. Protect from excessive heat. For help with any spill, leak, fire or exposure involving this material, call day or night, (800) 424-9700.
DISPOSAL
 Pesticide wastes are acutely hazardous. Improper disposal of empty pesticide, spray mixture, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL
 Completely empty bag into application equipment. Do not reuse container. Dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

THIS PRODUCT MUST NOT BE USED ON GOLF COURSES AND SOD FARMS



DIAZINON 50 WP INSECTICIDE

For control of certain insects on fruits, nuts, vegetables, field crops and ornamentals. For specific insects, refer to use directions in booklet.

ORGANOPHOSPHATE

Active ingredient	By Weight
Diazinon: 0, 0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	50%
INERT INGREDIENTS	50%
	100%

EPA REG. NO. 11656-69
 EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN
WARNING AVISO
 Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, full someone to explain it to you in detail.)

FOR AGRICULTURAL USE ONLY
DO NOT STORE IN AREAS ACCESSIBLE TO CHILDREN

STATEMENT OF PRACTICAL TREATMENT ORGANOPHOSPHATE

If swallowed: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by rubbing back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
 If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. If on skin: Remove contaminated clothing and wash affected areas thoroughly with soap and water.
 If in eyes: Flush eyes with plenty of water. Call a physician if irritation develops or persists.
NOTE TO PESTICIDE MANAGER: Contact Inerts as indicated. Diazinon is an organophosphorus insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is indicated. 2-PAM is also indicated and may be administered but only in conjunction with atropine.

WESTERN FARM SERVICE
 P. O. BOX 1168
 FRESNO, CA 93715

ACCEPTED with CORRECTIONS Agricultural In EPA Letter Dated 3/3/94
 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 11656-69

DIRECTIONS FOR USE
 It is a violation of Federal Law if this product is applied in a manner that will contact workers or other persons by drift. Only protected handlers may apply this product. For any restricted use conditions, consult the agency responsible for the registration of this product.

AGRICULTURAL USE ONLY
 Use this product only in accordance with the Worker Protection Standard (WPS) which is part of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). The WPS contains requirements for training, decontamination, notification, and assistance. It also contains requirements for the use of protective equipment (PPE) by workers applying this product. Do not apply this product to treated areas during the re-entry interval. PPE required for use of this product is permitted under the WPS. If the use of this product involves contact with any plants, soil, or water, it is a violation of FIFRA if the user does not wear the PPE specified on the label.
EXCEPTION: The California Department of Pesticide Regulation has set a 3-day reentry for Diazinon on certain crops. Five days after application and the time of day of application in any activity requiring PPE. When a mixture of two or more pesticides is applied in combination, the reentry interval of the most restrictive pesticide applies. PPE required for use of this product is permitted under the WPS. If the use of this product involves contact with any plants, soil, or water, it is a violation of FIFRA if the user does not wear the PPE specified on the label.

SEE PACKAGED LABEL FOR COMPLETE DIRECTIONS

NOTICE

WESTERN FARM SERVICE INC. MAKES NO WARRANTY, ABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR IMPLIED CONCERNING THE USE OF THE PRODUCT OR THE STATEMENTS MADE ON THE LABEL.
DIAZINON® is the registered trademark of **Diazinon Corporation**.

THIS PRODUCT MUST NOT BE USED ON GOLF COURSES AND SOO FARMS

SUBSTANCES FOR USE AND CONDITIONS OF SALE AND WARRANTY

Important: Read the entire directions for use and the conditions of sale and warranty before using this product.

Substances for use registered for use on:

Substance	By name or trade name	Plant	Use
Apple	Apple	Apple	Apple
Apricot	Apricot	Apricot	Apricot
Blackberry	Blackberry	Blackberry	Blackberry
Blueberry	Blueberry	Blueberry	Blueberry
Cherry	Cherry	Cherry	Cherry
Cranberry	Cranberry	Cranberry	Cranberry
Current	Current	Current	Current
Gooseberry	Gooseberry	Gooseberry	Gooseberry
Guava	Guava	Guava	Guava
Juniper	Juniper	Juniper	Juniper
Lychee	Lychee	Lychee	Lychee
Malva	Malva	Malva	Malva
Orange	Orange	Orange	Orange
Peach	Peach	Peach	Peach
Plum	Plum	Plum	Plum
Raspberry	Raspberry	Raspberry	Raspberry
Strawberry	Strawberry	Strawberry	Strawberry
Tangerine	Tangerine	Tangerine	Tangerine
Ume	Ume	Ume	Ume
Walnut	Walnut	Walnut	Walnut
Yuzu	Yuzu	Yuzu	Yuzu

Use and Application

Directions for use may be applied using ground or diluted solution... (Detailed instructions for application methods and timing.)

NOTE: The use of this product in conjunction with other sprays... (Important safety and compatibility notes.)

Apple: Apply 1 lb per 100 gals of water... (Specific application rates for various fruit types.)

Blackberry: Apply 1 lb per 100 gals of water... (Application rates for blackberries.)

Cherry: Apply 1 lb per 100 gals of water... (Application rates for cherries.)

Gooseberry: Apply 1 lb per 100 gals of water... (Application rates for gooseberries.)

Special Instructions

Directions for use should be read and followed... (General instructions for safe and effective use.)

NOTE: The California Department of Agriculture has set a 3 day reentry for certain... (Regulatory information regarding reentry periods.)

NOTE: This product is a volatile solvent... (Safety warning regarding flammability.)

Directions for Use

It is a violation of law to use this product... (Legal disclaimer regarding unauthorized use.)

Apple: Apply 1 lb per 100 gals of water... (Detailed application instructions for apples.)

Apricot: Apply 1 lb per 100 gals of water... (Detailed application instructions for apricots.)

Blackberry: Apply 1 lb per 100 gals of water... (Detailed application instructions for blackberries.)

Cherry: Apply 1 lb per 100 gals of water... (Detailed application instructions for cherries.)

Gooseberry: Apply 1 lb per 100 gals of water... (Detailed application instructions for gooseberries.)

Blackberry: Apply 1 lb per 100 gals of water... (Application instructions for blackberries.)

Blueberry: Apply 1 lb per 100 gals of water... (Application instructions for blueberries.)

Cherry: Apply 1 lb per 100 gals of water... (Application instructions for cherries.)

Gooseberry: Apply 1 lb per 100 gals of water... (Application instructions for gooseberries.)

Juniper: Apply 1 lb per 100 gals of water... (Application instructions for juniper.)

Lychee: Apply 1 lb per 100 gals of water... (Application instructions for lychee.)

Malva: Apply 1 lb per 100 gals of water... (Application instructions for malva.)

Orange: Apply 1 lb per 100 gals of water... (Application instructions for oranges.)

Peach: Apply 1 lb per 100 gals of water... (Application instructions for peaches.)

Peach: Apply 1 lb per 100 gals of water... (Application instructions for peaches.)

Raspberry: Apply 1 lb per 100 gals of water... (Application instructions for raspberries.)

Strawberry: Apply 1 lb per 100 gals of water... (Application instructions for strawberries.)

Tangerine: Apply 1 lb per 100 gals of water... (Application instructions for tangerines.)

Ume: Apply 1 lb per 100 gals of water... (Application instructions for ume.)

Walnut: Apply 1 lb per 100 gals of water... (Application instructions for walnuts.)

Yuzu: Apply 1 lb per 100 gals of water... (Application instructions for yuzu.)

Apple: Apply 1 lb per 100 gals of water... (Application instructions for apples.)

Apricot: Apply 1 lb per 100 gals of water... (Application instructions for apricots.)

Fly control in barns and animal sleeping quarters (except dairy barns, milk rooms, and poultry houses).

Residual Sprays: Remove animals from buildings prior to treatment and keep animals out for at least four hours. Mix 2 lbs. of this product in 25 gals. of water and spray as an overall spray to ceilings and walls of livestock sheds, calf barns, hog barns, feeding sheds, and other farm buildings except poultry houses, dairy barns, and milk rooms. Areas where flies congregate, such as garbage dumps and corrals, should be sprayed thoroughly. Longer residual control may be obtained by increasing the rate to 4 lbs. in 25 gals. of water. Applications should be made to point of run-off. One gal. of the above spray should cover from 350-750 sq. ft. of area, depending on the surface treated. Repeat applications as fly populations warrant.

Bait Sprays: Mix the appropriate amount of this product with 1 lb. of sugar (or 2 cups of syrup or molasses) for the desired application.

For knapsack or similar type sprayer, mix ¼ lb. with the sugar in 2½ gals. of water and spot treat areas frequented by flies including cracks, crevices, doorways, around windows, or other areas where flies congregate. Repeat applications as fly populations warrant.

For sprinkling can application, mix 2 oz. with the sugar in 5 gals. of water and sprinkle lightly over the floor in areas frequented by flies. Applications every day or two will generally be required.

Do not contaminate milk, feed, drinking water, or apply to animals or poultry. Do not use in edible product areas of food processing plants or other areas where food is commercially prepared or processed. Do not use in dwellings.