

PM 25

11656-90 9/9/97
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Page 1 of 2

SEP 9 1997


Anne Larsen
Registration Specialist
WESTERN FARM SERVICE, INC.
P. O. Box 1168
Fresno, CA 937125

SUBJECT: Label Amendment
WSFI Cotton Defoliant Concentrate
EPA Reg. No. 11656-90
Your Application Dated August 19, 1997

The above mentioned amendment submitted in connection with registration under FIFRA is acceptable provide you make the following provision:

1. Move the Chemigation statement under the "Directions for Use" section.

A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the above mentioned label before releasing the product for shipment.

Sincerely,

Jim Tompkins
Product Manager, (25)
Herbicide Branch
Registration Division (7505C)

Enclosure

CONCURRENCES

SYMBOL ▶	7505C							
SURNAME ▶	MINOR, E.							
DATE ▶	Sep 9, 1997							

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(& DOMESTIC ANIMALS)**

CAUTION!

Harmful if swallowed. May cause skin irritation.

PERSONAL OR PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Spray, drift, seepage and drainage will injure or kill all vegetation. Do not graze treated areas or feed waste to livestock. Keep out of lakes, ponds or streams. Do not contaminate water when disposing of equipment washwaters.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE

Keep in original container. Do not reuse empty container. Store in cool, dry place. Protect from excessive heat. Avoid storage near feed and food products. Do not store next to strong acids or emulsifiable concentrates of Parathion or Malathion. For help with any spill, leak, fire or exposure involving this material, call day or night (800) 424-9300.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of at an approved waste disposal facility.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

CONDITIONS OF SALE AND WARRANTY

WESTERN FARM SERVICE MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE EXPRESS OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.



ACCEPTED
with COMMENTS
In EPA Letter Dated

SEP 9 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
11656-90

COTTON DEFOLIANT CONCENTRATE

ACTIVE INGREDIENT:	BY WT.
Sodium Chlorate	18.0%
INERT INGREDIENTS	82.0%
Total	100.0%

CONTAINS UREA AS A FIRE RETARDANT

EPA REG. NO. 11656-90-ZA
EPA EST. NO. 11656-CA-28

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FOR AGRICULTURAL USE ONLY OR FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS ONLY. DO NOT STORE IN AREAS ACCESSIBLE TO CHILDREN.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Send for physician, induce vomiting immediately by giving 2 glasses of water and sticking finger down throat. Do not give anything by mouth to an unconscious person.

If on Skin: Wash all contaminated areas, including hair, with soap and plenty of water.

If in Eyes: Immediately flush eyes with plenty of water for at least 15 minutes. Send for physician.

If Inhaled: Remove victim to fresh air. If not breathing, immediately give artificial respiration, preferably mouth-to-mouth, and maintain until doctor sees victim. If breathing is difficult, give oxygen.

NET CONTENTS: _____ GALLONS

9.7 lbs./gallon

Manufactured by:
WESTERN FARM SERVICE
P. O. BOX 1168
FRESNO, CA 93715

Rev. 8/7/97 lmw

C' MICAL

Do not apply this product through any ty

DIRECTIONS

It is a violation of Federal law to use this product on protected handlers may be in the area during State or Tribe, consult the agency responsible. USE STRICTLY IN ACCORDANCE WITH DIRECTIONS.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with Standard, 40 CFR part 170. This Standard applies to agricultural workers on farms, forests, agricultural pesticides. It contains requirements for notification, and emergency assistance. It also contains requirements for notification to workers and restricted-entry uses of this product that are covered by the Worker Protection Standard and that require notification of 12 hours. PPE required for early entry into treated areas, such as plants, soil, or water, is: C

GENERAL USE

COTTON: Defoliation-Apply 2 to 3 weeks prior to harvest. Treat later than 7 to 10 days prior to harvest. Nozzles should produce large droplets. Spray once per application. However, dense of lodging may require a second application. Satisfactory defoliation may not be obtained if growth is retarded by cold weather.

AIRPLANE APPLICATION: Use 1½-3 gallons total solution per acre. Use the low pressure nozzles are ideal for defoliation. Swath width should be adjusted to produce large droplets. Altitude and speed should be adjusted to produce spray coverage. Do not apply during periods of high evaporation. Do not apply during periods of high evaporation.

GROUND APPLICATION: Use 1½-3 gallons total solution per acre. 6 to 8 inches coverage.

BOTTOM DEFOLIATION: In tall rank cotton, bottom defoliation assists in speeding up the plants as well as reducing bollrot by penetrating into the lower parts of the plant. Spray through the canopy 4 to 6 quarts in 25 to 30 gallons of water per acre. Application should be made during early morning hours to reduce evaporation. Application should be made 2 to 3 weeks prior to harvest.

LIMITATIONS: Preharvest defoliation should not be used on or feed gin waste to livestock. Do not apply to CHILI PEPPERS: (Processing only). Use 20 to 40 gals. of water by ground. DO NOT APPLY WITHIN 10 DAYS OF HARVEST PRIOR TO APPLICATION.

MILO: As a harvest aid to reduce excess moisture on plants, use 5 to 10 gals. of water by air application. Do not apply within 14 days after harvest. DO NOT APPLY WITHIN 10 DAYS OF HARVEST.