UNITED STATED	U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA Reg. Number:	Date of Issuance:
STATE ANOTECTION	Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460	11656-102	NOV 1 5 2007
(under FIFRA, as amended)	NOTICE OF PESTICIDE: <u>X</u> Registration Reregistration	Term of Issuance: Conditional	
	xd)	Name of Pesticide Product: Leaf Life Gavicide Green 440	
Name and Address of R	egistrant (include ZIP Code):		
Western Farm Se P.O. Box 1168 Fresno, CA 9371			
Note: Changes in labeling	g differing in substance from that accepted in connection with this regist or to use of the label in commerce. In any correspondence on this produc		
	on furnished by the registrant, the above named pesticide is hereby regist	tered/reregistered under the F	ederal Insecticide, Fungicide
environment, the Admini	to be construed as an endorsement or recommendation of this product by strator, on his motion, may at any time suspend or cancel the registration n with the registration of a product under this Act is not to be construed	n of a pesticide in accordance	with the Act. The acceptance
Registration is in no way environment, the Admini- of any name in connection or to its use if it has been This produ	strator, on his motion, may at any time suspend or cancel the registration n with the registration of a product under this Act is not to be construed	n of a pesticide in accordance as giving the registrant a right	with the Act. The acceptance to exclusive use of the name
Registration is in no way environment, the Admini- of any name in connection or to its use if it has been This produ that you: 1. Subm	strator, on his motion, may at any time suspend or cancel the registration n with the registration of a product under this Act is not to be construed covered by others.	n of a pesticide in accordance as giving the registrant a right FIFRA section 3(c) registration of your	with the Act. The acceptance to exclusive use of the name (7)(A) provided
Registration is in no way environment, the Admini- of any name in connection or to its use if it has been This produ that you: 1. Subm Agend 2. Make a. b. W	strator, on his motion, may at any time suspend or cancel the registration n with the registration of a product under this Act is not to be construed covered by others. ct is conditionally registered in accordance with it and/or cite all data required for registration/ref	FIFRA section 3(c) registration of your submit such data. the product for ship <i>EPA Reg. No. 1165</i> f the label, revise the read " <i>To the extent o</i>	with the Act. The acceptance to exclusive use of the name 0(7)(A) provided product when the ment: 6-102". e sentence "Seller
Registration is in no way environment, the Admini- of any name in connection or to its use if it has been This produ- that you: 1. Subm Agene 2. Make a. b. V c c. V p d. R	strator, on his motion, may at any time suspend or cancel the registration n with the registration of a product under this Act is not to be construed covered by others. ct is conditionally registered in accordance with it and/or cite all data required for registration/ref cy requires all registrants of similar products to s the following label changes before you release t Revise the EPA Registration Number to read, " Within the CONDITIONS OF SALE section of <i>warrants that this product conforms to its</i> " to r	FIFRA section 3(c) registration of your submit such data. the product for ship <i>EPA Reg. No. 11656</i> f the label, revise the read " <i>To the extent of</i> <i>conforms to its</i> " TONS section of th	with the Act. The acceptance to exclusive use of the name (7)(A) provided product when the ment: 6-102". e sentence "Seller consistent with e label, delete the
Registration is in no way environment, the Admini- of any name in connection or to its use if it has been This produ- that you: 1. Subm Agene 2. Make a. b. V c c. V p d. R S	strator, on his motion, may at any time suspend or cancel the registration n with the registration of a product under this Act is not to be construed covered by others. ct is conditionally registered in accordance with it and/or cite all data required for registration/ref cy requires all registrants of similar products to s the following label changes before you release t Revise the EPA Registration Number to read, " Within the CONDITIONS OF SALE section of <i>warrants that this product conforms to its</i> " to r <i>upplicable law, Seller warrants that this product</i> Vithin the USER SAFETY RECOMMENDAT hrase "Users should:". everse the locations of the ENVIRONMENTA TORAGE AND DISPOSAL statements.	FIFRA section 3(c) registration of your submit such data. the product for ship <i>EPA Reg. No. 1165</i> the label, revise the cad "To the extent of conforms to its" IONS section of th L HAZARDS state	with the Act. The acceptance to exclusive use of the name (7)(A) provided product when the ment: 6-102". e sentence "Seller consistent with e label, delete the ements and the
Registration is in no way environment, the Admini- of any name in connection or to its use if it has been This produ that you: 1. Subm Agend 2. Make a. b. W c. W d. R Signature of Approving Kable Bo Davis,	strator, on his motion, may at any time suspend or cancel the registration n with the registration of a product under this Act is not to be construed covered by others. ct is conditionally registered in accordance with it and/or cite all data required for registration/ref cy requires all registrants of similar products to s the following label changes before you release t Revise the EPA Registration Number to read, "A Within the CONDITIONS OF SALE section of <i>varrants that this product conforms to its…</i> " to r <i>upplicable law, Seller warrants that this product</i> Vithin the USER SAFETY RECOMMENDAT hrase "Users should:". everse the locations of the ENVIRONMENTA TORAGE AND DISPOSAL statements.	FIFRA section 3(c) registration of your submit such data. the product for ship <i>EPA Reg. No. 1165</i> the label, revise the cad "To the extent of conforms to its" IONS section of th L HAZARDS state	with the Act. The acceptance to exclusive use of the name (7)(A) provided product when the ment: 6-102". e sentence "Seller consistent with e label, delete the

Page 2 EPA Reg. No. 11656-102

- 3. The data requirements for storage stability (830-6317) and corrosion characteristics (830-6320) have not been satisfied, and must be submitted within eighteen months of the date of this letter.
- 4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Kable Bo Davis Entomologist Insecticide-Rodenticide Branch Registration Division (7505P) 215

Enclosure

ACCEPTED with COMMENTS In EPA Letter Dat NOV 1 5 2007

Under the Federal Insocticide, Fungicide, and Rodenticide Aet, as amended, for the pesticide registered under EPA Reg. No.



FOR ORGANIC PRODUCTION

READ ENTIRE CONTAINER LABEL BEFORE USING THIS PRODUCT

ACTIVE INGREDIENT: Mineral Oil	By Wt
INERT INGREDIENTS	
TOTAL:	
Unsulfonated Residue:	
(ASTM D-483)	. Min. 93.0%
Petroleum Oil Classification:	
Unclassified	
EPA Reg. No. 11656- EPA Est. No	

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON THE LEFT PANEL

FIRST AID		
If swallowed	wed Call a polson control center or doctor immediately for treatment advice. Do not give any liquid to a person. Do not induce vomiting unless told to by thepoison control center or doctor. Do not give anything by mouth to an unconscious person.	
If in eyes	Hold eyes open and rinse slowly and gently with water for 16-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.	
lf on skin	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
lf inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.	

NOTE TO PHYSICIAN: Petroleum distillate poses aspiration pneumonia hazard. Only minor irritation should be expected from any type of exposure other than pulmonary aspiration, Ingestion may result in some gastroenteritis and mild diarrhea. Since systemic toxicity is not expected, the added risk of aspiration from attempts to induce vomiting or lavage are deemed not warranted. NOTE TO PHYSICIAN: EMERGENCY INFORMATION - Call your local Poison Control Center at 1.800.222.1222.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Do not get on skin, eyes, or clothing. Harmful i swallowed or inhaled. Avoid breathing spray mist.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store only in original container in locked storage areas. If a splil occurs, visible puddles or drops should be covered with a dry absorbent such as clay, sawdust, lime or soda ash. Sweep up and dispose of in a permitted disposal facility. Avoid cross-contamination with other pesticides and fertilizers during handling and storage. Do not store near heat or open fiame. Protect from temperatures below 0 degrees F. Not for use or storage in or around the home.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not reuse container.

In case of splil or accident, call CHEMTREC (800) 424-9300 day or night for assistance.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical resistant to this product are lister below. If you want more options, follow the instructions for categor E on an EPA chemical resistance category selection chart. Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Shoes plus socks
- chemical-resistant gloves (such as barrier laminate nitrile rubber, neoprene rubber, or viton).

Follow manufacturer's instructions for cleaning/maintaining PPE. no such instructions for washables, use detergent and hot water Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in : manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4 6)], the handler PPE requirements may be reduced or modified a specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

ï

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- ^o Coveralis
- Waterproof gloves
- Shoes plus socks

GENERAL DIRECTIONS

LEAF LIFE GAVICIDE GREEN 440 is a straight-cut, narrow boiling range petroleum oil designed specifically for use on fruit and nut crops.

DILUTION: Dilute recommended dosage in 50-2,000 gallons of water per acre for ground equipment and in 15-30 gallons for aircraft as needed for coverage. Fill spray tank with 1/2 the required amount of water. Start agitator. Add total amount of spray oil. Continue to agitate while adding balance of water.

COMPATIBILITY: LEAF LIFE GAVICIDE GREEN 440 may be tank mixed with insecticides or fungicides. To assure the compatibility of tank mixtures, mix the correct proportions of the tank mix components in a small container. After thorough mixing, let stand for five minutes. If the combination remains mixed or can be readily remixed, the tank mixture is compatible.

CHEMIGATION: DO NOT APPLY this product through any type of irrigation system.

APPLICATIONS: LEAF LIFE GAVICIDE GREEN 440 is formulated as a "fast break" spray oil and will not stay in solution unless agitated constantly. Keep agitator running at all times during spray operations. Apply so as to give total coverage to all parts of crop. Thorough drenching of trunks, limbs, twigs and leaves is essential for optimum results.

DO NOT COMBINE this product with sulfur nor within 30 days before or after an application of sulfur unless allowed by the recommendations of this product and the Directions for Use of the sulfur product.

DO NOT APPLY to trees weakened by disease, drought, drying winds, or high nitrogen applications.

DO NOT USE LEAF LIFE GAVICIDE GREEN 440 when temperatures are above 90 degrees Fahrenheit.

RECOMMENDATIONS

Apply as pests appear. Adjust dosage within recommended range according to pest infestation, crop canopy size, crop condition, etc.

ALMONDS, APRICOTS, APPLES, CHERRIES, NECTARINES, PEACHES, PEARS, PLUMS, PRUNES:

Dormant/Delayed Dormant Applications:

To control Scales such as Black Scale; Brown Apricot Scale, Frosted Scale, Italian Pear Scale, Leucanium Scale, Oleander Scale, Olive (pariatoria) Scale, San Jose Scale, Soft Brown Scale, etc., apply 5-8 gals. LEAF LIFE GAVICIDE GREEN 440 per acre.

For ovicidal control of Whiteflies and Aphids such as Black Cherry Aphid, Black or Green Peach Aphid, Green or Rosy Apple Aphid, Plum Aphid, etc., use 5-8 gals. LEAF LIFE GAVICIDE GREEN 440 per acre.

For ovicidal control of Mites such as Blister Mite, Brown Almond Mite, European Red Mite, McDaniel Mite, Pacific Mite, Peach Silver Mite, Rust Mite, Strawberry Mite, Two-spotted Mite, etc., apply 5-8 gals, per acre.

DO NOT apply to plums or prunes between bud break and fruit set stages.

Summer Applications:

To control Scales, Whiteflies, Aphids, Mites (see pests listed above) and Peach Twig Borer, apply 5-8 gals. LEAF LIFE GAVICIDE GREEN 440 per acre. Reapply as pests appear.

To suppress Mites, use 1 1/2 -4 gals. per acre and repeat as pests appear.

NOTE: Occasional foliar injury may occur on peaches and nectarines from combinations with organophosphate insecticides such as guthion or parathion.

PEARS (in addition to the uses above):

Dormant/Delayed Dormant/Summer Applications:

To control Pear Psylla and Whiteflies, apply 5-8 gals. per acre. Dormant Applications: *Pacific Northwest only:*

To control Pear Psylla and Whiteflies, use 5-8 gals. LEAF LIFE GAVICIDE GREEN 440 plus 8-20 lbs. sulfur per acre.

Delayed Dormant Applications: Pacific Northwest only: To control Pear Psylla and Whiteflies, apply 4 gals. LEAF LIFE GAVICIDE GREEN 440 plus 8-12 lbs. sulfur per acre. WALNUTS

Dormant/Delayed Dormant Applications:

To control Scales such as Calico Scale, Frosted Scale, Oyster Shell Scale and others listed above, use 5-7 gals. per acre.

For ovicidal control of Walnut Aphid, Whiteflies and Mites such as European Red Mite, Pacific Mite, Two-spotted Mite, etc., apply 5-7 gals. LEAF LIFE GAVICIDE GREEN 440 per acre. DO NOT apply between bud break and nut set stages.

Summer Applications:

To control Scales, Whiteflies, Aphids and Mites (listed above), apply 5-7 gals. as pests appear through walnut husk split. DO NOT apply after husk splits. To suppress Mites, use 1 $\frac{1}{2}$ - 4 gals. LEAF LIFE GAVICIDE GREEN 440 per acre and repeat as pests reappear.

Hops: (NOT REGISTERED FOR USE IN CA) Mites and powdery mildew: For powdery mildew, use 1-2 gallons Leaf Life Gavicide Green 440 per 100 gallons of water. Start sprays at early leaf stage. Continue sprays on a 10-14 day interval. For mite control, use same spray regime as powdery mildew. Stop sprays at burr development. Apply with ground equipment only.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wastewater. Apply this product only as specified on the label. This product is slightly toxic to bees exposed to direct treatment. Can be applied at any time but bees are temporarily inactivated by direct contact and some loss may occur. Consult your Agricultural Extension Service for further protective information.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

CONDITIONS OF SALE AND WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to, damage to plants, crops and animals to which the material is applied, failure to control pests, damage caused by drift to other plants or crops, and personal injury.

NET CONTENTS: _____ GALLONS(____LITERS)

Manufactured for: WESTERN FARM SERVICE, INC. P. O. Box 1168 Fresno CA 93715

GAVICIDE and GAVICIDE GREEN are registered trademarks of Western Farm Service, Inc. 10–06(01)