



SESSCO
SESSQUAT

DISINFECTANT CLEANER SANITIZER

FUNGICIDE DEODORANT

Active Ingredients:

n-Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium chloride	5.0%
Tetrasodium salt of ethylene diamine tetraacetic acid	2.0%
Sodium carbonate	2.0%
Inert Ingredients	90.7%

EPA Reg. No. 11613-11

DANGER KEEP OUT OF REACH OF CHILDREN

See antidote statement and other precautions on side panel.
Container Disposal: When empty, rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

NET CONTENTS

DEODORIZATION

To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 2 ounces of SESSQUAT per gallon of water. SESSQUAT is an effective antibacterial cleaner designed for use in household, industrial and institutional cleaning. When used as directed, SESSQUAT will disinfect hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, kennel areas and other areas where obnoxious odors may develop. This product may be used as a general purpose antibacterial-antifungal detergent in homes, schools, restaurants, hospitals, nursing homes, public rooms, food processing plants and in other places where efficient cleaning and antimicrobial actions is desired. See left panel for use directions.

DANGER KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect skin and eyes when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes then get medical attention promptly. In case of skin contact, flush skin with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before reuse. If swallowed do not induce vomiting, drink large quantities of fluids and get medical attention immediately.

For brushed with a
r. Rinse with fresh

DISINFECTION
schools, restaurants,
be treated with a
Surfaces that are
per gallon of water
equipment must be
water prior to reuse
ils and other areas
containing 2 ounces
ton interdigitale, a

hospitals and nurs-
containing 2 ounces
heavily soiled with
bed with a solution
a fresh solution con-

plants, first clean
at a rate of 2-3
ned surface with a
if water. No rinse
ust be rinsed with

Manufactured by

Road **SOUTHEASTERN SANITARY SUPPLY CO**
Montgomery, Alabama 36102

P. O. Box 1541
Telephone 263-6255

USE DIRECTIONS

Disinfectant-Sanitizer-Deodorizer may be used in hospitals and other public buildings where disinfecting, sanitizing, and deodorizing contribute to good housekeeping practices.

When the surface to be disinfected has a heavy soil deposit, this heavy soil should be removed prior to application of Disinfectant-Sanitizer-Deodorizer by using a detergent. Rinse surface to be disinfected before applying Disinfectant-Sanitizer-Deodorizer.

HOSPITALS: Mix 1½ tablespoons ($\frac{3}{4}$ fl. oz.) with two gallons of water. For disinfection of walls, floors and other inanimate hard surfaces after cleaning. Apply with cloth or mop.

This product used at $\frac{3}{4}$ fluid ounces per two gallons of water is effective against *Pseudomonas aeruginosa* PRD-10. This has been substantiated by the AOAC Use Dilution Confirmation Test. Kills *Staphylococcus aureus* and *Salmonella choleraesuis*.

SANITIZING - FOOD PROCESSING EQUIPMENT, UTENSILS, AND FOOD CONTACT SURFACES. Prepare sanitizing solution to provide 200 ppm active quaternary by mixing $\frac{1}{2}$ tablespoon ($\frac{1}{4}$ oz.) to two gallons of water. Sanitize previously cleaned equipment by applying sanitizing solution with cloth or mop. Rinsing is NOT required.

Rinse empty container thoroughly with water and discard.

EPA REG. NO. 11662-4

PROTECT FROM FREEZING

DESIGNED FOR HOSPITAL and INSTITUTIONAL USE

buildings
cleaning

should be
detergent.
deodorizer.

infection
cloth or

Pseudo-
Dilution

ADDITIONAL CON-
tainers may be
required.

INSTASAN[®] 20

BRAND
CONCENTRATED

DISINFECTANT-SANITIZER-DEODORIZER

ACTIVE INGREDIENTS:

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)
dimethyl benzyl ammonium chlorides

10%

n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl
ethylbenzyl ammonium chlorides

10%

INERT INGREDIENTS:

80%

100%

DANGER: Keep Out of Reach of Children.
See right side panel for additional precautionary statements.

ENVIRACHEM, INC. • 14861 MEYERS RD. • DETROIT, MI 48227

CONTENTS: 1 GALLON

PRINTED IN U.S.

ACCEPTED

MAR 0 4 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 11662-4 SUBJECT
TO ATTACHED COMMENTS.

11662-4



CONCENTRATED

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.