

B A

A B

USE DIRECTIONS

INDUSTRIAL RECIRCULATING WATER COOLING TOWERS

Our Algaecide-Fungicide when used as directed will aid in controlling and or preventing the development of algae slime such as *Chlorella pyrenoidosa* (green), *Phormidium mundatum* (black algae), *Phormidium retzii* (square D algae), *Lyngba versicolor* (blue green).

Initial dose: 1-2 gallons of Algaecide-Fungicide to each 10,000 gallons of water contained in the system. Use this dose when algae are visible. Repeat dose as needed until control is apparent.

Periodic Dose: When or where algae control is evident use the periodic dose. Add Algaecide-Fungicide at the tower sump or distribution decks.

1-3 quarts of Algaecide-Fungicide to each 10,000 gallons of water contained in the system every 7 days or sooner should visible growth appear.

For best results, clean heavily contaminated systems before treatment with this product. Do not be alarmed with the sudden appearance of organic debris in the system during the first week of operation. This is normal and is a good indication the Algaecide-Fungicide has effectively penetrated and dislodged dead organic material which tenaciously adheres to metal and wooden surfaces as living matter. This debris should be removed from the system to avoid clogging of screens and pipes.

FUNGICIDAL PROPERTIES

Algaecide-Fungicide is effective against pathogenic fungi such as *Trichophyton interdigitale* Strain #640 when present on inanimate hard surfaces such as locker room floors, shower floors, foot basins, and locker room benches. Use a solution of 1 oz Algaecide-Fungicide to 1 gallon of water. Apply to surfaces with cloth or mop.

Rinse empty container thoroughly with water and discard.

BEST DOCUMENT AVAILABLE

E.P.A. REG. NO. 11662-9

P



CONCENTRATED "W.C.1" ALGAECIDE-FUN

Active Ingredients

n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chlorides

n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides

INERT INGREDIENTS

ACC

FEB

UNDER THE FUNGICIDE A FOR BODOR NO UNDER B

DANGER KEEP OUT OF REACH OF CHILDREN. statements on Right Side Panel.

Manufactured by INSTASAN BRAND PRODUCTS, INC. • DETROIT, MICH. 48227 • (3)

CONTENTS: 1 GALLON

EPA EST. NO. 11662-M1-01

B A

A B

PROTECT FROM FREEZING

stasan[®]
BRAND

TREATED "W.C.T."
MOLD-FUNGICIDE

5% C₁₂-5% C₁₈
num chlorides
dimethy-
chlorides

ACCEPTED

FEB 6 1979

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
NO. 11662-9

10%
10%
80%
100%

KEEP OUT OF REACH OF CHILDREN. See other precautionary
on Right Side Panel.

Manufactured by
DETROIT, MICH. 48227 • (313) 935-3300 • (800) 521-8100

A EST. NO. 11662-M1-01 PRINTED IN U.S.A.

DANGER

Keep Out Of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.