BIO-SEPT is a cleaner, disinfectant, and sanitizer, designed for institutional use, such as HOSPITALS, NURSING HOMES, AND SCHOOLS, where house-keeping will be of prime importance, in controlling cross-infection. Hard surface sanitization can help in this control, and BIO-SEPT can provide the assurance you need in this area, when used as directed.

DANGER

KEEP OUT OF REACH OF CHILDREN. CAUSES EYE DAMAGE AND SKIN IRRITATION. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. HARMFUL IF SWALLOWED. AYOID CONTAMINATION OF FOOD.

FIRST AID

OR SKIN WITH PLENTY OF WATER FOR AT LEAST MINUTES. FOR EYES, CALL A PHYSICIAN. REMOVE AND WASH ALL CONTAMINATED CLOTHING BEFORE REUSE. IF SWALLOWED, DO NOT INDUCE VOMITING. DRINK LARGE QUANTITIES OF FLUID AND CALL A PHYSICIAN IMMEDIATELY.

BIO-SEPT

Cleaner -:- Disinfectant -:- Deodorizer -:- Fungicide Designed for Hospital and Institutional Use

Active Ingredients:

Alkyl (60% C 14, 30% C 16, 5% C 12, 5%	C 18)
dimethyl benzyl ammonium chlorides	2.25%
Alkyl (68% C12, 32% C14) dimethyl	,
ethylbenzyl ammonium chlorides	2.25%
Sodium carbonate	3.0 %
Inert Ingredients:	92.5 %
	100.00%

E.P.A. Reg. No. 11672-2

Net Volume: 1 Gal.

INDEX CHEMICALS, INC.

Carranza Road, R. D. 3 Vincentown, New Jersey 08088

DANGER

Keep out of reach of children. See left panel for additional precautionary statements.

Use Directions:

USE at 2 ounces per gallon. This product will be ef-

CLOKE VEODE! II. OMVEDOMAD, DO 1101 E VOMITING. DRINK LARGE QUANTITIES ID AND CALL A PHYSICIAN IMMEDIATELY.

tionary statements.

Use Directions:

USE at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic and apply to walls, floors and other hard surfaces. If used on food equip floors and other hard surfaces. If used on food equipment or other food contact items, limit the level to 200 ppm of quaternaries.

For heavy soil or organic matter, a precleaning step is recommended.

Rinse empty container thoroughly with water and discard it.

I FEOLRAL IN TO FUNGICH AND RUCH FOR ECC JMIC POUS