## **PYRINEX** CHLORPYRIFOS INSECTICIDE

An Insecticide for Formulating Use Only

Active Ingredient

Chlorpyrifos:	
(0,0-diethyl 0-(3,5,6-trichloro-2-pyridinyl phosphorothioate)	97%
INERT INGREDIENTS	
Total.	100%

## **KEEP OUT OF REACH OF CHILDREN** WARNING

May be fatal if swallowed. Do not take internally. Harmful if absorbed through skin. Avoid breathing vanors or spray mist. Handle concentrate in a ventilated area. Causes eve irritation. Do not get into eyes. Avoid contact with skin. Wash thoroughly after handling. Do not wear contaminated clothing. Keepaway from food, feedstuffs and water supplies

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poision Control Center impediately. Immediately give several glasses of water and induce conting by placing finger on the back of the victim's tongue. Give fluids until vomiting scient. Do not induce vomiting or give anything by mouth to unconscious of convulsing person.

IF INHALED: Remove victim to tresh air. Get medical futention if respiratory irritation occurs. Apply artificial respiration if indicated.

IF ON SKIN: In case of contact, remove contaminated clothing and immediately wash skin with soap and water. Avoid abrading theskin,

ACCEP

7958

Panciolde, and Roderfieldo Act.

es amarded, for the periods

and under

IF IN EYES: Flush eyes with plenty of water. Hold eyelids apart to ensure rinsing of the entire surface of the eyes. Call a physician immediately.

SEE NOTE TO PHYISICIAN ON SIDE PANEL.

MAKHTESHIM CHEMICAL WORKS Linder the Federal Insecticity, Manufactured by: c/o Makhteshim-Agan of North America 551 Fifth Avenue, Suite 1100 New York, N.Y. 10176

EPA Reg. No. 11678-45 EPA Establishment No. 11678-IS-01 Net Weight:

HAZARDS TO HUMANS & DOMESTIC ANIMALS \* WARNING General Precautions Read all directions before using. Keep away from food, feedstuffs and domestic water supplies. Keep container closed. Hazards to Humans

**PRECAUTIONARY STATEMENTS** 

MAKHTESHIM-AGAN

May be fatal if swallowed. Do not take internally. Harmfulfi absoroed through skin. Avoid breathing vapors or spray mist. Handle to feature in a verificated area. Causes eye initation. Do not get into eyes. Avoid contact with stip. Wash thoroughly after handling. Do not wear contaminated clothing. Keep away from foot gedstuffs and water supplies.

ENVIRONMENTAL HAZARDS This pesticide is extremely toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, pondstastuaries, oceans, or officewaters unless in accordance with the requirements of a National Pollulant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing profile to discharge. Do not discharge filluent containing this product to sever systems without previously motifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a vigaltion of Pederal law to use this product in a manner inconsistent with its labeling. For Manufacturing Use Only. This product may be used ONLY for formulation into an insecticide for the following uses:

and the second

-7

Agricultural Crops (Terrestrial Food Crop)(Greenhouse Food Crop): Any uso for which U.S. EPA has accepted the required data and/or citations of data that the formulator, user group, or grower has submitted in support of registration, excluding any use strictly prohibited by the label; alfalfa, apple, asparagus, bannan, bean (snap, lima), beet (sugar, table, including seed), blueberry, brassica (cole) leady vegetables (bok choy, broccoli, broccoli runb, Brussol sprouts, cubbago, Chinoso cabbago, cauliflower, collard, kale, kohirabi), canoberry, cherimoya, cherry (sour, sweet), citrus (lemon, orange, grapefruit and citrus, other) citrus orchard (loor, com (field, sweet, seed), cotton, cranberry, cucumber, date, feiloa, figs, grapes, kiwifruit, leck, legume vegetables, mint, necturine, onion, peurs, peaches, plums/primes, radish, rutabagas, supote, seed and ped vegetables, sorghum (grain, milo), soybean, strawberries, sugarcane, sunflower, sweet potato, turnips, tobacco, tomato (except cherry tomato), tree nuts (almond, filbert, pecan, walnut, other), turnip, wheat and seed treatment;

Ornamentals (Outdoor and Nursery)(Terrestrial Nonfood Cron)(Greenhouse Non-food Cron)(Indoor); Outdoor and field grown ornamentals (including, but not limited to flowers, shrubs, evergreens, vines, shade and flowering trees, and non-bearing fruit, nut, and citrus trees); perennial grass seed crops, potted, containerized or balled and builapped nursery stock plants; annual and perennial plants; houseplants;

Tree and Forest Pests (Forestry) (Domestic Outdoor): Nurseries, plantations, felled trees, shade and flowering trees and Christmas trees, plantations: cut stumps;

Turf and Other Outdoor Areas (Domestic Outdoor)(Terrestrial Nonfood Crop): Including, but not limited to golf courses, lawns and other ornamental and recreational turf grass areas and non-crop areas such as roadsides. footpaths and trails, picnic and camping sites, parks and other recreational areas, sod farms and commercial furferess areas, and ant mounds;

Pest Control on Outside Surfaces and Around Buildings (Domestic Outdoor): Perimeter Treatments (applied to and around outside surfaces of residential and nonresidential buildings and structures, including but not limited to) crawl spaces, decks, driveways, eaves, fences, foundations, garages, patios, refuse dumps, walkways, walls, window and door frames, wide area and general outdoor treatment (for flying insects), baits, and soil treatments:

\_0

 $\propto$ 

ር ተ

## Wood or Wood Structure Protection Treatments (Domestic Indoor or Outdoor): General surface, localized NOTE TO PHYSICIAN injection, and barrier soil treatments to residential and nonresidential buildings and structures including, but not limited to pre and post construction termiticide, barrier soil application, wood surfaces, voids and channels in Pyrinex (chlorpyrifos) is a cholinesterase inhibitor. Initial measurer include removal of secretions, maintenance of a patent airway, and if necessary\_artificial espiration. When cyanosis is clieved, atronine damaged wood, gaps between wooden members, wall voids, junctions between wood and foundation; underground utility cables and conduit; fences posts and utility poles; and wood treatment (dip, spray, or pressure may be administered in large therapeutic doses, repeated hs necessary to the point of tolerance. If symptoms warrant further treatment, protopam chloride (rralidoxir schloride, 2-PAM coloride) has shown utility as treatment of lumber, logs, pallets, poles, posts, wooden containers, and processed wood products): adjunctive therapy. Never use morphine. Continued absorption of the poison may occur, resulting in a fatal relapse after initial improvement. Very close supervision of the patient is indicated for at least 48 to 72 hours Pest Control Indoors (Indoor): Crack and crevice, spot and bait treatments in and around residential and nonresidential buildings and structures including food-handling establishments, including, but limited to apartment IN CASE OF A SCILL buildings, bakeries, bottling facilities, breweries, cafeterias, food manufacturing plants, food processing plants, food service establishments, granaries and grain mills, hospitals, hotels, houses (including crawl spaces), Isolate the spill. Hold this package, other cargo and vehicles involved. Interndictely TELEPHONE industrial buildings, kitchens, laboratories, mauscoleums, mobile and motor homes, offices, restaurants, schools, (24-hour service) for emergency assistance 11-800-535-5053 stores, warehouses, wineries, and vehicles. **General Precautions** . Read all directions before using Pets and Domestic Animals (Indoor): Pet Collars, cattle ear tags, animal housing including, but not limited to . Keep away from food, feedstuffs and domestic water supplies. pet kennels, poultry houses, and livestock housing (corrals, stockyards, holding pens, and other outdoor Keep container closed, livestock holding areas). Hazards to Humans May be fatal Itswallowed. Do not take internally. This product may NOT be used for formulation into manufacturing-use or end-use products for the following uses: Harmful if absorbed through skin. Avoid broathing vapors or spray mist, Handle concentrate in a ventilated area. Pest Control Indoors (Indoor): Indoor broadcast use; total release foggers for indoor residential and non-residential (except greenhouse) use; coating products intended for large surface areas such as floors, walls, and ceilings inside residential dwellings, offices, schools, or health care institutions including, but not limited ho. Causes eye irritation. Do not get into eyes. Avoid contact with skin, . Wash loroughly after handling. Do not wear contaminated clothing. . Keep away from food, feedstuff's and water supplies. houses, apartments, nursing homes and patient rooms in hospitals; Pets and Domestic Animais (Indoor): Animal dips, sprays, shampoos, dusts, Aquatic Uses (Aquatic Food Crop) (Aquatic, Non-Food): Any aquaticutse, including mosquito larvicide; dise \* WARRANTY STATEMENT NOTICE. Seller warrants that the product conforms to its chemical description and is reasonably fit for the Pest Control Indoors or Outdoors (Domestic Indoor or Outdoor) Paint additives, application in sewer purposes stated on the label when used in accordance with directions under normal conditions of use but manholes. neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR All manufacturing-use products produced from this product must bear a statement prohibiting formulation PURPOSE express or implied extends to the use of this product contrary to label instruction, or under " A BREED" abnormal conditions, or under conditions not reasonably foresceable to seller, and buyer assumes the risk of of such products for the uses identified above. any such use. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with Important Note: Because of their properties and intended uses insecticidal formulations containing this product directions given herewith. will require precautionary labeling differing from that given. Formulators should develop their own use and precautionary labeling based on the properties and intended uses of their own finished formulations, and are responsible for obtaining EPA registration of these products. ACCEPTED STORAGEAND DISPOSAL 1998 MAK Storage Avoid storage at high temperatures. Protect from moisture. Avoid contamination with water, acids, or alkalies. Do not store near heat or open flame. Keen container closed. Store in original container in a locked storage area. Under the Federal Insectición. Fungicide, and Rodenticide Act. PROHIBITIONS as amended, for the pesiloide registered under Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. BPA Rog. Ho. Pesticide Disposal Rinse spray equipment. Any pesticide, spray mixture, or rinse water that cannot be used according to label instructions or chemically reprocessed should be disposed of in a landfill approved for pesticides. Container Disposal Triple rinse (or equivalent), perforate rinsed containers and offer for disposal in a landfill approved for pesticide containers. Do not reuse containers. Do not cut or weld containers General Consult Federal, state, or local disposal authorities for approved alternative procedures,

MAKHTESHIM-AGAN

P