

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

October 11, 2022

Jessica Vigna Federal Regulatory Manager Makhteshim Agan of North America, Inc. (d/b/a ADAMA) 3120 Highwoods Boulevard, Suite 100 Raleigh, NC 27604

Subject: Label Amendment – Restoration of Inadvertently Removed Uses on Tropical and

subtropical, small fruit, inedible peel, subgroup 24A (lychee) and Brassica, head

and stem, crop group 5-16 (kohlrabi) Product Name: RIMON® TECHNICAL EPA Registration Number: 11678-57 Application Dates: September 30, 2022

Decision Number: 587997

Dear Jessica Vigna:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Page 2 of 2 EPA Reg. No. 11678-57 Decision No. 587997

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Mr. Carmen J. Rodia, Jr. via e-mail at *Rodia.Carmen@epa.gov*.

Sincerely,

Tamica L. Cain, Product Manager 10 Invertebrate & Vertebrate Branch 2

Registration Division (7505T)

Damica Cair

Enclosure: Stamped "Accepted" Master Label, dated October 11, 2022

RIMON®TECHNICAL (NOVALURON)

For The Manufacture of Insecticides Only

ACTIVE INGREDIENT: Novaluron:	%	6 BY WT.
1-[3-chloro-4-(1,1, 2-trifluoro-2-trifluoromethoxyethoxy)phenyl]-		
3-(2, 6-difluorobenzoyl)urea		98.5%
OTHER INGREDIENTS:		1.5%
	TOTAL	

CAUTION/PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

How can we help? 1-866-406-6262

Manufactured for:
Makhteshim Chemical Works, (d/b/a ADAMA Ltd)
3120 Highwoods Blvd, Suite 100
Raleigh, NC 27604

EPA Est. No.___

EPA Reg. No. 11678-57

NET	CONIT	FENITO.	
NEI	CUN	ΓENTS:	

	FIRST AID
IF ON SKIN OR	Take off contaminated clothing.
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	• DO NOT induce vomiting unless told to do so by a poison control center or
	doctor.
	DO NOT give anything by mouth to an unconscious person.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing
	eye.
	Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial
	respiration, preferably mouth-to-mouth if possible.
	Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for	
treatment. You may a	also contact PROSAR at 1-877-250-9291 for emergency medical treatment information.

In case of spills, fire, leaks or accidents call 1-800-535-5053.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic invertebrates. **DO NOT** discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters except in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. **DO NOT** discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This pesticide is for the further manufacture of formulated insecticides only. Formulators using this product are responsible for obtaining EPA registration for their formulated products.

Only for formulation into an insecticide for the following uses:

(1) Avocado; Berries (Low-Growing); Brassica, head and stem (Group 5-16); Bushberries; Carrot; Cotton (Subgroup 20C); Cucurbit Vegetables; Dried shelled bean including adzuki bean, dry seed; African yam-bean, dry seed; American potato bean, dry seed; Andean lupin bean, dry seed; asparagus bean, dry seed; black bean, dry seed; blackeyed pea, dry seed; blue lupin bean, dry seed; broad bean, dry seed; catjang bean, dry seed; Chinese longbean, dry seed; cowpea, dry seed; cranberry bean, dry seed; crowder pea, dry seed; dry bean, dry seed; Field bean, dry seed; French bean, dry seed; garden bean, dry seed; goa bean, dry seed; grain lupin bean, dry seed; great northern bean, dry seed; green bean, dry seed; guar bean, dry seed; horse gram, dry seed; Jackbean, dry seed; kidney bean, dry seed; lablab bean, dry seed; lima bean, dry seed; morama bean, dry seed; moth bean, dry seed; mung bean, dry seed; navy bean, dry seed; pink bean, dry seed; pinto bean, dry seed; red bean, dry seed; rice bean, dry seed; scarlet runner bean, dry seed; southern pea, dry seed; sweet lupin bean, dry seed; sword bean, dry seed; tepary bean, dry seed; urd bean, dry seed; vegetable sovbean, dry seed; velvet bean, seed, dry seed; white lupin bean, dry seed; white sweet lupin bean, dry seed; winged pea, dry seed; yardlong bean, dry seed; yellow bean, dry seed; yellow lupin bean, dry seed, Dried shelled pea including Chickpea, dry seed; Dry pea, dry seed; Field pea, dry seed, Garden pea, dry seed; Grass-pea, dry seed; Green pea, dry seed; Lentil, dry seed; Pigeon pea, dry seed, Edible podded bean legume vegetable including asparagus bean, edible podded; catjang bean, edible podded; Chinese longbean, edible podded; cowpea, edible podded; French bean, edible podded; garden bean, edible podded; goa bean, edible podded; green bean, edible podded; guar bean, edible podded; Jackbean, edible podded; kidney bean, edible podded; kohlrabi; lablab bean, edible podded; moth bean, edible podded; mung bean, edible podded; navy bean, edible podded; rice bean, edible podded; scarlet runner bean, edible podded; snap bean, edible podded; sword bean, edible podded; urd bean, edible podded; vegetable soybean, edible podded; velvet bean, edible podded; wax bean, edible podded; winged pea, edible podded; yardlong bean, edible podded, Edible podded bean legume including chickpea, edible podded; dwarf pea, edible podded; edible podded pea; grass-pea, edible podded; green pea, edible podded; lentil, edible podded; pigeon pea, edible podded; snap pea, edible podded; snow pea, edible podded; sugar snap pea, edible podded, Succulent shelled bean including Andean lupin, succulent shelled; blackeyed pea, succulent shelled; blue lupin, succulent shelled; broad bean, succulent shelled; catjang bean, succulent shelled; cowpea, succulent shelled; crowder pea, succulent shelled; goa bean, succulent shelled; grain lupin, succulent shelled; Jackbean, succulent shelled; lablab bean, succulent shelled; lima bean, succulent shelled; moth bean, succulent shelled; scarlet runner bean, succulent shelled; southern pea, succulent shelled; sweet lupin, succulent shelled; vegetable soybean, succulent shelled; velvet bean, succulent shelled; wax bean, succulent shelled; white lupin, succulent shelled; white sweet lupin, succulent shelled; yellow lupin, succulent shelled, Succulent shelled pea including chickpea, succulent shelled; English pea, succulent shelled; garden pea, succulent shelled; green pea, succulent shelled; lentil, succulent shelled; pigeon pea, succulent shelled, Kohlrabi; Brassica, Leafy Greens (Subgroup 4-16B); Lychee and Tropical Fruits (Subgroup 24A); Nut, tree (Group 14-12); Ornamentals (Container Grown Ornamentals in Greenhouses, Shadehouses, Outdoor Nurseries); Peanuts; Pears; Pome Fruits; Potatoes / Sweet Potatoes; Sorghum; Soybeans; Stonefruits;

Strawberry; Sweet Corn; Sugarcane; Sunflower (Subgroup 20B); Swiss Chard; Turnip Greens; Vegetable, fruiting (Group 8-10); Vegetable, foliage of legume, except soybean, subgroup 7A, forage; and Vegetable, foliage of legume, except soybean, subgroup 7A, hay.

- (2) Domestic and Non-Domestic Indoor and Outdoor;
- (3) Food and Nonfood Areas of Food Handling Establishments;
- (4) Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and,
- (5) Uses for experimental purposes that are in compliance with USEPA requirements.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDESTORAGE: Keep this product in its tightly closed original container. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals, in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed.

PESTICIDE DISPOSAL: DO NOT contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. DO NOT pour or dispose of down the drain or sewer. Call your local solid waste agency for local disposal options.

CONTAINER HANDLING

Non-refillable Container (flexible-bag, all weights): Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling, if available, or dispose of container in a sanitary landfill, or by other procedures approved by state and local authorities.

Non-refillable Container (rigid, fifty lbs. or less): Nonrefillable container. DO NOT reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into manufacturing equipment. Fill the container 1/4 full with water and recap. Shake container for 10 seconds. Pour rinsate into manufacturing equipment or store rinsate for later disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or by other procedures approved by state and local authorities.

Non-refillable Container (rigid, greater than fifty lbs.): Nonrefillable container. DO NOT reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into manufacturing equipment. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into manufacturing equipment or store rinsate for later disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or by other procedures approved by state and local authorities.

LIMITATION OF WARRANTY AND LIABILITY

Read the entire directions for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following **CONDITIONS**, **DISCLAIMER OF WARRANTIES** and **LIMITATIONS OF LIABILITY**.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of ADAMA. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, ADAMA. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of ADAMA is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent

consistent with applicable law, ADAMA disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at ADAMA's election, the replacement of product.

RIMON® is a registered trademark of ADAMA.

RIMON Technical (11678-57); peas and beans_ IR4_tree nuts_Label_- 10-11-2022