## CAPTAN 5

# POTATO SEED TREATER AN AGRICULTURAL FUNGICIDE

ACTIVE INGREDIENTS: *Captan	<b>BY WT</b> 4.89%
Related Derivatives	0.11% 95.00%
ger self Certer TOTAL	3.90.00%
*N-Twichloromethylthio-4-cyclonexene-1,2-dicarboximide	
EPA Est. No. 8917-ID-1 /1682-6 EPA Reg. No.	11682-6
DANGER	PEL I GRO

## KEEP OUT OF REACH OF CHILDREN

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
AVOID INHALING DUST
AVOID CONTACT WITH SKIN
AVOID CONTAMINATION OF FEED AND FOOD

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente.

Causes irreversible eye damage. Harmful if swallowed or inhaled. Do not get in eyes. Wear goggles or face shield when handling. May cause allergic skin reactions. Avoid contact with skin and clothing. Wash thoroughly with soap and water after handling. Remove and separately launder contaminated clothing before reuse.

(

#### STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Call a physician. IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or poison control facility immediately.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF ON SKIN: Wash with soap and water. Remove contaminated clothing.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### **USE PRECAUTIONS:**

When loading into application container or applying to potato seed pieces, wear a respirator, goggles and chemical resistant gloves. In addition, wear a long sleeved shirt and long pants, or a coverall that covers all parts of the body except the head, hands and feet.

Field workers handling treated seed must wear chemical resistant gloves. Leather or fabric gloves are not acceptable.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with Captan must be destroyed according to state and local regulations.

Do not use treated seed for food or feed purposes.

NOTICE: This product will not control bacterial decay such as blackleg and soft rot, or diseases present within the seed.

POTATO SEFD PIECE TREATMENT: To aid in the control of Damp-Off.

Use at rate of 15 oz per bushel (24 oz per 100 lbs) of cut seed pieces. Apply in convenient container or by duster attachment over belt. Coat each seed evenly with a light film of dust. Treat pieces within 6 hours after cutting. If planting is delayed, store treated seed pieces in open crates two days before bagging.

Before planting, cutting machines or knives, trays, tables, barrels or sacks, equipment, trucks and planters should be thoroughly cleaned and sanitized. If not sprouted, subject seed potatoes to temperatures of 50 degrees to 60 degrees for about 10 to 15 days before handling them.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

STORAGE: Store in cool, dry place. Avoid contact with moisture. Keep pesticide in original container.

DISPOSAL: Completely empty bag into application equipment by shaking and tapping sides and bottom to loosen clinging particles. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably forseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to,

# J. R. SIMPLOT COMPANY

Agricultural Chemicals Department

P. O. Box 198 - Lathrop, CA 95330

P. O. Box 15057 - Boise, ID 83715