

5-30-73
11682-8

AQUATIC WEED KILLER

ACTIVE INGREDIENT:	
Xylene Range Aromatic Solvent	98.7
INERT INGREDIENTS	1.3%
	100.0%

EPA REG. NO. 11682-8

CAUTION Keep Out of Reach of Children

HARMFUL IF SWALLOWED

**DO NOT USE, POUR, SPILL, OR STORE NEAR
HEAT OR OPEN FLAME**

Product is toxic to fish and other aquatic organisms. Do not use where water from treated areas will contaminate fish-bearing waters. Do not flood irrigate seedling from plants with treated water.

A PRODUCT OF

SIM-CHEM

MINERALS AND CHEMICALS DIVISION • J. R. SIMPLOT COMPANY

READ THE LABEL FIRST

ACCEPTED

Aquatic weeds are separated into four broad categories. The floating type plants are either free floating or anchored to the bottom. The leafstem tissue or thalli of these floating plants can raise or lower the water level of the ditch or canal. Aquatic Weed Killer was designed to kill aquatic weeds in ditches and canals under careful management and control. The product emulsifies with water so that contact of the solvent with the aquatic weeds might be accomplished.

Note: For further information contact your County Agent or Irrigation District on local applications and use.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

WARNING:

FLAMMABLE LIQUID.

DO NOT STORE OR USE NEAR

USE PESTICIDES SAFELY AND SANELY

1/20/79

1/20/79

RECOMMENDATIONS

RATE Concentration (PPMV) 3/10 for 1 hour or 7/40 for 30 minutes. This is equivalent to 10 gallons per cubic foot per second of water flow applied over a 30-60 minute period.

TIMING Apply before weed growth becomes matted at the surface or causes channeling of the water flow.

APPLICATION Mix Aquatic Weed Killer in turbulent flow of water. For superior results, inject the Aquatic Weed Killer under pressure into the turbulent flow.

Aquatic Weed Killer controls a variety of submerged aquatic weeds, including "water mosses" such as Pong Scum (Filamentous Algae) and submerged aquatic weeds: Common Pondweed, Sago Pondweed or Horned Elodea, Horned Pondweed, Eelgrass Pondweed, Richardson's Pondweed, Curlyleaf Pondweed, Coontail, Water Weevil, Elodea, and Water Starwort.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label directions.

This granular product is for dry application on non-cropland where bare ground is desired. It is an effective herbicide for the control of many annual and perennial grasses and weeds. Effects are slow to appear and may not show until the chemical has been carried into the root zone by moisture. The degree of control obtained and length of control will vary with the amount of chemical applied, soil type, rainfall and other conditions. This product is non-corrosive to metals and non-volatile.

IMPORTANT: Do not apply on or near valuable woody or herbaceous plants or on areas where their roots may extend because of possible injury to such plants. Thoroughly clean spreading equipment with a suitable chemical cleaner before using for other purposes (or do not use same spreading equipment for other purposes). Do not store near fertilizer, seeds, insecticides or fungicides. Store away from and do not contaminate feed and foodstuffs. Do not contaminate irrigation ditches or water used for domestic purposes. Do not use on croplands or any land to be used for subsequent cropping. Keep animals off treated areas. Do not reuse this container; destroy when empty.

KEEP OUT OF REACH OF CHILDREN
CAUTION: MAY CAUSE IRRITATION TO SKIN, EYES, NOSE AND THROAT.

Avoid contact with skin, eyes and clothing. Avoid breathing dust. In case of contact, wash with soap and water; for eyes, immediately flush with large amounts of water for at least 15 minutes and get medical attention. Remove and wash contaminated clothing before reuse.

EPA Reg. No. 11694-49
 EPA Est. 11694-KS-1

BROMENOL 4 GRANULAR Vegetation and Weed Killer

REGISTERED
 UNDER THE FEDERAL INSECTICIDE, FUNGICIDE AND ROENTICIDE ACT
 POISON REGISTERED
 111,941-49

IMPORTANT: Do not use on lawns, walks, driveways, tennis courts or similar areas.

ACTIVE INGREDIENT:

Bromacil (5-Bromo-3-sec-butyl-6-methyluracil)	4.00%
INERT INGREDIENTS:	96.00%
Total	100.00%

CAUTION: KEEP OUT OF REACH OF CHILDREN
 See side panel for further cautionary information

GENERAL WEED CONTROL

For control of annual and perennial grasses and weeds in pastures, woods, brushy areas, and industrial sites, apply 125 pounds to 250 pounds per acre.

To control perennial grasses such as quackgrass, bluegrass, and bromegrass apply 125 pounds to 250 pounds per acre. For hard to kill species such as Johnson grass, Bermuda grass and nut grass apply 300 pounds to 600 pounds per acre. To control perennial broad-leaved weeds such as dock, wild carrot, sheep sorrel, plantain or dandelion, apply 125 pounds to 250 pounds per acre. For hard to kill species such as bouncing bet, spurge, dogbane, goldenrod, daisies and asters, apply 300 pounds to 600 pounds per acre.

To control annual weeds and grasses such as foxtail, crab grass, cheat grass, wild oats, bromegrass, rye grass, pigweed, ragweed, purslane, wild mustard, cocklebur, and lambsquarter, apply 37.5 pounds to 125 pounds per acre.

Use the higher application rates on those soils with higher organic matter or high carbon levels.

Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product as specified on this label.

Sold By  **DYMON, INC.** 3401 Kansas Ave. Kansas City, Kansas 66106