

ASG
20/009 655
4 17

101-2
Pm 21
11682-15

9 1987

Ms. Lisa J. Strong
J.R. Simplot Company
P.O. Box 198
Lathrop, CA 95330

Dear Ms. Strong:

Subject: P.S.T. 6 Potato Seed Treater
EPA Registration No. 11682-15
Your Submission Dated July 20, 1987

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.

1. The Agency requires that a Confidential Statement of Formula (EPA Form 8570-4) be submitted pursuant to the Mancozeb Registration Standard of April 1987.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Lois A. Rossi
Product Manager (21)
Fungicide- Herbicide Branch
Registration Division (TS-767C)

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

BEST AVAILABLE COPY

P.S.T. 6 POTATO SEED TREATER

with COMMENTS
in EPA Label Book

SEP 29 1987

ACTIVE INGREDIENTS: A coordination product of zinc ion manganese ethylene bisdithiocarbamate	5.00%
In which the ingredients are	
Manganese	1.20%
Zinc	3.15%
Ethylene bisdithiocarbamate ion (C ₄ H ₆ N ₂ S ₂)	4.65%
INERT INGREDIENTS:	94.00%
TOTAL	100.00%

EPA Reg. No. 11682-15 EPA Est. No. 8917-ID-1

Label must comply with Federal Insecticide, Fungicide, and Rodenticide Act
 Internal has expired unless wearing the personal protective equipment listed on the label. Certain states may require more restrictive equipment for various crops treated with this product. Check with your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Written and oral warnings must include the following information: "CAUTION Area treated with P.S.T. 6 POTATO SEED TREATER on (date of application). Do not enter without appropriate protective clothing for 24 hours." Refer to the Personal Protective Equipment section on the label to provide workers with appropriate protective clothing.

CAUTION

**KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS
HARMFUL IF TAKEN INTERNALLY
AVOID INHALING DUST—AVOID CONTACT WITH SKIN**

May be harmful if swallowed or inhaled. May cause irritation of eyes, nose, throat and skin. Do not rub eyes or mouth with hands. Keep all un-protected persons, children, livestock and pets away from treated area or where there is a danger of drift.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.
 IF ON SKIN wash with soap and water. If irritation persists, get medical attention.
 IF IN EYES flush with water for at least 15 minutes. Get medical attention.
 IF INHALED remove victim to fresh air. Apply respiration if indicated.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Cover or incorporate spilled treated seed. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not allow this product to drift onto neighboring crops or use in a manner different from the label directions.

PERSONAL PROTECTIVE EQUIPMENT

For seed piece treatment workers and workers planting seed **HANDLE THIS PRODUCT ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT:** a long-sleeve shirt and long pants or a coverall that covers all parts of the body except the head, hands, and feet; chemical resistant gloves, shoes, socks, and goggles or a face shield; During mixing and loading, a chemical resistant apron must also be worn.

During application from a tractor with a completely enclosed cab with positive pressure filtration, or equivalently with an enclosed cockpit, a long-sleeve shirt and long pants may be worn in place of the above protective clothing. Chemical resistant gloves must be available in the cab or cockpit and worn when exiting.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face, and arms with soap and water before eating, smoking or drinking. Always wash hands and arms with soap and water before using the toilet.

After work take off all clothes and shoes. Shower using soap and water. Wash only clean clothes. Do not use contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with mancozeb must be destroyed according to state and local regulations.

HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED

RE-ENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter or allow entry into treated areas until the 24-hour re-entry

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

STORAGE: Store in a cool, dry place. Avoid contact with floor and moisture.

DISPOSAL: Completely empty bag into application equipment. Then dispose of in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

POTATO SEED-PIECE

Usage and Application: Use 1 lb of 6% (active ingredients) dust per 100 lbs of cut seed pieces. Apply it so that the entire surface of the seed piece is thoroughly covered by the fungicide dust. Place treated seed in clean, disease-free containers or store in bulk at proper temperature and humidity. Prevent inhalation of dust by use of exhaust fans during treatment.

Cutting and Treating: Before planting, cutting machines or knives, traws, slides, barrels or sacks, equipment, trucks and planters should be thoroughly cleaned and sanitized. If not sprouted, subject seed potatoes to temperatures of 50 degrees to 60 degrees F for about 10 to 15 days before handling them.

A. Controls Fusarium seed-piece decay, the most common seed-and-soul-b, a fungus disease of potatoes.

B. Protects seed which is held for planting.

The cut and treated seed may be planted immediately. If planting is delayed, follow the recommended storage practices of cut seed pieces in your area.

Do not use treated seed for food or feed purposes.

NOTICE: This product will not control bacter at decay such as blackleg and soft rot, or diseases present within the seed.

DISCLAIMER - J. R. Simplot Company warrants only that the material contents and person conditions on the material description on the label and a person applying this use the instructions are used in accordance with the DIRECTIONS FOR USE. This use is not to be construed as a warranty of the product. Crop injury, ineffectiveness or other unintended consequences may result because of factors such as weather conditions, presence of other materials, soil conditions, or the manner of use or application, all of which are beyond the control of J. R. Simplot Company. All such risks shall be assumed by the user. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential or commercial damages such as loss of profits or value of any other special or indirect damages. J. R. Simplot Company makes no other express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY. AGC 194 (6-77)

NET CONTENTS 50 LBS.



J. R. Simplot Company
Agricultural Chemical Department
P.O. Box 198, Lathrop, CA 95330
P.O. Box 15057, Boise, ID 83715