

SIM-CHEM

SIM-TEC 0.50 POTATO SEED TREATER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMAN AND DOMESTIC ANIMALS CAUTION

Do not get in eyes or on skin. Wear goggles and rubber gloves when handling. Avoid breathing dust. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provision of 30 CFR Part 11. Wash thoroughly after using. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

STORAGE

Keep pesticide in original container. Store in cool, dry place. Protect from excessive heat.

ACTIVE INGREDIENT

*2-(4-thiazoly)-benzimidazole	By Wt. 0.50%
INERT INGREDIENTS	99.50%
TOTAL	100.00%

*Thiabendazole, a product of MSD AGVET.
Div. of Merck & Co. Inc.
Rahway, New Jersey 07065, USA
EPA Reg No 11682-30

EPA Est No. 089174D01

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

FIRST AID-If in eyes or on skin: Flush with water; for eyes, get medical attention.

IF SWALLOWED-Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL

Pesticide spray mixture instructions must be followed. Local procedures.

CONTAINER DISPOSAL

Completely empty bag. Do not cling particles. Empty of bags in a sanitary manner. Authorities.

DIRECTIONS FOR USE

GENERAL: For use on potato seed. 0.50 fungicide dust. Treats seed from inside in the soil or on the surface. Treatment of RHIZOCTONIA quality seed carefully. Consideration for obtaining.

SIM-TEC 0.50 will control blackleg and soft rot.

SEED TREATMENT: against FUSARIUM and RHIZOCTONIA STEM CANCER.

per 100 lbs. of cut seed with dust dispenser. Deposit over the seed and planted as soon as possible. Storage is necessary in holding areas under temperature, with a

Do not use treated

A PRODUCT OF
SIM-CHEM

MINERALS AND CHEMICAL DIVISION - J.R. SIMPLOT COMPANY
Post Office Box 810

MOUNTAIN HOME, IDAHO 83647
NET WEIGHT 50 LBS.

SIM-CHEM 30 7/82

SIM-CHEM

SIM-TEC 0.50 POTATO SEED TREATER

ACCEPTED

MAR 23 1983

Registered under the Federal Insecticide, Fungicide and Rodenticide Act. Labeled for the pesticide use under

STATEMENTS

AND DOMESTIC ANIMALS
PROTECTION

Wear goggles and rubber gloves when handling. Use pesticide respirator jointly approved by the Environmental Protection Administration (formerly the U.S. Bureau of Entomology and Plant Quarantine) for Occupational Safety and Health Administration. Wash thoroughly after using. Do not reuse before reuse.

ENVIRONMENTAL HAZARDS

Apply directly to water. Do not contaminate water or disposal of wastes.

USE

Use this product in a manner in-

STRICTLY IN ACCORDANCE
WITH LABEL INSTRUCTIONS AND DIRECTIONS,
AND FEDERAL REGULATIONS.

DISPOSAL

For storage, disposal or cleaning of

Store in cool, dry place. Protect from

ACTIVE INGREDIENT	By Wt.
*2-(4-thiazoly)-benzimidazole	0.50%
INERT INGREDIENTS	99.50%
TOTAL	100.00%

*Thiabendazole, a product of MSD AGVET,
Div. of Merck & Co. Inc.
Rahway, New Jersey 07065, USA

EPA Reg. No. 11682-30

EPA Est. No. 099171001

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

FIRST AID - If in eyes or on skin: Flush with water; for eyes, get medical attention.

IF SWALLOWED - Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

A PRODUCT OF
SIM-CHEM

MINERALS AND CHEMICAL DIVISION - J.R. SIMPLOT COMPANY

Post Office Box 810

MOUNTAIN HOME, IDAHO 83647

NET WEIGHT 50 LBS.

SICHEM 30 7/82

STORAGE AND DISPOSAL DIRECTIONS CONT.

PESTICIDE DISPOSAL:

Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable federal, state or local procedures.

CONTAINER DISPOSAL:

Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities.

DIRECTIONS FOR USE CONT.

GENERAL: For use on Russet Burbank variety only. SIM-TEC 0.50 fungicide dust applied to the cut potato seed pieces protects seed from invasion by FUSARIUM decay fungi present in the soil or on the seed surface and suppresses the development of RHIZOCTONIA STEM CANKER. The use of high quality seed carefully selected and handled, is the first consideration for obtaining full stands.

SIM-TEC 0.50 will not control bacterial decay such as blackleg and soft rot, or diseases present within the seed.

SEED TREATMENT: Russet Burbank variety. For protection against FUSARIUM seed decay and suppression of RHIZOCTONIA STEM CANKER. Use SIM-TEC 0.50 at the rate of 1 lb. per 100 lbs. of cut seed. Apply immediately following cutting with dust dispensing equipment which will give a uniform deposit over the entire seed piece. Treated seed should be planted as soon as possible in warm moist soil. Where storage is necessary, seed should be stored in disease free holding areas under moderate conditions of humidity and temperature, with adequate ventilation.

Do not use treated seed pieces for food or feed purposes.