

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION, 75 767  
WASHINGTON, DC 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

TERM OF EXTENSION

NOTICE OF PESTICIDE

NAME OF REGISTRANT

257,259 | 160

2 | 18

**NOTE:** Changes in label or formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence concerning this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered. This registration is under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the label as accepted in connection with this Registration Registration is retained for your information.

Registration does not constitute an endorsement or approval of the pesticide by the Agency. It is the responsibility of the registrant to ensure that the pesticide is used in accordance with the label directions. The Agency is not responsible for any damage or injury resulting from the use of the pesticide in violation of the label directions.

3. Submit a copy of your final printed labeling to the Registration Division, Office of Pesticides Programs, EPA, Washington, DC 20460.

**BEST AVAILABLE COPY**

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section (e). Your release for shipment of the product constitutes acceptance of these conditions.

A statement of the label is enclosed for your records.

**Susan Lewis**  
Product Manager (21)  
Fungicide-Herbicide Branch  
Registration Division (H7505C)

**Enclosures**

**BEST AVAILABLE COPY**

# SIM-TEC 0.50<sup>®</sup>

# SIM-TEC 0.50<sup>®</sup>

## SIM-TEC 0.50<sup>®</sup>

### POTATO SEED TREATER

United  
Fertilizer  
Company  
Inc.  
P.O. Box 100  
St. Louis, Mo. 63168

ACTIVE INGREDIENT	By Wt.
10.00% Methidathion (100% active)	10.00
INERT INGREDIENTS	90.00
TOTAL	100.00

**GENERAL:** For use on Russet Burbank, Red Norchi, and other potato varieties. SIM-TEC 0.50<sup>®</sup> is a dust applied to the cut potato seed. It is a protective seed treatment which will reduce the incidence of late blight and other seed-borne diseases. It also suppresses the development of late blight on the tubers. The product is not intended for use on other crops.

SIM-TEC 0.50<sup>®</sup> will not control potato late blight when used alone or in combination with other fungicides.

**USE:** Treat cut potato seed with SIM-TEC 0.50<sup>®</sup> at the rate of 100 pounds of cut seed per 100 pounds of SIM-TEC 0.50<sup>®</sup>. Apply immediately following cutting with dust blower or equipment which will give a uniform deposit over the entire seed piece. Treated seed should be stored as soon as possible in warm, moist conditions. Where storage conditions are not ideal, seed should be stored in a disease-free holding area under favorable conditions of humidity and temperature with adequate ventilation.

**NOTICE:** Tubercle damage and rot decay may occur on cut seed if stored under conditions of high humidity and normal to high temperatures. Do not use if there has been any visible tubercle damage or rot decay on cut seed. Do not use if there has been any visible tubercle damage or rot decay on cut seed.

DO NOT USE TREATED SEED FOR FEED OR FOOD

#### STORAGE AND DISPOSAL

Store in a cool, dry place. Avoid contact with floor and moisture. Dispose of in a sanitary and proper manner. Do not dump into water or other bodies of water. Do not use for any other purpose.

**STORAGE:** Store in a cool, dry place. Avoid contact with floor and moisture.

**DISPOSAL:** Completely empty bag into application equipment. Then dispose of in a sanitary and proper manner. Do not dump into water or other bodies of water. Do not use for any other purpose.

**DISCLAIMER:** The manufacturer makes no representation as to the efficacy of the product under conditions other than those stated on the label. The manufacturer makes no representation as to the efficacy of the product under conditions other than those stated on the label. The manufacturer makes no representation as to the efficacy of the product under conditions other than those stated on the label.

### KEEP OUT OF REACH OF CHILDREN

### CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

Caution: This product is extremely toxic to fish and aquatic life. Do not use in or near water.

Caution: This product is extremely toxic to birds and other animals. Do not use in or near areas where birds and other animals are present.

#### PRECAUTIONARY STATEMENTS

##### HAZARD TO HUMAN AND DOMESTIC ANIMALS

### CAUTION

Irritation to eyes and skin. Wear goggles and rubber gloves when handling. Avoid breathing dust. Wear a pesticide respirator jointly approved by the Mine Safety and Health Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 29 CFR Part 11. Wash thoroughly after using. Do not eat, drink, or smoke while handling or before reuse.

#### ENVIRONMENTAL HAZARDS

Toxic to fish and aquatic life. Do not apply directly to water. Do not use in or near water. Do not use in or near areas where birds and other animals are present.

#### DIRECTIONS FOR USE

Use only on cut potato seed. Do not use this product in a manner inconsistent with the label.

Read and follow the label directions. Use in accordance with the label directions. Use in accordance with the label directions.

NET CONTENTS 50 LBS.

Simplot

United Fertilizer Company  
P.O. Box 100  
St. Louis, Mo. 63168