

11682-35

05-01-2009

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

MAY 1 2009

Mrs. Lisa J. Strong  
Regulatory Consultant  
J.R. Simplot Company  
P.O. Box 198  
Lathrop, CA 95330

RE: Notification of Change in Package Size  
Registration Number: 11682-35  
Submission Dated: March 9, 2009

Dear Mrs. Strong:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated, March 9, 2009, for the product, P.S.T. Plus Bark. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely yours,

A handwritten signature in black ink, appearing to be "Linda Arrington".

Linda Arrington  
Notifications & Minor Formulations Team Leader  
Registration Division (7505P)  
Office of Pesticide Programs

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0080

	United States <b>Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
--	---	--	-----------------------

**Application for Pesticide - Section I**

1. Company/Product Number 11682-35	2. EPA Product Manager M. Waller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) P.S.T.Plus Bark	PM# 21	
5. Name and Address of Applicant (Include ZIP Code) J.R. Simplot Company P.O. Box 198 Lathrop, CA 95330 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>MAY 01 2009</u> Product Name _____	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**Explanation: Use additional page(s) if necessary. (For section I and Section II.)**

Notification of change in package size per PR Notice 98-10 Add 1,000 and 2,000 lb. bulk containers. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. § 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

**Section - III**

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt.      No. per container	If "Yes" Package wgt      No. per container

3. Location of Net Contents Information  
 Label  Container

4. Size(s) Retail Container \_\_\_\_\_

5. Location of Label Directions  
 On Label  On Labeling accompanying product

6. Manner in Which Label is Affixed to Product  
 Lithograph  Other \_\_\_\_\_  
 Paper glued   
 Stenciled

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Lisa J. Strong	Title Regulatory Consultant	Telephone No. (Include Area Code) (209) 858-2511
------------------------	--------------------------------	---

**Certification**

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Regulatory Consultant	6. Date Application Received (Stamped)
4. Typed Name Lisa J. Strong	5. Date March 9, 2009	



AGRIBUSINESS

March 9, 2009

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504C)  
U.S. Environmental Protection Agency  
One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202


ATTENTION: Ms. Mary Waller, Product Manager (21)  
Fungicide Branch  
Registration Division (7505C)


**SUBJECT: Notification - Additional Package Sizes  
EPA Reg. No. 11682-35  
P.S.T. Plus Bark**

Dear Ms. Waller:

J.R. Simplot Company is adding 1,000 and 2,000 lb. bulk totes to the package sizes for P.S.T. Plus Bark. This change is in compliance with the Changes in Packaging and Related Labeling Statements outlined in EPA PR-Notice 98-10. Enclosed is an application and a copy of the label with the bulk container disposal statement added.

Sincerely,  
J.R. SIMPLOT COMPANY

  
Lisa J. Strong  
Regulatory Consultant





# P.S.T. PLUS BARK

**ACTIVE INGREDIENTS:** A coordination product of zinc ion manganese ethylene bisdithiocarbamate ..... 6.00%  
 In which the ingredients are:  
 Manganese++ ..... 1.20%  
 Zinc++ ..... 0.15%  
 Ethylene bisdithiocarbamate ion (C<sub>2</sub>H<sub>6</sub>N<sub>2</sub>S<sub>2</sub>) ..... 4.65%  
**OTHER INGREDIENTS:** ..... 94.00%  
**TOTAL** ..... **100.00%**

EPA Reg. No. 11682-35 EPA Est. No. 59931-ID-1

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

#### FIRST AID

- IF INHALED:**
- Move person to fresh air.
  - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
  - Call a poison control center or doctor for further treatment advice.
- IF ON SKIN OR CLOTHING:**
- Take off contaminated clothing.
  - Rinse skin immediately with plenty of water for 15-20 minutes.
  - Call a poison control center or doctor for treatment advice.
- IF IN EYES:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
  - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
  - Call a poison control center or doctor for treatment advice.
- IF SWALLOWED:**
- Call a poison control center or doctor immediately for treatment advice.
  - Have person sip a glass of water if able to swallow.
  - Do not induce vomiting unless told to do so by the poison control center or doctor.
  - Do not give anything by mouth to an unconscious person.
- Have the product container or label with you when you call the poison control center or doctor, or going for treatment.**

#### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**HARMFUL IF TAKEN INTERNALLY**

**AVOID INHALING DUST**

**AVOID CONTACT WITH SKIN, EYES AND CLOTHING**

May be harmful if swallowed, inhaled or absorbed through skin. May cause irritation of eyes, nose, throat and skin. Do not rub eyes or mouth with hands.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: coveralls over long-sleeved shirt and long pants, chemical-resistant gloves made of waterproof material, shoes plus socks, and protective eyewear. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: coveralls over long-sleeved shirt and long pants, chemical-resistant gloves made of any waterproof material, shoes plus socks and protective eyewear.

#### POTATO SEED-PIECE TREATMENT

PHT P.S.T. PLUS BARK aids in the suppression of fusarium seed-piece decay, the most common seed and soilborne fungus disease. The use of high quality disease free seed carefully selected and handled, is the first consideration in obtaining best seed performance.

**APPLICATION RATE:** Use 1 lb. of PHT P.S.T. PLUS BARK per 100 lbs. of cut seed. Apply dust so that the entire seed-piece surface is thoroughly covered by the correct amount of fungicide dust. Prevent inhalation of dust by use of exhaust fans during treatment. Subject the seed potatoes to temperatures of 50 degrees to 55 degrees for 10 to 15 days before handling or cutting.

Before starting the cutting operation, thoroughly clean and sanitize all equipment which will contact the seed-pieces such as: **Cutting Equipment** including: cutting machines, knives, tables and all other associated cutting equipment. **Planting Equipment** including: planters, truck beds and all other associated planting equipment.

Plant treated seed immediately after cutting into soil sufficiently warm and moist to promote good wound healing. Storage of cut seed can potentially increase the incidence of decay. Consult local University or Agricultural Extension Agents for specific recommendations.

**NOTICE:** PHT P.S.T. PLUS BARK will not control bacterial decay such as blackleg and soft rot, or diseases present within the seed.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Pesticide Storage:** Store in a cool, dry place. Avoid contact with floor and moisture.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal: 40 LB. BAGS** - Do not reuse bags completely.

**IF ON SKIN OR CLOTHING:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

**IF IN EYES:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:**

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**Have the product container or label with you when you call the poison control center or doctor, or going for treatment.**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
HARMFUL IF TAKEN INTERNALLY  
AVOID INHALING DUST**

**AVOID CONTACT WITH SKIN, EYES AND CLOTHING**

May be harmful if swallowed, inhaled or absorbed through skin. May cause irritation of eyes, nose, throat and skin. Do not rub eyes or mouth with hands.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Applicators and other handlers must wear: coveralls over long-sleeved shirt and long pants, chemical-resistant gloves made of waterproof material, shoes plus socks, and protective eyewear. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for Category A on an EPA chemical resistance selection chart.

**User Safety Recommendations:**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Cover or incorporate spilled treated seed.

Do not allow this product to drift onto neighboring crops or use in a manner different from the label directions. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

Involves contact with anything that has been treated, such as plants, soil, or water is: coveralls over long-sleeved shirt and long pants, chemical-resistant gloves made of any waterproof material, shoes plus socks and protective eyewear.

**POTATO SEED-PIECE TREATMENT**

PHT P.S.T. PLUS BARK aids in the suppression of fusarium seed-piece decay, the most common seed and soilborne fungus disease. The use of high quality disease free seed carefully selected and handled, is the first consideration in obtaining best seed performance.

**APPLICATION RATE:** Use 1 lb. of PHT P.S.T. PLUS BARK per 100 lbs. of cut seed. Apply dust so that the entire seed-piece surface is thoroughly covered by the correct amount of fungicide dust. Prevent inhalation of dust by use of exhaust fans during treatment. Subject the seed potatoes to temperatures of 50 degrees to 55 degrees for 10 to 15 days before handling or cutting.

Before starting the cutting operation, thoroughly clean and sanitize all equipment which will contact the seed-pieces such as: **Cutting Equipment** including; cutting machines, knives, tables and all other associated cutting equipment. **Planting Equipment** including; planters, truck beds and all other associated planting equipment.

Plant treated seed immediately after cutting into soil sufficiently warm and moist to promote good wound healing. Storage of cut seed can potentially increase the incidence of decay. Consult local University or Agricultural Extension Agents for specific recommendations.

**NOTICE:** PHT P.S.T. PLUS BARK will not control bacterial decay such as blackleg and soft rot, or diseases present within the seed.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. **Pesticide Storage:** Store in a cool, dry place. Avoid contact with floor and moisture.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal: 40 LB. BAGS** - Do not reuse bag. Completely empty bag into application equipment. Then dispose of in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

**BULK CONTAINERS** - Woven polyethylene (1,000 and 2,000 lbs.) Empty thoroughly and return to specified destination for cleaning and reuse.

**DO NOT USE TREATED SEED FOR FEED OR FOOD**

**DISCLAIMER OF WARRANTIES:** Seller warrants that the chemical composition of this product conforms to the chemical description given on this label. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES AND REPRESENTATIONS EXPRESSED, IMPLIED, OR STATUTORY, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE. Timing, rate and method of application, weather and crop conditions, mixtures with chemicals not specifically recommended on this label or an accompanying written recommendation, are beyond the control of seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. Buyer further agrees in the event of damages arising from the use of this product to accept a replacement of the product or a refund of the purchase price of the product, at buyer's option, as full discharge of seller's liability. No one is authorized to make any other warranty, guarantee or directions concerning this product, and no such warranties, guarantees or directions shall be valid or binding upon seller.

EPA 5-14-02

52531\_ph\_tpstplusbark\_50lb\_R170907

**NET WEIGHT: 40 POUNDS (18.14 Kg.)**

PRODUCED FOR:

**Simplot**

**J. R. SIMPLOT COMPANY**  
P.O. Box 198, Lathrop, CA 95330-0198