

JIRDON

LAWN FERTILIZER WITH BANDANE®

Covers 2,000 Square Feet

DIRECTIONS

- A. This product NOT APPROVED for use on vegetable gardens.
- B. Bandane added for the control of ants, European Chaffer grubs, Japanese Beetle grubs, and white grubs.
- C. Bandane added to control crabgrass. Apply as an early spring preventive treatment before germination or sprouting of crabgrass.
- D. ESTABLISHED LAWNS—Apply twenty (20) pounds per 1,000 square feet. Apply evenly with a spreader. One application of JIRDON LAWN FERTILIZER with BANDANE® will control crabgrass and the insects named above.
- E. NEW LAWNS—Apply twenty (20) pounds per 1,000 square feet after planting. The best practice is to sow grass seed early in the spring and to apply JIRDON LAWN FERTILIZER with BANDANE® after seedlings are visible.
- F. To control soil-dwelling insects and crabgrass, complete coverage of the area is required.

SPREADER SETTINGS for SINGLE APPLICATION—ONE DIRECTION
Twenty (20) pounds per 1,000 square feet
Cyclone Model B _____
Scotts Model 35 _____

NET WEIGHT 40 LBS.

HEMI-TUF WELD®

11684-1

1-40311

3/5/73

FERTILIZER
LAWN

JIRDO

LAWN FERTILIZER WITH

ACCEPTED

3/5/73

UNDER THE FEDERAL FOOD, DRUG AND COSMETIC ACT FOR ESTABLISHED IN REGISTERED UNDER THE FEDERAL FOOD, DRUG AND COSMETIC ACT TO ATTACH COMMENTS.

Covers 2,000 Square Feet

DIRECTION

- A. This product NOT APPROVED for use on vegetable gardens.
- B. Bandane added for the control of ants, European Chalcids, grubs, and white grubs.
- C. Bandane added to control crabgrass. Apply as an emulsion before germination or sprouting of crabgrass.
- D. ESTABLISHED LAWNS—Apply twenty (20) pounds per 1,000 square feet evenly with a spreader. One application of JIRDO with BANDANE will control crabgrass and the insects named.
- E. NEW LAWNS—Apply twenty (20) pounds per 1,000 square feet. The best practice is to sow grass seed early in the season. Apply JIRDO with BANDANE after seedlings are established.
- F. To control soil infesting insects and crabgrass control is required.

SPREADER SETTINGS for SINGLE APPLICATION - ONE APPLICATION

Twenty (20) pounds per 1,000 square feet.

Cyclone Model B	6
Scotts Model 35	11½

NET WEIGHT 4

BEMIS TUF WELD





11571



LAWN FERTILIZER WITH BANDANE

CAUTION

KEEP OUT OF REACH OF CHILDREN

12-10-4

GUARANTEED ANALYSIS

**LAWN
FERTILIZER**

JIRLIN



**LAWN FERTILIZER
WITH BANDANE®**

CAUTION

KEEP OUT OF REACH OF CHILDREN

IF IRRITATING, STOP WORK, WASH FACE. IF SWALLOWED, IN CASE OF CONTACT WITH SKIN, WASH WITH SOAP AND WATER. AVOID CONTAMINATION OF FEED AND FOODSTUFFS. KEEP CHILDREN AND PETS OFF OF TREATED AREA UNTIL MATERIAL IS WASHED INTO THE SOIL.
THIS PRODUCT IS TOXIC TO FISH, WILDLIFE AND BIRDS. KEEP OUT OF RIVERS, STREAMS, OR PONDS. DO NOT APPLY WHEN RAINOFF IS LIKELY TO OCCUR. DO NOT CONTAMINATE WATER BY CLEANING EQUIPMENT OR DISPOSAL OF WASTES. APPLY THIS PRODUCT ONLY AS SPECIFIED ON LABEL.
DO NOT REUSE EMPTY CONTAINER. DESTROY IT BY BURYING WITH WASTE OR BURNING. STAY AWAY FROM MOVIE OR FILMS.
ANTIDOTE: EXTERNAL - IN CASE OF SPILLAGE ON SKIN, WASH PROMPTLY WITH SOAP AND WATER.
INTERNAL - EMETIC OF 1 TABLESPOON OF MUSTARD IN TUMBLER OF WATER. CALL A PHYSICIAN.

EPA REGISTRATION NUMBER 11584

12-10-4

GUARANTEED ANALYSIS

TOTAL NITROGEN	12.2%
AVAILABLE PHOSPHORUS (P ₂ O ₅)	10.0%
SOLUBLE IN AVAILABLE IRON	4.0%
SULPHUR (SULPHUR)	4.0%

PESTICIDE INGREDIENT

ACTIVE INGREDIENT	
POLYVINYLPIRROLIDONE	1.0%
CHLORINE CONTENT 60-62%	95.97%
INERT INGREDIENTS	
TOTAL	100.00%

REGISTERED TRADEMARK OF VESCOR CHEMICAL CORPORATION



VESSCOR CHEMICAL CORPORATION
1000 NORTH WASHINGTON STREET
NORFOLK, VIRGINIA 23510

**LAWN
FERTILIZER**

FREIGHT COLLECTING ONLY
Meeting Requirements of U.S. Dept. of Agriculture
APPLICABLE FREIGHT CLASSIFICATION
Consult with Agent for Details

U.S. PATENT 2,981,111