

**ACCEPTED**  
**AUG 14 1972**  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTER-  
 ED UNDER NO. \_\_\_\_\_ SUBJECT  
 TO RETAINER COMMISSION

11694-4

**DIRECTIONS**

Japanese Beetle, White Grubs, White-fringed Beetle and Wire Worms — Mix 1 gallon of Turf-Sect with sufficient water to cover one acre. After applying, wash into the soil. This will give control for one season. To give up to 10 years control, apply at the rate of 1 to 2 gallons in sufficient water to cover one acre.

Sod Web Worms — Water thoroughly before applying. Apply Turf-Sect at the rate of 1 to 2 gallons in sufficient water to cover one acre. Do not water for several days.

Ants — Apply ½ gallon of Turf-Sect, mixed with enough water to cover one acre.

Aphids and Spider Mites on Ornamentals — Mix Turf-Sect at the rate of 2 ounces per gallon of water. Spray thoroughly with a wet coarse spray. Repeat when necessary.

When treating for aphids and spider mites, reapply every 2 or 3 weeks or when the insects reappear.

**I.T.C. 209**

- \*Chlordane Technical ..... 37.00%
- Aromatic Petroleum Derivative Solvents ... 45.00%
- \*\*Malathion ..... 18.00%

INERT INGREDIENTS: ..... 10.00%

- Nonylphenoxypoly (ethyleneoxy) ethanol
- Calcium Doedecyl Benzene Sulfonate

- \*Equivalent to 22.2% Octachloro-4, 7-MehtanoTetrahydroindane and 14.8% related compounds .
- \*\*0,0-Dimethyl of Diethyl Mercaptosuccinate

**CAUTION:**  
**KEEP OUT OF REACH OF CHILDREN**  
 (See left panel for additional precautions.)

**CONSTRUCTION CHEMICAL SPECIALTIES**  
**5747 Kessler, Shawnee Mission, Kansas 66203**

EPA Reg. No. 11694-4