

[11694-15]

Duo-Fog is a contact insecticide formulated with pyrethrins and a synergist in a highly refined mineral oil base. Duo-Fog is especially designed for use in steam vaporizers, compressed air sprayers, and heat generated fogging machines such as the Insect Fogger Duo-Fog, when used as directed, is recommended for use in bakeries, wholesale groceries, elevators, bottling plants, restaurants, and other industries. Duo-Fog will not stain when used as directed.

DIRECTIONS:

For Roaches and Silverfish: Direct spray in such a manner as to penetrate all cracks, crevices, and other hiding places. Thoroughly fog around sinks, shelves, dishwashing machines, refrigeration equipment, and bottle washers. Treat all returned bottle cartons and cases. Contact as many insects as possible. Repeat applications as necessary.

For Mosquitoes and Flies: Close all doors and windows before spraying. Direct spray toward the ceiling and continue spraying until area is thoroughly fogged. After 10 to 20 minutes, sweep up and destroy all fallen insects. Repeat spraying as often as needed.

FOR PROFESSIONAL USE ONLY

DUO-FOG

An insecticide scientifically formulated for control of the exposed stages of roaches, silverfish, flies and mosquitoes.

ACTIVE INGREDIENTS 100%

30% Pyrethrins

75% Technical Piperonyl Butoxide*

75% N-Octyl Bicycloheptene Dicarboximide

98 20% Petroleum Distillates

*Equivalent to 0.60% (butylcarbityl) (6-propyl-piperonyl) ether and 0.15% related compounds

CAUTION

KEEP OUT OF REACH OF CHILDREN

(See right panel for additional precautions)

Do Not Use, Pour, Spill or Store Near Heat or Open Flame

Net Contents 55 Gallons

EPA Reg. No. 11694-15

CAUTION: HARMFUL IF SWALLOWED.

Duo-Fog is a combustible mixture and should not be sprayed near an open flame. Do not spray directly into food stuffs. Remove pets, fish bowls, and birds from room before spraying.


Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Do not contaminate milk, milking equipment, feed or drinking water.

Do not contaminate water by cleaning of equipment or disposal of waste.

Do not store near or contaminate feed or foodstuffs.

Do not remain in treated areas. Ventilate the area after treatment is complete.



11694-15

MANUFACTURED BY
CONSTRUCTION CHEMICAL SPECIALTIES, INC.
SHAWNEE MISSION, KANSAS