

**WARNING**

Avoid contact with skin, eyes or clothing. Harmful if swallowed. In case of contact flush eyes with plenty of water; wash skin with soap and water. Avoid breathing spray mist. DO NOT allow solution or spray drift to contact desirable plants. Among crops highly susceptible to 2,4-D and Silvex injury are cotton, tobacco, blackeyed peas, beans, tomatoes, melons, other vegetables, grapes, fruit trees and some ornamentals. (Coarse sprays are less likely to drift than are fine mist sprays.) It is difficult to completely clean 2,4-D and Silvex from sprayers or other equipment, therefore do not use such sprayers and other equipment for purposes where even trace amounts of this chemical may cause injury. Do not reuse shipping containers; destroy by crushing and burying. Avoid contamination of water intended for irrigation and domestic use. Do not transport or store near seeds, fertilizers, insecticides or fungicides. Vapors from this product may injure susceptible plants in the vicinity. Do not use or store near heat or open flame. Consult agriculture experiment station or extension service weed specialists for specific recommendations as to dosage and time of application and for control of other weeds and woody plants. Note: Keep spray tank agitated.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DO NOT STORE WITH FOODSTUFFS

# SWK-99

LOW VOLATILE

**KILLS BROADLEAF WEEDS AND WOODY PLANTS**

Contains 1-1/3 lbs. of 2-4-D acid equivalent plus 2/3 lbs. silvex equivalent per gallon minimum.

**ACTIVE INGREDIENTS:**

- \* Isoctyl Ester of 2,4-Dichlorophenoxyacetic Acid ..... 24.5%
- \*\* Isooctylester of Silvex [2-(2,4,5-Trichlorophenoxy) Propionic acid] ..... 11.7%

**INERT INGREDIENTS ..... 63.8%**

- \* Contains equivalent of 16.3% 2,4-Dichlorophenoxyacetic Acid
- \*\* Contains equivalent of 8.26% Silvex

E.P.A. Reg. No. 11694-41

EPA Est. 11694-KS-1

**WARNING**

**KEEP OUT OF REACH OF CHILDREN**

Control	Brambles	Heart Air	Spotted Spurge
Buttercups	Honeysuckle	Sheep Sorrel	Wet Carrot
Cherry	Cottonwood	Oaks	Wet Onion
Chickweeds	Aspens	Chokeberry	
Chicory	Ground Ivy	Sassafras	Yellow Rocket
Cinquefoil	Hemlock	Wild Roses	Locust
Clovers	Knotweed	Sweetgum	Plum
Dandelions	Oxalis	Willows	Sumac
	Pennywort	Shepherd's Parse	Maple
Poison Ivy	Plantain	Sow Thistle	Em
Poison Oak	Self Heal or	Speedwell	Many Others

**DIRECTIONS**

For Docks, Thistles, Morning Glory, in fence rows and rights of way -- Mix 1 gallon to 100 gallons of water to treat 1 acre. Wet plants thoroughly and repeat when necessary.

For woody plants such as Poison Oak, Brambles, Poison Ivy, Sumac, Honeysuckle -- Mix 8 ounces per gallon of water and drench thoroughly while plants are in full leaf. Repeat application in four weeks if necessary.

To Kill Stumps -- Mix 1 pint in one quart of Kerosene or Diesel Oil. Spray all of the stump area thoroughly.

**ACCEPTED**  
  
 OCT 17 1975  
  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, the pesticide registered under EPA Reg. No. 11694-41

*Comments* **DO NOT USE AROUND THE HOME OR RECREATION AREA**

Manufactured by  **DYMON, INC.** 3401 Kansas Ave. Kansas City, Kansas 66106

ACCEPTED WITH COMMENTS