

10/25/71

Not Reviewed Registrant claims to be in accordance with...
Guidance for Phase 2
Responsibility... Change in Status.




Dymon Patent Pending
DRY FOG^{ULV}
Double Action II
Contact & Residual Insecticide

FOR USE IN: INSTITUTIONS, RESTAURANTS, FOOD PLANTS, INDUSTRY AND MOTELS
Authorized by U.S.D.A. for use in federally inspected meat and poultry plants.

ACTIVE INGREDIENTS:

• (5-benzyl-3-turyl) methyl-2, 2-dimethyl-3-(2-methyl-propionyl) propionic acid ester	0.350% w/w
• Related compounds	0.048%
INERT INGREDIENTS:	99.602%
	100.000% w/w

Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans
U.S. Pat. No. 3,898,007



CAUTION
KEEP OUT OF REACH OF CHILDREN
CONTENTS UNDER PRESSURE
See side panel for additional precautions.
For Commercial/Industrial Use Only
EPA Reg. No. 11694-48 EPA Est. No. 11694-KB-1

Double Action insect killer is a dual purpose formulation that can be used as a contact spray against flying and crawling insects and as a residual insecticide providing up to 3 to 4 weeks of control of roaches.
DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.
Shake well before each use. Aim spray opening away from person. Push button to spray.
Houseflies, mosquitoes and gnats: Indoors: close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.
Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Contact spray - spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary. Residual spray - spray baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in the kitchen and bathroom. In basements, spray hiding places in cracks and crevices, lower walls and dark places. Spray at the rate of 3 to 4 seconds per linear foot at a distance of 12 to 24 inches from the surface. Repeat as necessary.
Ants: Apply to ant trails and around door sills, window frames and other places where ants may enter.
Wasps: Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

STORAGE AND DISPOSAL

Storage: Contents under pressure. Do not store near fire, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 120°F. may cause bursting.
Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal: Do not re-use empty container. Wrap and discard in trash.
General: Consult federal, state or local disposal authorities for approved alternative procedures.

CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pets, birds and cove, fish aquariums before spraying. Do not use in edible crops. Do not use in edible products areas of food processing plants, restaurants or other areas while food is being commercially prepared or processed. Do not use in serving areas while food is exposed.

Net Wt. 8 oz. 227 gms.

MANUFACTURED BY **Dymon, Inc.** 391 KANSAS AVENUE KANSAS CITY, KANSAS 64108 DA-514