

PM 17 11694-LS Y

10/25/89

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Products: Guidance for Phase 2
Recipients: Pesticide, Active to Inert Change in Status



Manufactured By
Dymon, Inc. 3401 Kansas Avenue • P.O. Box 6267 • Kansas City, KS 66106

PRECAUTIONARY STATEMENTS
Hazards to humans and domestic animals.

CAUTION

Harmful if swallowed. May be absorbed through the skin. Do not breathe spray mist. Do not get in eyes or on skin or clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Remove fish, birds and other pets from area to be sprayed. Use in food processing plants only when plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Extinguish open flames before space spraying. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS

The product is toxic to fish and birds. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Keep containers tightly sealed when not in use. Store containers indoors and in a dry area. Keep from freezing. Use from original container only.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Open burning is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not reuse empty container.

General: Consult Federal, State or local disposal authorities for approved alternative procedures.

SYNTHA MIST

A synthetic pyrethroid for controlling flying and crawling insects: Houseflies, Mosquitoes, Gnats, Roaches, Ants, Earwigs, Spiders, Grain Mites, Sowbugs and Centipedes.

ACTIVE INGREDIENTS:

*(5-phenylmethyl)-3-(furyl) Methyl
2, 2-dimethyl-3-(2-methyl-1-propenyl)
cyclopropanecarboxylate..... 0.250%w/w
Related compounds..... 0.034%

INERT INGREDIENTS:..... 99.716%
100.000%

*Cis/trans isomers ratio: max 30% (+) cis and min. 70% (-) trans

•U.S. Patent No. 3,465,007

CAUTION

KEEP OUT OF REACH OF CHILDREN.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting because of aspiration hazard. Get medical attention.

If in Eyes: Flush with plenty of water. Get medical attention if irritation persists.

If On Skin: Wash with plenty of soap and water.
See side panel for additional precautions.

DIRECTIONS FOR USE CONT

AREAS OF USE

For use in hotels, motels, institutions, packaging and processing plants, seed houses, horse stables, food processing plants, bakeries, restaurants, warehouses, campsites, picnic areas and parks.

Indoor Space Spray: To kill flies, mosquitoes and gnats, close room or area to be treated. Shut off air-conditioner and ventilator system. Seal all open vents. Cover all food handling surfaces and cover or remove all food. Remove fish and pets. Apply undiluted as a very fine mist space spray or dry heat fog through manually operated equipment. ULV equipment electrical and other powered applicators, electric, propane, or gas powered thermo foggers. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist or fog toward the upper corners of the room. Fill the room with a fine mist space spray at the rate of 5 fluid ounces per 5,000 cubic feet. Leave room closed for one half hour. Ventilate thoroughly before re-entry.

Indoor Contact Spray: For control of roaches, ants, earwigs, grain mites, sowbugs, spiders and centipedes: Adjust sprayer to produce large wetting type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets, and other hiding places. Spray these infested areas until thoroughly wet. Repeat as necessary.

Outdoors: For small area applications for adult mosquitoes. Hold thermal applicator at least five feet from any object. Treat shrubbery and vegetation where mosquitoes may rest. Apply undiluted at the rate of 3 3/4 gallons per acre. Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour. The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

EPA EST. NO. 11694-K8-1 EPA REG. NO. 11694-66
For Commercial/Industrial Use Only

NET CONTENTS _____ GALLONS

B-171