

11694-66



EXPEL

TOTAL RELEASE
AEROSOL

FOR

Residential and Public Homes, Restaurants, Schools, Food Handling Plants, Nurseries, Motels, Office Buildings

Unexposed and exposed stages of Flies, Mosquitoes, Gnats, Moths, Mites, Wasps, Bees, Fleas, Lice, Beetles, Spiders, and Centipedes

Active Ingredients

1,5-Benzothiazyl-2-ylidenehydrazide	1.00
2-methyl-2-butyl-3-butyl-1,3-dithiolane	0.068
Propylene Glycol	0.02
Residual Solvent	13.910
Formulation Stabilizer	85.020

Inert Ingredients

85.020

NET WEIGHT 1.00 L

P.A. REG. NO. 11694-66
P.A. EST. REG. NO. 11694-KS1

Directions For Use

Remove contents from container and use for treatment of insects and animals in enclosed areas. Shake well before use. Results may vary with conditions of use.

Place an insecticide resistant cover over exposed area. Place beneath the cover to protect the area from being used. Cover can be checked to prevent insects from getting away from face and eyes, when released. Use a kitchen paper position for a final discharge. Press arrow on the trigger in the way forward, hooking the catch over the top of the metal rim. Use one 5 oz can for each 4,000 cubic feet of unobstructed area.

Flies, Mosquitoes, Gnats and Moths (Millers)

For best results first spray distant rooms by marginally spraying toward ceiling and filling the room with mist (usually 4-6 seconds per 1,000 cubic feet) and enter of unobstructed area then walk slowly over. Leave area at once and keep closed for 2 hours before opening. Open doors and windows slowly at the end of the treatment. Repeat when necessary.

Roaches, Earwigs, Grain Mites, Sowbugs, Spiders and Centipedes

Spray directly on the insects where possible. Spray thoroughly into cracks and crevices, under baseboards, around pipes and pipes, under refrigerators, baseboards and other areas. **Important:** Do not use this spray as a contact spray. Instead, it is best used for a residual total release treatment.

CAUTION


Harmful if swallowed. Avoid breathing of the spray. Do not use in food processing plants, in water plants, in hospitals, in food stores, in nurseries, in schools, during treatment. A final check should be made to insure that no insects are left behind. In hospitals, patients should be removed from room prior to treatment. Do not return patients to room until after ventilation and decontamination of the room is complete. Remove patients to fresh air.

WARNING

Do not use in occupied areas. Do not breathe. Exposure to high concentrations may cause irritation of the respiratory tract. Do not expose to temperatures below 32°F.

Manufactured by

**CAUTION: Keep Out of Reach of Children
Contents Under Pressure
See side panel for further precautions**



DYMON, INC.
KANSAS CITY, KANSAS 66106

11694-66