

NOV 7 1988

Dymon, Inc.  
3401 Kansas Avenue  
P.O. Box 6267  
Kansas City, KS 66106

Attention: Ray Wile

Gentlemen:

Subject: DC-425  
EPA Registration No. 11694-75  
Your Submission Dated March 16, 1988

The submission referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
  - a. Change the word "cross-infection" to "cross-contamination."
  - b. Change "First Aid" to "Statement of Practical Treatment."
  - c. On the right panel above the word "Warning," add the following two headings:

Precautionary Statements  
Hazards to Humans and Domestic Animals

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

50312:I:Leavy:L-05:KENCO:10/17/88;11/30/88:aw:EK:VO:aw

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

10/27/75

11624-75

633


-2-

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Karen Leavy at (703) 557-3966.

Sincerely yours,



John H. Lee  
Product Manager (1)  
Antimicrobial Program Branch  
Registration Division (TS-767C)

Enclosure



Manufactured By  
**Dymon, Inc.** 3401 Kansas Avenue • P.O. Box 6267 • Kansas City, KS

Cross-infection is of major housekeeping concern not only in hospitals, but also in institutions and industries. This product is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

**WARNING**

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

**FIRST AID**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, give milk, raw egg white, gelatin solution, or if these are not available, drink water. Call a physician immediately.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

**Storage:** Keep containers tightly sealed when not in use. Store containers indoors and in a dry area. Keep from freezing. Use from original container only.

**Pesticide Disposal:** Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

EPA Reg. No. 11694-75

EPA Est. 11694-KS-1

# DC-425

**Cleaner—Disinfectant ::  
 Deodorizer—Fungicide ::  
 Virucide \***

**Virucidal Against Herpes Simplex  
 For Hospital and Institutional Use**

<b>AOAC Phenol Coefficients</b>	.....	
Staph aureus (ATCC No. 6538)	.....	100
Salmonella typhosa (ATCC No. 6539)	.....	43.8

<b>Active Ingredients:</b>		
Didecyl dimethyl ammonium chloride	.....	4.25%
<b>Inert Ingredients:</b>	.....	95.75%
		100.00%

**WARNING**

**KEEP OUT OF REACH OF CHILDREN**  
 See Side Panel  
 For Additional Precautionary Statements

**Not For Residential Use**  
 For Commercial/Industrial Use Only

Net contents \_\_\_\_\_ Gallons

DIR  
 Add two ounces per  
 to walls, floors and  
 and bed frames with  
 areas a preliminary  
 per gallon use level  
 aeruginosa, Staph  
 and Trichomyces  
 against the list th  
 AOAC Use-Dilutio  
 per quart, the bro  
 germicidal action:

- Escherichia
- Klebsiella p
- Salmonella
- Streptococ
- Shigella dy
- Brevibacter
- Enterobact
- Proteus m
- Streptococ

At two ounces per  
 duct is virucidal ag  
 family that causes  
 sentative of the pe  
 tive virus in respi  
 sented by the stra  
 the London Flu V  
 Fungicidal perform  
 by the AOAC Fur