

ACTIVE INGREDIENTS

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethyl benzyl ammonium chlorides	5%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl	
ammonium chlorides	5%
INERT INGREDIENTS:	90%
	<hr/> 100%

SANITIZE
GERMICIDE AND DISINFECTANT

DIRECTIONS: To disinfect combs, brushes, scissors, or any other beauty shop implements, mix one oz. of SANITIZE to one quart of water. Dip cleaned implements in SANITIZE solution for at least 10 minutes (or as required by your local sanitary code). Change SANITIZE solution at least twice each week. Do not add soaps or anionic detergents to SANITIZE. To dispose: RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD.

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

KERON LABORATORIES

20-24 119th Street
College Point, New York 11356

NET CONTENTS: ONE GALLON

EPA Reg. No. 11675-2

ACCEPTED WITH COMMENTS

Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. **DC-1250** is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection from environmental surfaces.

When used as directed, **DC-1250** will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

This product is economical to use because it is highly concentrated and should be handled with care.

DANGER:

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.



DYMON, INC.

KANSAS CITY, KANSAS 66106

DC-1250

Highly Concentrated Germicide

Based on

a Unique Blend of Quaternaries

Cleaner—Disinfectant—Deodorizer

Fungicide—Virucide* for Hospital,

Home and Institutional Use

AOAC Phenol Coefficients

Staph. aureus (ATCC No. 6538)	104.0
Salmonella typhosa (ATCC No. 6539)	40.6

Active Ingredients

Octyl Decyl Dimethyl Ammonium Chloride	3.750%
Diocetyl Dimethyl Ammonium Chloride	1.875%
Didecyl Dimethyl Ammonium Chloride	1.875%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) Benzyl Dimethyl Ammonium Chloride	5.000%
Tetrasodium Ethylenediamine Tetraacetate	3.420%
Isopropyl Alcohol	3.000%

Inert Ingredients	81.080%
	100.000%

DANGER

**KEEP OUT OF REACH OF CHILDREN.
SEE LEFT PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND
FIRST AID.**

REGISTERED