

Reg. # 11694-76

PM-31

121
11/28/90

Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. DC-1250 is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection from environmental surfaces.

When used as directed, DC-1250 will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

This product is economical to use because it is highly concentrated and should be handled with care.

DANGER:

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

DC-1250

Highly Concentrated Germicide
Based on
a Unique Blend of Quaternaries
Cleaner—Disinfectant—Deodorizer
Fungicide—Virucide* for Hospital,
Home and Institutional Use

AOAC Phenol Coefficients	
Staph aureus (ATCC No 6538)	104 0
Salmonella typhosa (ATCC No 6539)	40 6
Active Ingredients	
Octyl Decyl Dimethyl Ammonium Chloride	3 750%
Dioctyl Dimethyl Ammonium Chloride	1 875%
Didocyl Dimethyl Ammonium Chloride	1 875%
Alkyl (C12 50%; C12 40%; C12 10%) Benzyl Dimethyl Ammonium Chloride	5 000%
Isopropyl Alcohol	3 000%
Inert Ingredients	
	84.500%
	100.000%

DANGER
KEEP OUT OF REACH OF CHILDREN.
SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FIRST AID.

USE DIRECTIONS

Add 1/2 ounce (1 tablespoon) per gallon of water.
Apply DC-1250 to walls, floors, and other hard surfaces such as tables, chairs, and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At 1/2 ounce (1 tablespoon) per gallon use-level, DC-1250 is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Trichophyton interdigitale*, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution test. Fungicidal performance against *T. interdigitale* was determined by the AOAC Fungicidal test.

The broad spectrum effectiveness of DC-1250 is shown by its germicidal action against the following additional organisms.

- Escherichia coli*
- Klebsiella pneumoniae*
- Aerobacter aerogenes* (enterobacter)
- Salmonella schottmuelleri*
- Streptococcus faecalis*
- Shigella dysenteriae*
- Brevibacterium ammoniagenes*

* At 1/2 ounce (1 tablespoon) per gallon use-level, DC-1250 is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and Influenza A₂ as represented by the strains commonly called the Hong Kong Flu and the London Flu Virus, on inanimate environmental surfaces.

Rinse empty container thoroughly with water before discarding or returning container to container reconditioner.


EPA Reg. No. 11694-76
EPA Est. 11694-KS-1

B-178

Manufactured by



DYMON, INC. 3401 Kansas Ave. Kansas City, Kansas 66106



Not Reviewed. Registrant should refer to the registration of this product in the Federal Register, Page 2128, August 19, 1989.