

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with skin or clothing. Causes eye irritation. Do not get in eyes. Wash after handling. Avoid breathing vapor. Do not spray on humans or pets. Do not spray where food or drink is exposed or being consumed.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. When used on ships do not wash or flush freshly sprayed surfaces into adjacent waters.

FIRST AID

If swallowed, induce vomiting by sticking finger in back of throat or by administration of syrup of ipecac; get medical attention. If in eyes, flush with water for 15 minutes and see a physician. For skin, wash with plenty of soap and water. If irritation develops, get medical attention.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Store at temperatures above 32°F. Do not reuse empty container. Wrap container and put in trash collection.

Do not use in edible areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. In the home cover or remove exposed foods. Avoid contamination of preparation surfaces.

E-28616-P

**DOUBLE ACTION
A SYNTHETIC PYRETHROID**

**DUAL ACTION INSECT KILLER
KILLS AS CONTACT AND RESIDUAL SPRAY
KILLS ROACHES UP TO 4 WEEKS**

ACTIVE INGREDIENTS:

| | |
|---|---------------------|
| • transmethrin([S-(phenylmethyl)-3-(furan-2-yl) methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate | 0.350% w/w |
| Related compounds | 0.048% |
| INERT INGREDIENTS | 99.602% |
| | 100.000% w/w |

*Cis/trans isomers ratio: max. 30% (+) cis
min. 70% (+) trans

†U.S. Patent Nos. 3,465,007 and 3,542,928

•Penicks SRP-1382™ brand of resmethrin insecticide

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS
CAN BE USED IN NON-FOOD AREAS
OF FOOD HANDLING ESTABLISHMENTS**

SOLE BY

dymon, inc. 3401 KANSAS AVENUE
KANSAS CITY, KANSAS 66106

EPA Reg. No. 11694-82

EPA Est. 11694-Ks-1

NET CONTENTS: 55 GAL.

DIRECTIONS FOR USE

APPLICATION:

INSTRUCTIONS FOR CONTACT AND RESIDUAL SPRAYS FOR INDOOR USE: In non-food areas of food handling establishments, commercial, industrial, office, residential, public, institutional and storage buildings, homes, hotels, ship cabins and hospitals. In hospitals patients should be removed prior to treatment. Also for use in buses, automobiles and non-food areas of trucks, boxcars and ship cargo holds. Do not use on electrical equipment or on surfaces that can be damaged or stained by water. Also for use indoors in dog kennels and horse stables. In horse stables, not for application on horses will be used for food.

CONTACT SPRAY-KILLS AND REDUCES INFESTATION: COCKROACHES, CRICKETS, SILVERFISH,

ANTS: Apply as a contact spray. Fill spray tank with product. Keep spray nozzle about 8 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse, wet spray. When possible, spray directly on pests to reduce infestations. Spray thoroughly into hiding places such as cracks, crevices, moldings, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is moist, but not to the point of run-off. Spray directly on insects where possible. Repeat as necessary.

ANTS: To kill ants: Spray trails, nests and points of entry within buildings and homes. Spray on ants where possible. Repeat as necessary.

FLEAS: Aids in the control of fleas on pet bedding and in horse stalls. Hold spray nozzle about 18 inches from areas to be treated. Direct spray on resting areas and floor around these areas. Apply spray until area is moist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs, cats and horses with a registered flea control product before they re-enter the treated area.

RESIDUAL SPRAY: Aids in the control of: COCKROACHES, CRICKETS, SILVERFISH, ANTS. Kills for up to 4 weeks. Spray baseboards, cracks and crevices, around door and window frames and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, spray hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 4 to 6 inch band until area is thoroughly wet but not to point of run-off. Repeat as necessary.

11694-82
11/01/1999
6661/10/11

1/2

2/2

000000
000000

ACCEPTED
 NOV 1 1979
 Under the Federal Food, Drug, and Cosmetic Act, as amended, for the product as requested under NDA Reg. No. 169482