

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed. May be absorbed through the skin. Do not breathe spray mist. Do not get in eyes or skin, or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not use as a space spray.

PHYSICAL AND CHEMICAL HAZARDS
Do not use or store near heat or open flame.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PESTICIDE IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not use in edible product food areas, food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas where food is served.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open burning is prohibited.

PESTICIDE DISPOSAL: Pesticide spray mixture in its original container not be used on chemically processed food. Do not dispose of in drain. approved for pesticides, or buried in a safe place away from water supplies.

CONTAINER DISPOSAL - 30 & 35 Gallon Drums: A Residual Cleaner offer for recoding or reuse. Do not reuse. Do not use as a container for recycling recoding or reuse. Do not dispose of in drain, or bury in a safe place.

SMALL CONTAINERS: As Above.
GENERAL: CONSULT FEDERAL, STATE, AND LOCAL AGENCIES AND AUTHORITIES FOR APPROPRIATE REGULATIONS.

NOTE: DI SECT SPRAY IS TO BE USED FOR THE CONTROL OF PESTS IN MOTOR HOUSING UNITS. Do not use in areas where food is prepared or served. Do not use in sleeping quarters, living quarters, or other areas. Do not use in sewers, attics and vestibules. Do not use in areas where food is prepared or served. Do not use in sleeping quarters, living quarters, or other areas. Do not use in areas where food is prepared or served. Do not use in sleeping quarters, living quarters, or other areas.

Di Sect

RESIDUAL SPRAY INSECTICIDE

Contains 0.5% Diazinon.
For Indoor Use Only

ACTIVE INGREDIENTS:

0,0-Diethyl 0-(2-isopropyl)-6-methyl-4-pyrimidinyl phosphorothioate*
Petroleum Distillate

EPA Reg. No. 11694-87

RECEIVED
SEP 10 1981
U.S. Department of Agriculture
Federal Insecticide, Fungicide, and Rodenticide Act
Registered under
EPA Reg. No. 11694-87
EPA Est. 11694-Ks-1

KEEP OUT OF REACH OF CHILDREN.

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician immediately. Wash out with diluted material was taken internally. DO NOT INDUCE VOMITING. If other treatment is not available, vomiting may cause aspiration pneumonia if it is necessary. If necessary, give a few sips of water and insert finger in the mouth at the back of the throat to clear the food. Do not induce vomiting if anything has been taken into the stomach.

If inhaled: Remove victim to fresh air. Apply respiration if needed.

If on skin: Wash contaminated skin with soap and water.

If in eyes: Flush eyes with plenty of water that has been filtered through a charcoal filter.

NOTE TO PHYSICIAN: Antidote: Atropine, 1-2 mg. subcutaneous, 1-2 mg. intravenous, 1-2 mg. intramuscular, 1-2 mg. intravenously, 1-2 mg. intramuscular, 1-2 mg. intravenously.

ONLY FOR SALE TO USE AND STORAGE BY SERVICE PERSONS

See Side Panels For Further Precautions

DIRECTIONS FOR USE: (Cont'd.)

Apply 1-2% Diazinon as a coarse spray or apply with a paint brush to baseboard areas around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

NOTE: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, and asphalt materials such as tires and floor coverings. Do not treat such materials. Do not contaminate food containers or cooking utensils. Do not use as a space spray.

COCKROACHES (Waterbug), ANTS & SILVERFISH: Make spot applications of 1-2% Diazinon as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar areas where insects hide.

CARPET BEETLES: Apply a 1-2% Diazinon spray in spot applications along baseboards and edges of carpeting, under carpeting, rugs, and furniture in closets and on shelving, and wherever these insects are seen or suspected.

SPIDERS & SCORPIONS: Apply 1-2% Diazinon spray around windows, doors and along baseboards. Make spot applications to other areas where these pests may crawl.

PANTRY PESTS-EXPOSED STAGES (Sawtoothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian Meal Moth): Apply 1-2% Diazinon spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until the spray is dried. Cover shelves with shelving paper. This treatment is supplementary to good housekeeping, since it will not affect insects feeding within food packages. Infested food packages should be destroyed.

BROWN DOG TICKS IN BUILDINGS: Make thorough application of a 1-2% Diazinon spray to infested areas around baseboards, windows and door frames, wall cracks, sleeping quarters of household pets, and similar areas. Floors and floor covering fresh bedding should be changed in animal quarters following treatment. Do not treat animals with this product.

NET CONTENTS GALLONS B-231

Manufactured By



1401 KANSAS AVENUE KANSAS CITY, KANSAS 66106