


Reg # 11694-87

PM- 13

181

DATE: \_\_\_\_\_

DATE: OCT 1 1991



**PRECAUTIONARY STATEMENTS**  
Hazards to Humans and Domestic Animals  
**CAUTION**

Harmful if swallowed. May be absorbed through the skin. Do not breathe the spray mist. Do not get in eyes or skin, or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not use as a space spray.

**PHYSICAL AND CHEMICAL HAZARDS**  
Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**  
IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not use in edible product food areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

**STORAGE AND DISPOSAL**

**Storage:** Keep containers tightly sealed when not in use. Store containers indoors and in a dry area. Keep from freezing. Use from original container only.  
**Pesticide Disposal:** Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Open dumping is prohibited.

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**General:** Consult Federal, state or local disposal authorities for approved alternative procedures.

**NOTE: DIAZINON SPRAY** is not recommended for use in conduits, motor housing, junction, or switch boxes because of shock hazard.

**NON-FOOD areas:** Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Net Contents \_\_\_\_\_ Gallons

# Diazinon Spray

## RESIDUAL INSECTICIDE

Contains 0.5% Diazinon.\*  
For Indoor Use Only

**ACTIVE INGREDIENT**

0, O-Diethyl 0-(2-Isopropyl) -6-methyl-4-pyrimidinyl phosphorothioate *	0.5%
Petroleum Distillate	99.5%
<b>TOTAL:</b>	<b>100.0%</b>

EPA Reg. No. 11694-87 EPA Est. 11694-KS-1

### KEEP OUT OF REACH OF CHILDREN CAUTION: FLAMMABLE

**STATEMENT OF PRACTICAL TREATMENT**

**If swallowed:** Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**If inhaled:** Remove victim to fresh air. Apply respiration if indicated.

**If on skin:** Wash contaminated skin with soap and water.

**If in eyes:** Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

**NOTE TO PHYSICIAN:** Atropine Sulfate is antidotal and may be administered in conjunction with 2 PAM.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

**DIRECTIONS FOR USE: (Cont'd.)**

Apply 1/2% Diazinon Spray as a coarse spray or apply with a paint brush to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

**NOTE:** The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, and asphalt materials such as tiles and floor coverings. Do not treat such materials. Do not contaminate food, food containers, or cooking utensils. Do not use as a space spray.

**COCKROACHES (Waterbugs), ANTS & SILVERFISH:** Make spot applications of 1/2% Diazinon Spray as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar areas where insects hide.

**CARPET BEETLES:** Apply a 1/2% Diazinon Spray in spot applications along baseboards and edges of carpeting, under carpeting, rugs, and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

**SPIDERS & SCORPIONS:** Apply 1/2% Diazinon Spray around windows, doors and along baseboards. Make spot applications to other areas where these pests may crawl.

**PANTRY PESTS-EXPOSED STAGES (Sawtoothed Grain Beetles, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian Meal Moth):** Apply 1/2% Diazinon Spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until the spray is dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

**BROWN DOG TICKS IN BUILDINGS:** Make thorough application of a 1/2% Diazinon Spray to infested areas around baseboards, windows and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor covering. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

For Commercial/Industrial Use Only

MANUFACTURED BY  
**Dymon, Inc.**

3401 KANSAS AVENUE  
KANSAS CITY, KANSAS 66106  
(913) 321-5537

B-231

PROD #B-231  
DISK #00C  
10/14/91  
JOB 000C